

5.875"

MAILING ADDRESS  
 D. W. FOSTER COMPANY  
 10/24/17  
 2217-917-AA-538  
 Reviewer: T. C...  
 Reg. No. 2217-917-AA-538

# Roundup

FOR LAWNS,

7.625"

7.875"

## KILLS WEEDS NOT THE LAWN

KILLS CRABGRASS · DANDELION · CLOVER · YELLOW NUTSEGE\*

Keep Out Of Reach Of Children Mantener Fuera Del Alcance De Los Niños

**CAUTION** Sharp! Read the entire label first. Observe all precautions and follow directions carefully. See back panel booklet for additional precautionary statements and first aid. **PRECAUCIÓN** ¡Atención! Lea primero todo lo etiqueto. Observe todos los avisos de precaución y siga atentamente las instrucciones. También puede observar a los niños de precaución y los primeros auxilios en los cuadros de la etiqueta.

\*See inside booklet for weed list.

**ACTIVE INGREDIENT:**  
 MCPA, dimethylamine salt ..... 0.257%  
 Quinclorac ..... 0.118%  
 Dicamba, dimethylamine salt ..... 0.029%  
 Sulentrazone ..... 0.015%  
**INERT INGREDIENTS:** ..... 99.581%  
 Total ..... 100.000%

**THIS PRODUCT CONTAINS:**  
 0.018 lb 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 0.210%  
 0.010 lb 3,7-dichloro-8-quinolinecarboxylic acid per gallon or 0.118%  
 0.002 lb 3,6-dichloro-o-anisic acid equivalent per gallon or 0.024%  
 0.001 lb N-(2,4-dichloro-5-(1-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)phenyl)methanesulfonamide per gallon or 0.015%

NET CONTENTS / CONTENIDO NETO: 1.33 GALLONS (170 FL OZ/5L)



6.125"



4.6875"

4.875"

**AVISOS DE PRECAUCIÓN**

**RIESGOS PARA HUMANOS Y ANIMALES DOMÉSTICOS**  
**PRECAUCIÓN:** Causa irritación moderada en los ojos. Evite el contacto con los ojos o la ropa. Lávese completamente con agua y jabón después de usarlo y antes de comer, beber, mascar chicle, usar tabaco o usar el teléfono.

**PRIMEROS AUXILIOS**

**SIENTRA EN LOS OJOS**  
• Mantenga los ojos abiertos y enjuáguelos lentamente y con cuidado con agua durante 15-20 minutos. Quite los lentes de contacto, si utiliza, después de transcurridos los primeros 5 minutos. Luego continúe enjuagando los ojos.  
• Llame a un centro de control de envenenamientos para recibir instrucciones de tratamiento.

Tenga con usted el envase o la etiqueta del producto cuando llame al centro de control de envenenamientos o al médico, o al acudir a recibir tratamiento. Puede llamar al 1-866-572-0035 para obtener información sobre tratamiento médico de emergencia.

**RIESGOS AMBIENTALES**

Este producto es tóxico para los peces y los invertebrados acuáticos, así como para las plantas acuáticas. No lo aplique directamente al agua, en áreas donde haya agua presente en la superficie ni en zonas intermareales por debajo de la línea de la marea alta. El producto que se escurre o sea arrastrado por el viento puede ser peligroso para las plantas y para los organismos acuáticos de los cuerpos de agua adyacentes a las superficies tratadas. No contamine el agua al desahucarse de la que use para lavar o enjuagar los utensilios. Para proteger el medio ambiente, no permita que el pesticida penetre o se escurre en drenajes pluviales, zanjas de desagüe, cunetas o aguas superficiales. La aplicación de este producto en un clima tranquilo, cuando no se pronostiquen lluvias para las próximas 24 horas, ayudará a asegurar que ni el viento ni la lluvia arrastren o laven el pesticida fuera del área de tratamiento. Enjuagar el equipo usado para la aplicación sobre el área tratada ayudará a evitar escurremientos hacia cuerpos de agua o sistemas de drenaje.

**ADVERTENCIA:** En la medida contemplada por las leyes correspondientes, el comprador asume toda la responsabilidad por la seguridad y el uso de este producto si no se siguen las instrucciones.

**"RESULTADOS GARANTIZADOS o le devolvemos su dinero."** Si por algún motivo usted no queda satisfecho después de usar este producto, simplemente envíenos el comprobante de compra original y le reembolsaremos el precio de compra.

7.25"

**READY-TO-USE**

FOR USE ON NORTHERN GRASSES

**KILLS 253 TYPES OF WEEDS**

**CONTROLS**



**WHAT IT DOES**



**Starts Working Immediately**



**Rainproof in 3 Hours**



**Kills the Roots. Guaranteed!**

OPEN ABRA



**Connect Hose Extend Wand**



**Twist Nozzle & Spray**

**HOW TO USE**

100% SIZE  
12-digit UPC-A  
(non-suppressed)  
For Position Only  
0 32247 43850 6  
1006

For best results in non-lawn areas like garden beds, patios and driveways, use Roundup® Ready-To-Use Weed & Grass Killer™. Superscript is first letter of lot number.  
EPA Reg. No. 2217-917-538  
EPA Est. No. 239-JA-3,  
239-M5-001™  
Sold by: The Scotts Company  
14111 Scotslawn Rd  
Marysville, OH 43041  
© 2017 The Scotts Company LLC.  
World rights reserved.  
Visit our Website at [www.roundup.com](http://www.roundup.com)  
Questions & Comments  
Preguntas y comentarios  
Call 1-866-572-0035 or  
Visit our Website at [www.roundup.com](http://www.roundup.com)

FPD  
189351

5.125"

5.125"



4.6875"

4.6875"

7.25"

7.625"

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### RESTRICTIONS:

- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Do not allow people or pets to enter treated area until spray has dried.



#### PRECAUTIONS:

Roundup® For Lawns is a ready-to-use (RTU) product intended for "spot" treatment of individual broadleaf and grass weeds by homeowners on residential lawns. This product may be applied to lawns containing the following species of grass: Kentucky bluegrass, perennial ryegrass, rescue species (including tall, red, and fine leaf varieties), bermudagrass<sup>1</sup>, buffalograss and zoysiagrass.

<sup>1</sup> Application to bermudagrass may cause temporary yellowing or discoloration but full recovery can be expected. Do not apply to bermudagrass when daytime temperatures exceed 85° F.

Roundup® For Lawns should not be used on lawns containing bentgrass, St. Augustinegrass, bahiagrass, centipedegrass, or carpetgrass. Do not use on dichondra or lawns with desirable clovers or legumes, on vegetable gardens, fruits, or ornamentals (flowers, trees, groundcovers, hedges, landscape/flower beds and shrubs).

#### WEEDS CONTROLLED:

Roundup® For Lawns will control or suppress the following broadleaf and grass weeds.

#### BROADLEAF WEEDS

Amaranth, purple	Buckhorn	Clover, yellow sweet	Doveweed
Amaranth, slender	Bullnettle	Clover, white sweet	Elderberry
Aster, heath	Burdock	Clover, white	Falseflax
Aster, white heath	Burdock	Cockle	False sunflower
Aster, purple	Burweed, lawn (spurweed)	Cocklebur	Fiddleneck
Aster, white prairie	Buttercup, bulbous	Cocklebur, oriental	Filaree, redstem
Artichoke	Buttercup, creeping	Cocklebur, spiny	Filaree, whitestem
Austrian fieldress	Buttongrass, common (poorjoe)	Common mullen	Feabane, daisy (annual)
Bedstraw, catchweed	Buttongrass, Virginia	Corn spurry	Feabane, rough
Bedstraw, smooth	Carolina geranium (wild)	Creeping beggarweed	Galinisoga, hairy
Bedstraw, northern	Carpetweed	Creeping Jenny (creeping Charlie)	Galinisoga, smallflower
Bedstraw, pinewoods	Catnip	Cupid shaving brush	Goldenrod
Beggaricks, hairy	Catscar, spotted (false dandelion)	Cudweed	Ground Ivy
Betony, Florida	Chamber bitter	Daisy, English	Groundsel
Bindweed, field	Chickweed, common	Daisy, oxeye	Gumweed
Bindweed, hedge	Chickweed, mouseear	Dandelion, common	Hairy fleabane
Bitter Wintercress	Chickweed, sticky	Dandelion, false	Hawkweed, meadow
Bittercress, hairy	Cinquefoil	Dayflower	Hawkweed, mouseear
Bitterweed	Clover, crimson	Deadnettle	Hawkweed, orange
Black-eyed Susan	Clover, alsike	Dichondra	Hawkweed, yellow
Black medic	Clover, hop	Dock, broadleaf	Healall
Blood flower milkweed	Clover, rabbit foot	Dock, curly	Heartleaf drymary
Blue lettuce	Clover, red	Dogbane	Hemp
Brassbuttons	Clover, strawberry	Dollarweed (pennywort)	Herbit
Bristly oxtongue			Hoary cress
Broomweed			Horsenettle

Horseweed	Horsetail	Knotted, prostrate	Horsetail
Jimsonweed	Johnny-lumpup violet	Knotted, upright	Johnny-lumpup violet
Johnny-lumpup violet	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Knawel	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Knotted, prostrate	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Kochia	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Lambsquarters	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Lespedeza	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mallow, alkali	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mallow, bristly	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mallow, common	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mallow, dwarf	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mallow, Venice	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Marcela	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Marchweed	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mexicanweed	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Moneywort	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Morningglory, bigroot	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Morningglory, ivyleaf	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Morningglory, Mexican	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Morningglory, red	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Morningglory, tall	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Morningglory, woolly	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mugwort	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mustard, ball	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mustard, black	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mustard, blue	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mustard, hedge	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mustard, Indian	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mustard, tansy	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mustard, tumble	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mustard, white	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Mustard, wormseed	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Nettle, tall	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Nettle, wood	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Parsley-plant	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Parson	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Pearwort	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Pennycress (Frenchweed)	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Pepperweed, perennial	Knotted, upright	Knotted, upright	Johnny-lumpup violet
Pepperweed, Virginia (peppergrass)	Knotted, upright	Knotted, upright	Johnny-lumpup violet

#### GRASSY WEEDS

Crabgrass (large and smooth)

Crabgrass (large and smooth)

Foxtail (green, giant and yellow)

Yellow nutsedge

2

3

5.125"

5.125"



4.6875"

4.6875"

**WHEN TO USE**

Apply this product to actively-growing weeds during the early growth stages for the best results. Two or more applications at 14 day intervals throughout the season may be required for grass weeds. Apply when daytime temperatures are between 45° and 90° F.

**SPRING AND EARLY SUMMER:**

- Crabgrass (large and smooth): Apply this product from crabgrass emergence until the 6 leaf stage (2 tillers) or when the crabgrass is 3 to 4 inches tall. This period begins the first time that you can see crabgrass in your lawn. Use two applications with a 14-day interval between applications.
- Foxtail (green, giant and yellow): Apply this product to foxtail during the early growth stages or when the foxtail is 1 to 4 inches tall. Use two applications with a 14-day interval between applications.
- Yellow nutsedge: Two applications are required when the yellow nutsedge plants are 3 to 6 inches tall. Do not apply the second application until 14 days after the first application.

weeds: Apply when broadleaf weeds are young and actively growing with adequate soil moisture.

**FALL:**

- Henbit, chickweed, lawn burweed, pearlwort, Carolina geranium and other broadleaf weeds: Apply when broadleaf weeds are young and actively growing with adequate soil moisture for best results.

**BATTERY OPERATED SPRAYER with Extendable Wand**

1. Remove



- Remove wand from side clip.




- Pull connector by slightly twisting from holder and unwrap hose completely.

2. Connect



- Insert plug at end of hose into spout on cap until it clicks. Flip up spout.

3. Extend



- Flip open wand until it clicks and locks into position.
- Extend wand fully.

4. Spray



- Slide trigger lock on wand handle to the unlocked position.
- Twist nozzle to desired spray pattern.
- Point nozzle away from body and hold trigger for continuous spray.

**Important Use Information:** Do not submerge in water. When storing sprayer for long periods, remove batteries.

**To replace batteries:** Open battery compartment at bottom of wand with a small screwdriver. Remove used batteries and replace with new AA alkaline batteries in correct position as marked inside battery compartment. Securely close battery compartment door and screw closed firmly. Always use a complete set of the same type when replacing batteries. Best performance is achieved with alkaline batteries. Never mix alkaline, carbon-zinc or rechargeable batteries. Dispose of used batteries according to manufacturer's instructions or in household trash.

4

**IMPORTANT SPRAYER INFORMATION**

- Read and follow all directions before use.
- Wand is to be used only with Roundup® Branded Products with a quick-connect cap.
- Wand may not be compatible with other products.
- Do not drop or throw sprayer.
- Do not submerge sprayer in water. Never place sprayer in dishwasher.
- Do not use soap or other cleaning agents to clean sprayer. If necessary, clean outer sprayer surface only with damp towel.
- Insert batteries in their correct (+/-) position. Remove batteries for winter storage or when storing product for long periods of time.
- Always use a complete set of new alkaline batteries. Never mix alkaline, carbon-zinc, or rechargeable batteries.
- Always follow the manufacturer's instructions for battery disposal and use.
- Purge wand of liquid for winter storage or place wand/ in a heated storage area.

**HOW TO REFILL**

To refill this empty container, pour product carefully and directly from the Roundup® For Lawns, container designated as the ready-to-use refill container. DO NOT add water.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Flip down spout on cap. **NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP.** Twist sprayer nozzle to the OFF position. Engage trigger lock. Flip the wand closed and place in side clip. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different concentrated or ready-to-use product to be diluted in or poured directly into the container. Reuse or refill this container according to the directions contained in the HOW TO REFILL section. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency or 1-866-572-0035 for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**FIRST AID**

**IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
• Call a poison control center for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-866-572-0035 for emergency medical treatment advice.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, aquatic invertebrates, and aquatic plants. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift or runoff may be hazardous to aquatic organisms in water and to plants adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems.

**NOTICE:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions. **GUARANTEED RESULTS or your money back.** If for any reason you are not satisfied after using this product, simply send us original proof of purchase and we will refund the purchase price.

5

7.25"

7.625"

5.125"

5.125"



4.6875"

4.6875"

**INSTRUCCIONES DE USO**

Utilizar este producto de modo inconsistente con las declaraciones de su etiqueta constituye una violación de las leyes federales.

**RESTRICCIONES:**

- No aplique este producto de forma que entre en contacto con otras personas o mascotas, ya sea directamente o al ser arrastrado por el viento. No permita que las personas o las mascotas ingresen al área tratada hasta que se seque el rocío.

**PRECAUCIONES:**

**Roundup® Para Céspedes,** es un producto listo para usar (RTU) indicado para los propietarios de casas para el tratamiento "localizado" de grama y malezas de hoja ancha en céspedes. Este producto debe ser aplicado a los céspedes con las siguientes especies de grama: azul de Kentucky y raigrás perenne, especies de cañuela o festuca (incluyendo las variedades alta, rubra y roja), Bermuda®, bálalo y zoysia.

La aplicación en el césped Bermuda puede causar amarillamiento o decoloración temporal, pero se puede esperar una recuperación completa. No aplique el producto a césped Bermuda cuando las temperaturas diurnas superen los 85° F (29° C).

**Roundup® Para Usar** no debe utilizarse en céspedes de las variedades apramis, San Agustín, bambú, ciempíes o alfombra. No lo utilice en olonidia ni en céspedes con tréboles o leguminosas que no desee eliminar, huertos de hortalizas, plantas frutales u ornamentales (flores, árboles, cubiertas vegetales, setos, macizos de flores o jardines, y arbustos).

**CUÁNDO USARLO**

Para obtener los mejores resultados, aplique este producto a las malezas durante las primeras etapas de crecimiento activo. Puede que se necesiten dos o más aplicaciones, a intervalos de 14 días, durante toda la temporada para eliminar las malezas gramíneas. Aplique cuando la temperatura diurna oscile entre los 45° y los 90° F (7° y 32° C).


**EN LA PRIMAVERA YA PRINCIPIOS DEL VERANO:**

- Para tratar el zacate mano de cangrejo (variedades fijas y supradora ancha): Aplique este producto a partir de la germinación del zacate mano de cangrejo hasta la etapa de 6 hojas (2 brotes) o cuando alcance una altura de 3 a 4 pulgadas (7.5 a 10.1 cm). Este período comienza a partir del momento en el que observe zacate mano de cangrejo en el césped. Realice dos aplicaciones, dejando un intervalo de 14 días entre una y otra.
- Para tratar el zacate cola de zorra (variedades verde, gigante y amarilla): Aplique este producto al zacate cola de zorra durante las primeras etapas de crecimiento o cuando tenga entre 1 y 4 pulgadas (2.5 y 10 cm) de alto. Use dos aplicaciones, dejando un intervalo de 14 días entre una y otra.
- Para tratar la juncia avellanada: Es necesario hacer dos aplicaciones cuando las plantas de juncia avellanada tengan entre 3 y 6 pulgadas (7.5 y 15 cm) de alto. No realice la segunda aplicación hasta 14 días después de la primera.
- Para tratar el diente de león, el bambú, la calidonia menor, la Verónica, el polígono, la entella asiática (acaricoba) y otras malezas de hoja ancha: Aplique este producto cuando las malezas de hoja ancha sean pequeñas y estén creciendo de manera activa, con un suelo que tenga la humedad adecuada.

**EN EL OTOÑO:**

- Para tratar la ortiga mansa, la estalaria, el trébol blanco, la hiedra rastroja, el codillo prieto del césped, la sagina, el geranio silvestre y otras malezas de hoja ancha: A fin de obtener los mejores resultados, aplique este producto cuando las malezas de hoja ancha sean pequeñas y estén creciendo de manera activa, con un suelo que tenga la humedad adecuada.

**ROCIADOR A PILAS CON VARILLA EXTENSIBLE**



1. Retire


- Quite la tina protectora del compartimento de las pilas para activarlas.
- Jale el conector girándolo ligeramente para sacarlo del soporte y desenrolle completamente la manguera.
- Retire la varilla del sujetador lateral.

6

5.125"


5.125"

2. Conecte



- Inserte el conector al final de la manguera en la boquilla de la tapa hasta que haga clic. Levante la boquilla.

3. Extienda



4. Rocíe



- Abra la varilla hasta que haga clic y quede firmemente asegurada en su lugar.
- Extienda completamente la varilla.

- Deflice el seguro del gatillo ubicado en el mango de la varilla hasta la posición de desbloqueo.
- Gire la boquilla a la posición deseada del patrón de rocío.
- Ajuste la boquilla lejos del cuerpo y mantenga el gatillo oprimido para obtener un rocío continuo.

**Importante información de uso:** Cuando almacene el rociador por períodos prolongados de tiempo, quite las pilas. Para reemplazar las pilas: Abra el compartimento de las pilas localizado en la parte inferior de la varilla con un desarmador pequeño. Quite las baterías usadas y reemplácelas con pilas alcalinas AA nuevas colocándolas en la posición correcta, tal como está marcado en el interior del compartimento de las pilas.

Cierre bien la tapadera del compartimento de las pilas y atorníllela firmemente. Cuando cambie las pilas use siempre un juego completo del mismo tipo. Con las pilas alcalinas se logra un rendimiento mejor. Nunca mezcle pilas alcalinas, de carbón y zinc, o recargables. Siga las instrucciones del fabricante para deshechar las pilas usadas o viejas en la basura de la casa.

**INFORMACIÓN IMPORTANTE ACERCA DEL ROCIADOR**

- Lea y siga todas las instrucciones antes de usarlo.
- La varilla ha de usarse únicamente con los productos de la marca Roundup® que cuenten con una tapa de conexión rápida "quick-connect".
- La varilla puede no ser compatible con otros productos.
- No aviente el depósito del rociador.
- No sumerja el rociador en agua. Nunca coloque el rociador en el lavavajillas.
- No use paños ni otros productos de limpieza para limpiar el rociador. De ser necesario, limpie la superficie externa del rociador con una toalla húmeda, únicamente.
- Coloque las pilas en la posición correcta (4-1). Retire las pilas cuando guarde el producto durante el invierno o por períodos prolongados.
- Use siempre un juego completo de pilas alcalinas nuevas. Nunca mezcle pilas alcalinas, de carbón y zinc, o recargables.
- Siempre siga las instrucciones del fabricante para la eliminación y utilización de las pilas.
- Purgue el líquido de la varilla para guardarlo durante el invierno o póngala en un área de almacenamiento con calefacción.

**CÓMO RELLENAR**

Para rellenar el emase vacío, vierta el producto con cuidado y directamente del emase de Roundup® Para Céspedes, designado como el emase para rellenar listo para usar. No agregue agua.

**ALMACENAMIENTO Y ELIMINACIÓN**

<b>ELIMINACIÓN DEL PESTICIDA</b>	No contamine el agua, la comida ni el pienso para animales al almacenar o eliminar el producto. Boje el pico de la tapa. <b>NO NECESITA DESCONECTAR LA MANGUERA DEL ROCIADOR DE LA TAPA.</b> Gire la boquilla del rociador hasta la posición de "OFF" (cerrado). Póngale el seguro al gatillo. Cierre la varilla y colóquela en el sujetador lateral. Guarde el producto en su emase original, en un lugar seguro y alejado de la luz directa del sol. Proteja del congelamiento. Si se congela, deje que se descongele y agítelo bien antes de usarlo.
<b>ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL EMASE:</b>	Este emase no se puede rellenar. No vuelva a usar o a rellenar este emase, a menos que las instrucciones de uso permitan que un producto concentrado o listo para usar distinto se pueda echar directamente o diluir en el emase. Este emase se puede reciclar o rellenar de acuerdo con las instrucciones contenidas en la sección <b>CÓMO RELLENAR SI ESTÁ VACÍO.</b> Tirelo a la basura o rocíelo, de ser posible. <b>Si está parcialmente lleno:</b> Llame a su agencia local de desechos sólidos o al 1-866-572-0035 para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto no utilizado en drenajes internos o externos.

7

4.6875"

4.6875"

7.25"

7.625"

4.75"



**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.	
<b>PESTICIDE STORAGE:</b>	Flip down spout on cap. <b>NO NEED TO DISCONNECT SPRAYER HOSE FROM CAP.</b> Twist sprayer nozzle to the OFF position. Engage trigger lock. Flip the wand closed and place in side clip. Store product in original container in a safe place away from direct sunlight. Keep from freezing. If frozen, allow to thaw and shake well before using.
<b>PESTICIDE DISPOSAL AND CONTAINER HANDLING:</b>	Nonrefillable container. Do not reuse or refill this container unless the directions for use allow a different concentrated or ready-to-use product to be diluted in or poured directly into the container. Reuse or refill this container according to the directions contained in the HOW TO REFILL section. <b>If empty:</b> Place in trash or offer for recycling, if available. <b>If partly filled:</b> Call your local solid waste agency or 1-866-572-0035 for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

<b>FIRST AID</b>	
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>• Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center for treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-866-572-0035 for emergency medical treatment advice.	

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, aquatic invertebrates, and aquatic plants. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift or runoff may be hazardous to aquatic organisms in water and to plants adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

**Questions & Comments** Preguntas y comentarios  
 Call 1-866-572-0035 or Visit our Website at [www.roundup.com](http://www.roundup.com)

EPA Reg. No. 2217-917-538  
 EPA Est. No. 239-1A-3, 239-MS-001<sup>18</sup>  
 Superscript is first letter of lot number.

Sold by: The Scotts Company  
 14111 Scottslawn Rd  
 Marysville, OH 43041  
 © 2017 The Scotts Company LLC. World rights reserved.

LB9351

7.375"

7.625"

5.875"



