

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---------------------------------|----------------|------------------------------|-------------------|--------------|
| ABAMECTIN | | | | |
| Cantaloupe | 14.24 | 31 | 1,548.70 | A |
| Cotton | 15.36 | 56 | 1,426.90 | A |
| Grapefruit | 6.59 | 8 | 301.50 | A |
| Lemon | 76.94 | 90 | 3,604.65 | A |
| Melon | 5.51 | 8 | 494.00 | A |
| Onion, Dry | 8.77 | 25 | 527.40 | A |
| Orange | 1.32 | 3 | 69.00 | A |
| Structural Pest Control | < 0.01 | | | |
| Tangelo | 2.67 | 5 | 118.00 | A |
| Tangerine | 12.83 | 11 | 615.72 | A |
| Watermelon | 8.86 | 16 | 626.25 | A |
| Chemical Total | 153.09 | 253 | | |
| ABAMECTIN, OTHER RELATED | | | | |
| Structural Pest Control | < 0.01 | | | |
| Chemical Total | < 0.01 | | | |
| S-ABSCISIC ACID | | | | |
| Grape | 19.68 | 6 | 164.00 | A |
| Chemical Total | 19.68 | 6 | | |
| ACEPHATE | | | | |
| Lettuce, Head | 743.14 | 35 | 1,005.55 | A |
| N-Outdr Flower | 34.00 | 5 | 117.00 | A |
| Structural Pest Control | 4.95 | | | |
| Tangerine | 27.16 | 1 | 80.00 | A |
| Chemical Total | 809.25 | 41 | | |
| ACETAMIPRID | | | | |
| Arugula | 7.45 | 7 | 108.60 | A |
| Bok Choy | 1.67 | 3 | 18.08 | A |
| Broccoli | 1.40 | 2 | 18.60 | A |
| Cabbage | 9.80 | 5 | 144.00 | A |
| Cantaloupe | 22.53 | 7 | 224.00 | A |
| Cauliflower | 1.11 | 1 | 15.00 | A |
| Celery | 13.80 | 8 | 196.10 | A |
| Cotton | 42.06 | 18 | 552.69 | A |
| Endive (Escarole) | 0.89 | 1 | 12.00 | A |
| Kale | 16.30 | 35 | 175.32 | A |
| Lettuce, Head | 7.56 | 5 | 129.60 | A |
| Lettuce, Leaf | 31.47 | 19 | 438.20 | A |
| Melon | 9.00 | 2 | 92.00 | A |
| Mizuna | 0.51 | 2 | 6.60 | A |
| Onion, Dry | 27.01 | 7 | 355.00 | A |
| Spinach | 12.06 | 16 | 179.71 | A |
| Structural Pest Control | 0.91 | | | |
| Swiss Chard | 0.32 | 1 | 4.80 | A |
| Watermelon | 0.80 | 1 | 8.00 | A |
| Chemical Total | 206.62 | 140 | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| ACETIC ACID | | | | |
| Basil, Sweet | 0.72 | 2 | 96.00 | A |
| Broccoli | 6.54 | 54 | 466.00 | A |
| Brussels Sprout | 0.01 | 1 | 2.00 | A |
| Cabbage | 0.48 | 17 | 88.00 | A |
| Cauliflower | 4.45 | 50 | 324.50 | A |
| Celery | 0.22 | 5 | 40.00 | A |
| Chinese Cabbage (Nappa) | 0.03 | 3 | 5.00 | A |
| Endive (Escarole) | 0.05 | 9 | 8.80 | A |
| Lettuce, Head | 0.20 | 8 | 36.00 | A |
| Lettuce, Leaf | 1.17 | 33 | 229.18 | A |
| Onion, Dry | 0.43 | 1 | 10.00 | A |
| Spinach | 0.07 | 7 | 14.00 | A |
| Chemical Total | 14.38 | 190 | | |
| ACIBENZOLAR-S-METHYL | | | | |
| Bok Choy | 0.06 | 2 | 2.20 | A |
| Kale | 1.80 | 5 | 65.33 | A |
| Lettuce, Head | 7.46 | 13 | 289.69 | A |
| Lettuce, Leaf | 9.01 | 18 | 332.31 | A |
| Mizuna | 0.06 | 2 | 2.20 | A |
| Spinach | 63.60 | 165 | 2,701.68 | A |
| Chemical Total | 81.99 | 205 | | |
| ALPHA-ALKYLARYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | | | | |
| Alfalfa | 3.41 | 1 | 40.00 | A |
| Cantaloupe | 16.89 | 8 | 541.20 | A |
| Corn, Human Consumption | 27.60 | 6 | 347.00 | A |
| Forage Hay/Silage | 3.41 | 1 | 27.00 | A |
| Onion, Dry | 2.11 | 1 | 20.00 | A |
| Potato | 6.81 | 1 | 61.00 | A |
| Sugarbeet | 9.34 | 5 | 149.95 | A |
| Wheat | 1.39 | 1 | 17.00 | A |
| Chemical Total | 70.96 | 24 | | |
| ALKYL (50% C14, 40% C12, 10% C16) DIMETHYLBENZYL AMMONIUM CHLORIDE | | | | |
| Structural Pest Control | 0.01 | | | |
| Chemical Total | 0.01 | | | |
| ALPHA-ALKYL (C9-C11)-OMEGA-HYDROXPOLY(OXYETHYLENE) | | | | |
| Alfalfa | 554.86 | 506 | 32,153.97 | A |
| Bermudagrass | 4.97 | 6 | 298.75 | A |
| Broccoli | 73.87 | 63 | 1,473.57 | A |
| Cabbage | 43.27 | 73 | 530.80 | A |
| Cantaloupe | 28.24 | 14 | 865.70 | A |
| Carrot | 9.74 | 12 | 470.00 | A |
| Cauliflower | 66.16 | 44 | 726.45 | A |
| Celery | 37.99 | 63 | 1,026.00 | A |
| Corn, Human Consumption | 84.19 | 105 | 5,018.75 | A |
| Cotton | 10.02 | 18 | 309.30 | A |
| Date | 52.63 | 16 | 684.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|---------------------------|----------------|-----------|
| Endive (Escarole) | 0.51 | 5 | 7.95 | A |
| Forage Hay/Silage | 0.88 | 1 | 76.00 | A |
| Lemon | 15.05 | 3 | 44.98 | A |
| Lettuce, Head | 17.06 | 35 | 1,082.40 | A |
| Lettuce, Leaf | 79.99 | 220 | 2,873.50 | A |
| Mango | 41.06 | 3 | 330.00 | A |
| Melon | 18.54 | 10 | 473.50 | A |
| Mustard | 0.78 | 2 | 9.00 | A |
| Mustard Greens | 6.80 | 10 | 67.30 | A |
| Onion, Dry | 51.52 | 34 | 2,205.00 | A |
| Rights Of Way | 45.11 | | | |
| Squash | 1.02 | 3 | 15.00 | A |
| Sugarbeet | 51.72 | 50 | 3,404.15 | A |
| Uncultivated Ag | 17.93 | 3 | 214.00 | A |
| Watermelon | 7.97 | 4 | 103.50 | A |
| Wheat | 17.87 | 3 | 146.00 | A |
| Chemical Total | 1,339.74 | 1,306 | | |
| ALPHA-ALKYL (C9-C16)-OMEGA-HYDROXPOLY(OXYETHYLENE) | | | | |
| Alfalfa | 1,707.24 | 127 | 8,225.00 | A |
| Bermudagrass | 28.15 | 2 | 105.00 | A |
| Sugarbeet | 39.42 | 2 | 217.00 | A |
| Uncultivated Ag | 139.58 | 33 | 696.65 | A |
| Wheat | 63.54 | 6 | 290.00 | A |
| Chemical Total | 1,977.93 | 170 | | |
| ALPHA-ALKYL (C9-C18)-OMEGA-HYDROXPOLY(OXYETHYLENE) | | | | |
| Alfalfa | 662.36 | 242 | 16,787.50 | A |
| Bermudagrass | 26.00 | 5 | 313.00 | A |
| Broccoli | 2.48 | 1 | 31.00 | A |
| Carrot | 4.95 | 2 | 92.00 | A |
| Corn (Forage - Fodder) | 2.48 | 1 | 32.00 | A |
| Forage Hay/Silage | 16.09 | 2 | 117.00 | A |
| Lettuce, Head | 61.65 | 34 | 778.50 | A |
| Lettuce, Leaf | 3.96 | 2 | 48.00 | A |
| Onion, Dry | 4.95 | 2 | 85.00 | A |
| Rights Of Way | 18.57 | | | |
| Sugarbeet | 311.99 | 130 | 6,338.00 | A |
| Sunflower | 7.43 | 1 | 74.00 | A |
| Uncultivated Ag | 592.33 | 81 | 4,810.10 | A |
| Chemical Total | 1,715.24 | 503 | | |
| ALPHA-ALKYL (C10-C14)-OMEGA-HYDROXPOLY(OXYETHYLENE) | | | | |
| Cotton | 118.39 | 24 | 809.50 | A |
| Chemical Total | 118.39 | 24 | | |
| ALPHA-ALKYL (C12-C16)-OMEGA-HYDROXPOLY(OXYETHYLENE) | | | | |
| Cotton | 14.71 | 24 | 809.50 | A |
| Chemical Total | 14.71 | 24 | | |

ALPHA-PINENE BETA-PINENE COPOLYMER

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Alfalfa | 141.36 | 17 | 695.00 | A |
| Arugula | 3.92 | 2 | 31.50 | A |
| Bermudagrass | 24.81 | 1 | 75.00 | A |
| Broccoli | 132.15 | 18 | 537.64 | A |
| Cabbage | 29.42 | 4 | 111.00 | A |
| Cantaloupe | 26.86 | 5 | 140.00 | A |
| Carrot | 136.64 | 10 | 607.00 | A |
| Cauliflower | 66.85 | 12 | 274.69 | A |
| Corn, Human Consumption | 463.17 | 21 | 1,590.50 | A |
| Endive (Escarole) | 2.53 | 6 | 19.35 | A |
| Grape | 305.34 | 41 | 1,864.00 | A |
| Lettuce, Leaf | 133.35 | 26 | 587.95 | A |
| Melon | 16.12 | 1 | 77.00 | A |
| N-Outdr Flower | 10.93 | 1 | 46.00 | A |
| Onion, Dry | 94.92 | 6 | 357.00 | A |
| Spinach | 28.18 | 27 | 759.35 | A |
| Sugarbeet | 1,147.67 | 69 | 5,139.10 | A |
| Watermelon | 26.86 | 2 | 133.00 | A |
| Chemical Total | 2,791.08 | 269 | | |
| ALPHA-ALKYL (C12-C14)-OMEGA-HYDROXPOLY(OXYETHYLENE) | | | | |
| Alfalfa | 672.48 | 165 | 11,673.30 | A |
| Bermudagrass | 6.16 | 2 | 77.00 | A |
| Canola (Rape) | 0.49 | 1 | 5.00 | A |
| Cantaloupe | 12.32 | 4 | 238.00 | A |
| Corn (Forage - Fodder) | 19.34 | 12 | 500.00 | A |
| Corn, Human Consumption | 6.16 | 2 | 167.00 | A |
| Cotton | 95.08 | 31 | 1,353.60 | A |
| Forage Hay/Silage | 9.24 | 1 | 75.00 | A |
| Gai Lon | 6.47 | 11 | 66.95 | A |
| Grapefruit | 11.09 | 2 | 57.00 | A |
| Lemon | 71.27 | 6 | 281.00 | A |
| Lettuce, Head | 318.48 | 130 | 3,977.09 | A |
| Lettuce, Leaf | 181.10 | 85 | 2,333.14 | A |
| Onion, Dry | 78.54 | 13 | 901.00 | A |
| Orange | 10.84 | 2 | 56.00 | A |
| Sugarbeet | 567.96 | 136 | 11,045.63 | A |
| Sunflower | 28.49 | 7 | 290.00 | A |
| Tangerine | 86.86 | 6 | 448.00 | A |
| Uncultivated Ag | 30.83 | 5 | 282.00 | A |
| Wheat | 11.40 | 3 | 240.00 | A |
| Chemical Total | 2,224.60 | 624 | | |
| ALPHA-ALKYL (SECONDARY C11-C15)-OMEGA-HYDROXPOLY (OXYETHYLENE) | | | | |
| Alfalfa | 21.50 | 1 | 70.00 | A |
| Onion, Dry | 43.01 | 3 | 147.00 | A |
| Chemical Total | 64.51 | 4 | | |
| ALKYL (C8,C10) POLYGLUCOSIDE | | | | |
| Alfalfa | 3,921.88 | 357 | 22,204.49 | A |
| Asparagus | 2.72 | 4 | 63.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Bermudagrass | 98.73 | 11 | 466.50 | A |
| Broccoli | 37.46 | 3 | 144.50 | A |
| Cantaloupe | 114.71 | 3 | 214.90 | A |
| Carrot | 11.00 | 3 | 103.00 | A |
| Corn (Forage - Fodder) | 1.83 | 1 | 32.00 | A |
| Forage Hay/Silage | 1.83 | 1 | 74.00 | A |
| Lettuce, Leaf | 0.09 | 1 | 35.00 | A |
| Melon | 17.08 | 1 | 32.00 | A |
| Rights Of Way | 290.42 | | | |
| Ryegrass | 91.82 | 11 | 740.00 | A |
| Sugarbeet | 131.08 | 19 | 812.50 | A |
| Sunflower | 34.41 | 3 | 323.00 | A |
| Uncultivated Ag | 1,929.81 | 181 | 10,453.90 | A |
| Wheat | 528.60 | 38 | 2,176.00 | A |
| Chemical Total | 7,213.48 | 637 | | |
| D-TRANS ALLETHRIN | | | | |
| Structural Pest Control | 0.03 | | | |
| Chemical Total | 0.03 | | | |
| ALLYLOXYPOLYETHYLENE GLYCOL ACETATE | | | | |
| Lettuce, Leaf | 0.18 | 1 | 18.00 | A |
| Chemical Total | 0.18 | 1 | | |
| ALUMINUM PHOSPHIDE | | | | |
| Commodity Fumigation | 77.35 | | | |
| Fumigation, Other | 24.00 | | | |
| Sudangrass | 1.32 | | 2,560.00 | U |
| Chemical Total | 102.67 | | | |
| AMETOCTRADIN | | | | |
| Arugula | 129.22 | 31 | 488.88 | A |
| Bok Choy | 4.44 | 5 | 16.42 | A |
| Broccoli | 218.44 | 24 | 832.84 | A |
| Cabbage | 89.92 | 14 | 358.86 | A |
| Cauliflower | 1.65 | 1 | 6.00 | A |
| Chinese Cabbage (Nappa) | 0.32 | 1 | 1.20 | A |
| Endive (Escarole) | 30.36 | 18 | 116.76 | A |
| Kale | 90.90 | 25 | 333.95 | A |
| Lettuce, Head | 1,249.98 | 160 | 4,984.73 | A |
| Lettuce, Leaf | 2,563.75 | 378 | 9,807.56 | A |
| Mizuna | 18.82 | 10 | 68.95 | A |
| Mustard | 30.22 | 9 | 127.62 | A |
| Onion, Dry | 930.63 | 54 | 3,542.63 | A |
| Spinach | 927.20 | 180 | 3,475.90 | A |
| Sugarbeet | 2.73 | 1 | 5.00 | A |
| Swiss Chard | 36.85 | 22 | 149.80 | A |
| Chemical Total | 6,325.42 | 933 | | |
| AMINOCYCLOPYRACHLOR | | | | |
| Rights Of Way | 430.16 | | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Chemical Total | 430.16 | | | |
| AMINOCYCLOPYRACHLOR, POTASSIUM SALT | | | | |
| Rights Of Way | 144.21 | | | |
| Chemical Total | 144.21 | | | |
| AMINOPYRALID, TRIISOPROPANOLAMINE SALT | | | | |
| Rights Of Way | 403.97 | | | |
| Chemical Total | 403.97 | | | |
| 4-AMINOPYRIDINE | | | | |
| Structural Pest Control | 0.02 | | | |
| Chemical Total | 0.02 | | | |
| AMMONIUM CITRATE | | | | |
| Rights Of Way | 17.73 | | | |
| Chemical Total | 17.73 | | | |
| AMMONIUM NONANOATE | | | | |
| Ditch Bank | 2,736.58 | | 80.00 | A |
| Rights Of Way | 4,524.79 | | | |
| Chemical Total | 7,261.37 | | | |
| AMMONIUM NITRATE | | | | |
| Alfalfa | 1,719.73 | 165 | 10,521.76 | A |
| Bermudagrass | 37.87 | 8 | 262.50 | A |
| Broccoli | 17.79 | 2 | 114.50 | A |
| Cantaloupe | 54.63 | 3 | 214.90 | A |
| Carrot | 5.24 | 3 | 103.00 | A |
| Melon | 8.13 | 1 | 32.00 | A |
| Rights Of Way | 137.99 | | | |
| Sugarbeet | 53.19 | 7 | 365.00 | A |
| Sunflower | 10.17 | 2 | 306.00 | A |
| Uncultivated Ag | 655.64 | 76 | 4,690.30 | A |
| Wheat | 243.01 | 25 | 1,434.00 | A |
| Chemical Total | 2,943.38 | 292 | | |
| AMMONIUM PROPIONATE | | | | |
| Alfalfa | 2,677.17 | 171 | 11,276.30 | A |
| Bermudagrass | 27.08 | 8 | 130.00 | A |
| Canola (Rape) | 4.71 | 1 | 30.00 | A |
| Oat | 1.89 | 1 | 15.00 | A |
| Onion, Dry | 5.52 | 1 | 42.00 | A |
| Sugarbeet | 462.06 | 40 | 2,557.06 | A |
| Sunflower | 4.96 | 1 | 70.00 | A |
| Uncultivated Ag | 80.62 | 5 | 295.20 | A |
| Watermelon | 9.43 | 1 | 35.00 | A |
| Wheat | 58.32 | 6 | 290.00 | A |
| Chemical Total | 3,331.76 | 235 | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---------------------------------------|----------------|------------------------------|-------------------|--------------|
| AMMONIUM SULFATE | | | | |
| Alfalfa | 9,516.78 | 618 | 39,740.44 | A |
| Asparagus | 26.43 | 4 | 63.00 | A |
| Bermudagrass | 399.67 | 32 | 1,316.50 | A |
| Broccoli | 35.59 | 2 | 114.50 | A |
| Canola (Rape) | 1.18 | 1 | 30.00 | A |
| Cantaloupe | 123.95 | 4 | 305.90 | A |
| Carrot | 17.82 | 4 | 173.00 | A |
| Corn (Forage - Fodder) | 168.36 | 25 | 1,600.00 | A |
| Corn, Human Consumption | 3.67 | 1 | 35.00 | A |
| Cotton | 236.20 | 30 | 1,336.11 | A |
| Forage Hay/Silage | 37.39 | 2 | 119.00 | A |
| Grass, Seed | 23.56 | 4 | 380.00 | A |
| Lemon | 84.11 | 3 | 114.00 | A |
| Lettuce, Head | 7.54 | 4 | 76.80 | A |
| Melon | 16.27 | 1 | 32.00 | A |
| N-Outdr Flower | 3.85 | 1 | 15.00 | A |
| Oat | 51.52 | 5 | 200.00 | A |
| Onion, Dry | 21.01 | 3 | 104.50 | A |
| Rights Of Way | 10,448.95 | | | |
| Ryegrass | 357.13 | 11 | 740.00 | A |
| Sugarbeet | 408.38 | 56 | 3,284.06 | A |
| Sunflower | 41.58 | 5 | 440.33 | A |
| Uncultivated Ag | 6,550.57 | 256 | 12,419.91 | A |
| Watermelon | 30.55 | 4 | 201.00 | A |
| Wheat | 746.84 | 49 | 2,712.00 | A |
| Chemical Total | 29,358.88 | 1,125 | | |
| AROMATIC 200 | | | | |
| Alfalfa | 3,598.82 | 58 | 4,378.10 | A |
| Lemon | 142.76 | 8 | 383.00 | A |
| Lime | 15.27 | 1 | 34.00 | A |
| Tangerine | 77.11 | 3 | 160.00 | A |
| Uncultivated Ag | 22.90 | 1 | 90.00 | A |
| Chemical Total | 3,856.86 | 71 | | |
| ASPERGILLUS FLAVUS STRAIN AF36 | | | | |
| Corn (Forage - Fodder) | 0.04 | 6 | 535.00 | A |
| Chemical Total | 0.04 | 6 | | |
| ATRAZINE | | | | |
| Corn (Forage - Fodder) | 1,219.75 | 20 | 1,026.00 | A |
| Corn, Human Consumption | 10,046.05 | 149 | 8,030.05 | A |
| Sorghum (Forage - Fodder) | 62.52 | 3 | 65.00 | A |
| Sudangrass | 3,041.08 | 35 | 2,720.00 | A |
| Sugarcane | 332.89 | 2 | 100.00 | A |
| Chemical Total | 14,702.29 | 209 | | |
| ATRAZINE, OTHER RELATED | | | | |
| Corn (Forage - Fodder) | 23.51 | 20 | 1,026.00 | A |
| Corn, Human Consumption | 205.23 | 149 | 8,030.05 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---------------------------|----------------|------------------------------|-------------------|--------------|
| Sorghum (Forage - Fodder) | 1.19 | 3 | 65.00 | A |
| Sudangrass | 63.59 | 35 | 2,720.00 | A |
| Sugarcane | 6.91 | 2 | 100.00 | A |
| Chemical Total | 300.41 | 209 | | |
| AZADIRACTIN | | | | |
| Alfalfa | 3.95 | 1 | 84.00 | A |
| Artichoke, Globe | 1.22 | 7 | 86.26 | A |
| Arugula | 13.50 | 74 | 617.44 | A |
| Basil, Sweet | 4.07 | 7 | 198.00 | A |
| Beet | 11.02 | 17 | 431.50 | A |
| Bok Choy | 5.10 | 4 | 7.82 | A |
| Broccoli | 23.58 | 86 | 1,043.10 | A |
| Brussels Sprout | 0.06 | 1 | 2.00 | A |
| Cabbage | 19.26 | 87 | 806.91 | A |
| Cauliflower | 20.67 | 88 | 763.48 | A |
| Celery | 1.36 | 6 | 48.00 | A |
| Chinese Cabbage (Nappa) | 0.37 | 7 | 13.00 | A |
| Cilantro | 0.68 | 18 | 43.75 | A |
| Collard | 1.84 | 22 | 73.83 | A |
| Corn, Human Consumption | 1.76 | 1 | 75.00 | A |
| Dill | 0.94 | 29 | 39.75 | A |
| Endive (Escarole) | 0.36 | 16 | 15.34 | A |
| Kale | 20.13 | 85 | 1,057.39 | A |
| Lettuce, Head | 6.44 | 73 | 463.12 | A |
| Lettuce, Leaf | 133.13 | 484 | 5,976.66 | A |
| Mizuna | 2.41 | 17 | 30.94 | A |
| Mustard | 12.56 | 48 | 490.90 | A |
| Mustard Greens | 6.92 | 38 | 248.06 | A |
| Onion, Dry | 3.39 | 2 | 140.00 | A |
| Parsley | 1.57 | 26 | 62.95 | A |
| Rapini | 16.35 | 14 | 607.00 | A |
| Spinach | 73.81 | 182 | 3,000.91 | A |
| Swiss Chard | 13.90 | 131 | 688.25 | A |
| Tat Soi (Spinach Mustard) | 1.34 | 6 | 49.35 | A |
| Uncultivated Ag | 0.19 | 1 | 6.63 | A |
| Vegetable | 0.49 | 1 | 57.00 | A |
| Chemical Total | 402.35 | 1,579 | | |
| AZOXYSTROBIN | | | | |
| Alfalfa | 49.90 | 7 | 370.00 | A |
| Beet | 1.56 | 2 | 6.20 | A |
| Broccoli | 37.44 | 7 | 170.96 | A |
| Cantaloupe | 147.76 | 43 | 931.96 | A |
| Carrot | 480.66 | 44 | 2,391.00 | A |
| Celery | 13.20 | 3 | 56.00 | A |
| Fennel | 2.14 | 4 | 9.71 | A |
| Kale | 0.86 | 2 | 3.92 | A |
| Lettuce, Leaf | 34.17 | 5 | 151.40 | A |
| Mango | 26.44 | 1 | 110.00 | A |
| Melon | 29.70 | 9 | 181.80 | A |
| Onion, Dry | 34.54 | 7 | 181.00 | A |
| Parsley | 18.71 | 1 | 75.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Rapini | 299.33 | 17 | 1,251.80 | A |
| Sugarbeet | 4.16 | 1 | 21.00 | A |
| Swiss Chard | 2.58 | 2 | 10.25 | A |
| Watermelon | 93.69 | 21 | 1,016.00 | A |
| Chemical Total | 1,276.85 | 176 | | |
| BACILLUS AMYLOLIQUEFACIENS STRAIN D747 | | | | |
| Arugula | 578.86 | 11 | 107.78 | A |
| Broccoli | 693.39 | 8 | 167.00 | A |
| Cabbage | 352.42 | 2 | 102.00 | A |
| Carrot | 573.89 | 5 | 164.00 | A |
| Cauliflower | 88.11 | 1 | 27.00 | A |
| Celery | 119.38 | 1 | 35.00 | A |
| Collard | 8.95 | 4 | 17.90 | A |
| Kale | 491.64 | 17 | 229.62 | A |
| Lettuce, Leaf | 2,349.11 | 40 | 654.73 | A |
| Mizuna | 49.78 | 6 | 11.30 | A |
| Mustard | 4.10 | 3 | 8.20 | A |
| Onion, Dry | 1,189.43 | 3 | 167.50 | A |
| Spinach | 1,571.99 | 19 | 360.32 | A |
| Swiss Chard | 321.68 | 14 | 73.01 | A |
| Chemical Total | 8,392.73 | 134 | | |
| BACILLUS MYCOIDES ISOLATE J | | | | |
| Beet | 0.40 | 1 | 7.00 | A |
| Lettuce, Leaf | 53.66 | 25 | 317.73 | A |
| Spinach | 8.14 | 11 | 133.00 | A |
| Swiss Chard | 0.50 | 2 | 8.00 | A |
| Chemical Total | 62.70 | 39 | | |
| BACILLUS PUMILUS, STRAIN QST 2808 | | | | |
| Arugula | 0.65 | 3 | 10.83 | A |
| Beet | 14.25 | 5 | 153.50 | A |
| Collard | 1.34 | 4 | 11.13 | A |
| Grape | 117.74 | 12 | 1,150.00 | A |
| Kale | 10.41 | 4 | 87.70 | A |
| Lettuce, Leaf | 37.43 | 35 | 386.93 | A |
| Mizuna | 0.10 | 1 | 1.75 | A |
| Mustard | 1.13 | 3 | 9.40 | A |
| Spinach | 3.24 | 12 | 53.97 | A |
| Swiss Chard | 2.63 | 3 | 23.55 | A |
| Chemical Total | 188.91 | 82 | | |
| BACILLUS AMYLOLIQUEFACIENS STRAIN MBI 600 | | | | |
| Watermelon | 23.01 | 21 | 373.95 | A |
| Chemical Total | 23.01 | 21 | | |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. AIZAWAI, GC-91 PROTEIN | | | | |
| Broccoli | 214.31 | 5 | 130.78 | A |
| Cauliflower | 50.54 | 2 | 50.54 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K = Thousand Cubic Feet, P = Pounds, T = Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--------------------|----------------|---------------------------|----------------|-----------|
| Lettuce, Leaf | 167.69 | 4 | 168.18 | A |
| N-Outdr Flower | 43.95 | 9 | 93.80 | A |
| Chemical Total | 476.49 | 20 | | |

BACILLUS THURINGIENSIS, SUBSP. AIZAWAI, STRAIN ABTS-1857

| | | | | |
|-------------------------|----------|-----|----------|---|
| Alfalfa | 1,150.20 | 13 | 1,067.00 | A |
| Artichoke, Globe | 39.00 | 4 | 48.15 | A |
| Arugula | 53.09 | 21 | 98.58 | A |
| Beet | 734.87 | 28 | 758.50 | A |
| Bok Choy | 2.70 | 1 | 5.00 | A |
| Broccoli | 1,369.73 | 112 | 1,383.67 | A |
| Cabbage | 1,083.19 | 145 | 1,078.30 | A |
| Carrot | 115.21 | 7 | 110.70 | A |
| Cauliflower | 1,025.93 | 99 | 1,029.16 | A |
| Celery | 659.67 | 60 | 663.20 | A |
| Chinese Cabbage (Nappa) | 5.40 | 3 | 5.00 | A |
| Collard | 33.91 | 9 | 33.00 | A |
| Corn, Human Consumption | 132.30 | 4 | 243.00 | A |
| Endive (Escarole) | 17.50 | 13 | 16.80 | A |
| Fennel | 1.08 | 1 | 2.00 | A |
| Kale | 249.50 | 18 | 278.94 | A |
| Lettuce, Head | 271.60 | 42 | 269.80 | A |
| Lettuce, Leaf | 1,251.99 | 136 | 1,334.46 | A |
| Mustard | 25.92 | 6 | 24.00 | A |
| Mustard Greens | 49.03 | 5 | 47.70 | A |
| N-Outdr Flower | 51.57 | 3 | 95.00 | A |
| Onion, Dry | 27.00 | 1 | 24.96 | A |
| Parsley | 26.81 | 1 | 33.10 | A |
| Rapini | 97.20 | 2 | 92.00 | A |
| Spinach | 211.30 | 35 | 377.74 | A |
| Squash | 16.20 | 3 | 15.00 | A |
| Swiss Chard | 104.52 | 20 | 108.25 | A |
| Watermelon | 99.90 | 4 | 103.50 | A |
| Chemical Total | 8,906.31 | 796 | | |

BACILLUS THURINGIENSIS (BERLINER), SUBSP. ISRAELENIS, SEROTYPE H-14

| | | | | |
|----------------|------|--|--|--|
| Public Health | 3.73 | | | |
| Chemical Total | 3.73 | | | |

BACILLUS THURINGIENSIS, SUBSP. KURSTAKI, STRAIN ABTS-351, FERMENTATION SOLIDS AND SOLUBLES

| | | | | |
|-----------------|--------|----|----------|---|
| Alfalfa | 654.90 | 85 | 4,795.00 | A |
| Arugula | 29.30 | 13 | 54.52 | A |
| Beet | 359.06 | 12 | 360.00 | A |
| Bok Choy | 49.63 | 7 | 93.30 | A |
| Broccoli | 247.74 | 24 | 268.80 | A |
| Brussels Sprout | 2.16 | 1 | 2.00 | A |
| Cabbage | 401.12 | 45 | 419.78 | A |
| Cauliflower | 337.49 | 44 | 380.29 | A |
| Celery | 101.52 | 10 | 94.00 | A |
| Collard | 17.17 | 4 | 15.90 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Corn, Human Consumption | 3,978.75 | 51 | 3,749.50 | A |
| Endive (Escarole) | 0.86 | 1 | 0.80 | A |
| Gai Lon | 1.62 | 1 | 3.44 | A |
| Kale | 155.85 | 8 | 170.76 | A |
| Lettuce, Head | 4.32 | 1 | 4.00 | A |
| Lettuce, Leaf | 316.27 | 27 | 341.78 | A |
| Mustard | 13.07 | 5 | 12.10 | A |
| Mustard Greens | 43.46 | 7 | 45.20 | A |
| Spinach | 120.46 | 22 | 210.66 | A |
| Swiss Chard | 40.68 | 8 | 41.42 | A |
| Chemical Total | 6,875.44 | 376 | | |
| BACILLUS THURINGIENSIS (BERLINER), SUBSP. KURSTAKI, STRAIN SA-11 | | | | |
| Alfalfa | 898.96 | 27 | 1,482.00 | A |
| Basil, Sweet | 5.53 | 3 | 6.00 | A |
| Broccoli | 3.00 | 1 | 79.00 | A |
| Cabbage | 20.40 | 2 | 32.00 | A |
| Cantaloupe | 642.48 | 17 | 1,072.60 | A |
| Carrot | 119.00 | 2 | 142.00 | A |
| Cauliflower | 39.75 | 3 | 87.20 | A |
| Chinese Cabbage (Nappa) | 38.48 | 3 | 43.00 | A |
| Collard | 2.55 | 1 | 3.00 | A |
| Corn, Human Consumption | 1,454.00 | 43 | 2,173.70 | A |
| Kale | 31.45 | 1 | 37.00 | A |
| Lettuce, Head | 14.45 | 1 | 20.00 | A |
| Lettuce, Leaf | 34.00 | 1 | 26.97 | A |
| Melon | 234.42 | 9 | 400.50 | A |
| N-Outdr Flower | 119.84 | 9 | 167.50 | A |
| Sugarbeet | 17.00 | 1 | 22.00 | A |
| Swiss Chard | 10.84 | 1 | 11.75 | A |
| Watermelon | 255.44 | 17 | 792.00 | A |
| Chemical Total | 3,941.58 | 142 | | |
| BEAVERIA BASSIANA STRAIN GHA | | | | |
| Brussels Sprout | 7.88 | 3 | 36.00 | A |
| Chemical Total | 7.88 | 3 | | |
| BENEFIN | | | | |
| Alfalfa | 1,601.40 | 22 | 1,498.00 | A |
| Lettuce, Head | 1,378.27 | 34 | 2,039.80 | A |
| Lettuce, Leaf | 1,840.39 | 55 | 2,921.80 | A |
| Uncultivated Ag | 137.88 | 5 | 114.90 | A |
| Wheat | 81.84 | 3 | 68.20 | A |
| Chemical Total | 5,039.78 | 119 | | |
| BENSULIDE | | | | |
| Arugula | 2,453.37 | 58 | 438.02 | A |
| Broccoli | 13,247.66 | 119 | 3,206.10 | A |
| Cabbage | 293.48 | 2 | 74.00 | A |
| Cantaloupe | 9,368.16 | 47 | 2,521.70 | A |
| Cauliflower | 2,221.90 | 32 | 542.50 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Celery | 986.68 | 12 | 165.86 | A |
| Chinese Cabbage (Nappa) | 58.44 | 11 | 12.10 | A |
| Endive (Escarole) | 31.13 | 5 | 5.23 | A |
| Kale | 1,013.29 | 17 | 178.00 | A |
| Lettuce, Head | 18,596.75 | 159 | 3,980.89 | A |
| Lettuce, Leaf | 25,828.24 | 287 | 5,873.65 | A |
| Melon | 2,074.17 | 11 | 515.50 | A |
| Mizuna | 600.34 | 11 | 100.90 | A |
| Mustard | 800.48 | 24 | 176.70 | A |
| N-Outdr Flower | 202.26 | 6 | 51.00 | A |
| Onion, Dry | 16,477.30 | 86 | 5,955.95 | A |
| Parsley | 18.40 | 2 | 6.00 | A |
| Pepper, Fruiting | 396.59 | 3 | 97.00 | A |
| Uncultivated Ag | 815.89 | 7 | 137.15 | A |
| Watermelon | 873.25 | 6 | 188.60 | A |
| Chemical Total | 96,357.79 | 905 | | |
| BENZOIC ACID | | | | |
| Wheat | 3.72 | 32 | 682.08 | A |
| Chemical Total | 3.72 | 32 | | |
| BIFENTHRIN | | | | |
| Bok Choy | 12.26 | 20 | 130.12 | A |
| Broccoli | 176.80 | 68 | 1,861.36 | A |
| Cabbage | 87.20 | 39 | 1,043.50 | A |
| Cantaloupe | 57.48 | 13 | 593.00 | A |
| Cauliflower | 57.83 | 19 | 699.60 | A |
| Celery | 40.96 | 22 | 471.60 | A |
| Chinese Cabbage (Nappa) | 20.44 | 26 | 228.42 | A |
| Corn, Human Consumption | 55.46 | 11 | 620.00 | A |
| Cotton | 9.29 | 3 | 113.90 | A |
| Fennel | 1.45 | 5 | 15.75 | A |
| Kale | 13.10 | 30 | 139.03 | A |
| Landscape Maintenance | 0.22 | | | |
| Lettuce, Head | 163.81 | 78 | 1,842.72 | A |
| Melon | 36.08 | 9 | 379.50 | A |
| Mizuna | 0.30 | 2 | 3.30 | A |
| Pepper, Fruiting | 14.15 | 4 | 201.70 | A |
| Rapini | 344.24 | 143 | 4,027.30 | A |
| Rights Of Way | < 0.01 | | | |
| Structural Pest Control | 181.21 | | | |
| Watermelon | 41.02 | 24 | 466.40 | A |
| Chemical Total | 1,313.30 | 516 | | |
| N,N-BIS-(2-OMEGA-HYDROXPOLY(OXYETHYLENE)ETHYL)ALKYLAMINE, ALKYL DERIVED FROM TALLOW FATTY ACIDS | | | | |
| Alfalfa | 3,391.30 | 1,052 | 63,416.28 | A |
| Artichoke, Globe | 1.71 | 5 | 40.50 | A |
| Arugula | 24.74 | 38 | 498.60 | A |
| Asparagus | 3.92 | 3 | 40.00 | A |
| Beet | 5.31 | 6 | 109.85 | A |
| Bermudagrass | 97.80 | 53 | 1,749.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---------------------------|-----------------|------------------------------|-------------------|--------------|
| Bok Choy | 11.64 | 39 | 295.76 | A |
| Broccoli | 208.87 | 216 | 5,392.99 | A |
| Cabbage | 166.22 | 196 | 3,781.56 | A |
| Canola (Rape) | 0.08 | 1 | 5.00 | A |
| Cantaloupe | 170.19 | 104 | 4,519.50 | A |
| Carrot | 102.71 | 127 | 6,621.50 | A |
| Cauliflower | 60.20 | 71 | 1,421.60 | A |
| Celery | 50.34 | 62 | 1,511.20 | A |
| Chinese Cabbage (Nappa) | 27.80 | 58 | 706.31 | A |
| Cilantro | 34.00 | 21 | 365.50 | A |
| Corn (Forage - Fodder) | 10.27 | 15 | 801.85 | A |
| Corn, Human Consumption | 17.43 | 16 | 1,386.50 | A |
| Cotton | 36.82 | 115 | 5,099.60 | A |
| Date | 9.00 | 39 | 1,348.00 | A |
| Endive (Escarole) | 4.64 | 35 | 168.49 | A |
| Fennel | 5.39 | 26 | 102.52 | A |
| Forage Hay/Silage | 10.22 | 5 | 383.00 | A |
| Grapefruit | 5.71 | 16 | 712.00 | A |
| Kale | 51.76 | 125 | 1,050.51 | A |
| Lemon | 63.22 | 115 | 5,578.00 | A |
| Lettuce, Head | 1,047.24 | 425 | 9,252.89 | A |
| Lettuce, Leaf | 1,230.76 | 1,388 | 26,437.94 | A |
| Lime | 4.74 | 8 | 272.00 | A |
| Mango | 1.55 | 2 | 260.00 | A |
| Melon | 3.42 | 1 | 54.50 | A |
| Mizuna | 13.59 | 36 | 278.30 | A |
| N-Outdr Flower | 0.46 | 1 | 46.00 | A |
| Oat | 0.76 | 1 | 65.00 | A |
| Onion, Dry | 218.58 | 198 | 4,209.33 | A |
| Parsley | 2.98 | 2 | 98.00 | A |
| Rights Of Way | 10.20 | | | |
| Sorghum (Forage - Fodder) | 5.24 | 3 | 115.00 | A |
| Spinach | 94.60 | 106 | 2,548.51 | A |
| Sudangrass | 64.96 | 18 | 1,512.00 | A |
| Sugarbeet | 497.82 | 254 | 18,176.66 | A |
| Sunflower | 53.24 | 11 | 1,131.00 | A |
| Swiss Chard | 16.78 | 40 | 375.20 | A |
| Tangelo | 1.85 | 19 | 605.00 | A |
| Tangerine | 18.80 | 18 | 830.00 | A |
| Uncultivated Ag | 91.58 | 70 | 4,199.40 | A |
| Watermelon | 32.22 | 35 | 900.60 | A |
| Wheat | 87.51 | 26 | 1,765.81 | A |
| Chemical Total | 8,070.18 | 5,221 | | |
| BORIC ACID | | | | |
| Structural Pest Control | 132.46 | | | |
| Chemical Total | 132.46 | | | |
| BOSCALID | | | | |
| Broccoli | 25.81 | 10 | 65.55 | A |
| Carrot | 130.23 | 9 | 469.50 | A |
| Celery | 67.40 | 11 | 191.30 | A |
| Lettuce, Head | 292.07 | 39 | 920.01 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K = Thousand Cubic Feet, P = Pounds, T = Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Lettuce, Leaf | 479.13 | 49 | 1,299.11 | A |
| Melon | 46.75 | 4 | 285.00 | A |
| N-Outdr Flower | 28.10 | 20 | 326.50 | A |
| Onion, Dry | 12.53 | 1 | 43.00 | A |
| Chemical Total | 1,082.02 | 143 | | |
| BRODIFACOUM | | | | |
| Structural Pest Control | < 0.01 | | | |
| Chemical Total | < 0.01 | | | |
| BROMACIL | | | | |
| Alfalfa | 0.04 | 1 | 8.00 | A |
| Chemical Total | 0.04 | 1 | | |
| BROMADIOLONE | | | | |
| Rights Of Way | < 0.01 | | | |
| Structural Pest Control | 0.02 | | | |
| Chemical Total | 0.02 | | | |
| BROMETHALIN | | | | |
| Structural Pest Control | < 0.01 | | | |
| Chemical Total | < 0.01 | | | |
| 1-BROMO-3-CHLORO-5,5-DIMETHYL HYDANTOIN | | | | |
| Water (Industrial) | 162.60 | | 1.00 | U |
| Chemical Total | 162.60 | | | |
| BROMOXYNIL HEPTANOATE | | | | |
| Bermudagrass | 88.70 | 5 | 252.70 | A |
| Sudangrass | 33.39 | 2 | 97.00 | A |
| Wheat | 297.48 | 16 | 890.00 | A |
| Chemical Total | 419.57 | 23 | | |
| BROMOXYNIL OCTANOATE | | | | |
| Alfalfa | 4,952.32 | 173 | 10,831.21 | A |
| Bermudagrass | 1,619.14 | 43 | 2,686.50 | A |
| Forage Hay/Silage | 0.37 | 1 | 0.50 | A |
| Grass, Seed | 14.19 | 1 | 33.00 | A |
| Oat | 650.61 | 19 | 996.20 | A |
| Onion, Dry | 3,468.68 | 133 | 8,892.70 | A |
| Sudangrass | 34.63 | 2 | 97.00 | A |
| Wheat | 4,302.81 | 127 | 7,928.81 | A |
| Chemical Total | 15,042.74 | 499 | | |
| BUPROFEZIN | | | | |
| Cantaloupe | 249.86 | 13 | 694.20 | A |
| Melon | 90.98 | 5 | 284.50 | A |
| Watermelon | 36.39 | 2 | 101.00 | A |
| Chemical Total | 377.23 | 20 | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| BURKHOLDERIA SP STRAIN A396 CELLS AND FERMENTATION MEDIA | | | | |
| Broccoli | 104.64 | 1 | 7.70 | A |
| Carrot | 259.66 | 1 | 18.00 | A |
| Cauliflower | 804.17 | 3 | 33.26 | A |
| Lettuce, Head | 105.60 | 3 | 24.40 | A |
| Lettuce, Leaf | 509.46 | 12 | 123.99 | A |
| Chemical Total | 1,783.53 | 20 | | |
| BUTYL LACTATE | | | | |
| Cotton | 20.06 | 79 | 1,702.25 | A |
| Wheat | 17.97 | 32 | 682.08 | A |
| Chemical Total | 38.03 | 111 | | |
| ALPHA-(PARA-TERT-BUTYLPHENYL)-OMEGA-HYDROXYPOLY(OXYETHYLENE) PHOSPHATE | | | | |
| Alfalfa | 588.37 | 181 | 12,154.10 | A |
| Bermudagrass | 5.16 | 1 | 70.00 | A |
| Cotton | 225.38 | 83 | 3,696.70 | A |
| Pepper, Fruiting | 3.30 | 1 | 64.85 | A |
| Sugarbeet | 30.95 | 6 | 394.00 | A |
| Chemical Total | 853.15 | 272 | | |
| CALCIUM CHLORIDE | | | | |
| Alfalfa | 1.35 | 10 | 198.00 | A |
| Cotton | 2.21 | 14 | 105.25 | A |
| Chemical Total | 3.56 | 24 | | |
| CALCIUM HYPOCHLORITE | | | | |
| Ditch Bank | 2,924.00 | | 32.00 | U |
| Chemical Total | 2,924.00 | | | |
| CAPRIC ACID | | | | |
| Alfalfa | 35.99 | 2 | 15.00 | A |
| Carrot | 1,996.37 | 6 | 277.00 | A |
| Date | 109.41 | 2 | 228.00 | A |
| Ditch Bank | 6.00 | | 1.00 | A |
| Endive (Escarole) | 20.49 | 5 | 7.95 | A |
| Lettuce, Head | 45.18 | 4 | 21.90 | A |
| Lettuce, Leaf | 408.58 | 39 | 188.84 | A |
| Onion, Dry | 749.83 | 3 | 88.00 | A |
| Potato | 515.85 | 1 | 72.00 | A |
| Uncultivated Ag | 32.39 | 1 | 15.00 | A |
| Chemical Total | 3,920.08 | 63 | | |
| CAPRYLIC ACID | | | | |
| Alfalfa | 52.86 | 2 | 15.00 | A |
| Carrot | 2,932.16 | 6 | 277.00 | A |
| Date | 160.69 | 2 | 228.00 | A |
| Ditch Bank | 8.81 | | 1.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--------------------------------|----------------|------------------------------|-------------------|--------------|
| Endive (Escarole) | 30.09 | 5 | 7.95 | A |
| Lettuce, Head | 66.36 | 4 | 21.90 | A |
| Lettuce, Leaf | 600.10 | 39 | 188.84 | A |
| Onion, Dry | 1,101.31 | 3 | 88.00 | A |
| Potato | 757.66 | 1 | 72.00 | A |
| Uncultivated Ag | 47.57 | 1 | 15.00 | A |
| Chemical Total | 5,757.62 | 63 | | |
| CARBARYL | | | | |
| Grass, Seed | 188.90 | 2 | 190.00 | A |
| N-Outdr Flower | 131.12 | 16 | 178.00 | A |
| Chemical Total | 320.01 | 18 | | |
| CARBOXIN | | | | |
| Onion, Dry | 25.20 | | 61,726.94 | P |
| Chemical Total | 25.20 | | | |
| CARFENTRAZONE-ETHYL | | | | |
| Alfalfa | 42.93 | 26 | 1,793.35 | A |
| | 25.77 | | 55.00 | P |
| Total Pounds On This Commodity | 68.70 | | | |
| Bermudagrass | 148.78 | 126 | 7,555.43 | A |
| Corn, Human Consumption | 2.25 | 5 | 152.00 | A |
| Cotton | 1.08 | 7 | 75.00 | A |
| Forage Hay/Silage | 75.07 | 74 | 4,289.21 | A |
| Grass, Seed | 0.73 | 1 | 33.00 | A |
| Landscape Maintenance | < 0.01 | | | |
| Lettuce, Head | 1.38 | 5 | 251.00 | A |
| Lettuce, Leaf | 1.14 | 4 | 208.50 | A |
| Pastureland | 1.87 | 1 | 70.00 | A |
| Rights Of Way | 18.18 | | | |
| Sudangrass | 1.41 | 1 | 75.00 | A |
| Uncultivated Ag | 56.15 | 55 | 3,558.40 | A |
| Wheat | 7.38 | 6 | 588.00 | A |
| Chemical Total | 384.14 | 311 | | |
| CASTOR OIL ETHOXYLATE | | | | |
| Alfalfa | 821.46 | 205 | 12,981.15 | A |
| Bermudagrass | 37.57 | 12 | 619.00 | A |
| Cantaloupe | 13.94 | 8 | 325.00 | A |
| Carrot | 19.68 | 8 | 410.00 | A |
| Celery | 0.49 | 1 | 15.00 | A |
| Forage Hay/Silage | 28.09 | 8 | 530.00 | A |
| Lettuce, Head | 2.95 | 2 | 72.00 | A |
| Onion, Dry | 0.15 | 2 | 3.00 | A |
| Sugarbeet | 63.13 | 16 | 1,466.00 | A |
| Uncultivated Ag | 10.86 | 3 | 191.00 | A |
| Wheat | 39.81 | 6 | 457.00 | A |
| Chemical Total | 1,038.12 | 271 | | |
| CHLORANTRANILIPROLE | | | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-------------------------|------------------|------------------------------|-------------------|--------------|
| Alfalfa | 700.79 | 357 | 26,609.93 | A |
| Artichoke, Globe | 0.84 | 1 | 18.00 | A |
| Beet | 1.97 | 1 | 30.00 | A |
| Bermudagrass | 12.60 | 2 | 199.00 | A |
| Bok Choy | 2.77 | 5 | 38.29 | A |
| Broccoli | 206.17 | 84 | 3,131.01 | A |
| Cabbage | 81.59 | 39 | 1,105.11 | A |
| Cantaloupe | 118.93 | 29 | 1,411.00 | A |
| Cauliflower | 31.94 | 20 | 462.30 | A |
| Celery | 49.53 | 24 | 765.70 | A |
| Chinese Cabbage (Nappa) | 11.61 | 16 | 174.08 | A |
| Corn, Human Consumption | 1,199.12 | 395 | 24,338.60 | A |
| Endive (Escarole) | 1.53 | 4 | 20.04 | A |
| Kale | 20.90 | 33 | 264.63 | A |
| Lettuce, Head | 312.92 | 135 | 4,925.94 | A |
| Lettuce, Leaf | 519.08 | 258 | 7,366.51 | A |
| Melon | 7.03 | 6 | 122.50 | A |
| Onion, Dry | 4.22 | 4 | 61.49 | A |
| Pepper, Fruiting | 3.96 | 2 | 100.85 | A |
| Rapini | 1.68 | 1 | 34.00 | A |
| Spinach | 17.47 | 9 | 244.14 | A |
| Sugarbeet | 764.85 | 196 | 16,510.39 | A |
| Sunflower | 35.15 | 8 | 831.00 | A |
| Swiss Chard | 0.12 | 1 | 1.88 | A |
| Watermelon | 24.59 | 8 | 347.00 | A |
| Chemical Total | 4,131.35 | 1,638 | | |
| CHLORFENAPYR | | | | |
| Structural Pest Control | 15.55 | | | |
| Chemical Total | 15.55 | | | |
| CHLOROPHACINONE | | | | |
| Structural Pest Control | < 0.01 | | | |
| Chemical Total | < 0.01 | | | |
| CHLOROPICRIN | | | | |
| Watermelon | 19,389.05 | 13 | 383.00 | A |
| Chemical Total | 19,389.05 | 13 | | |
| CHLOROTHALONIL | | | | |
| Alfalfa | 16.71 | 1 | 31.00 | A |
| Broccoli | 1,351.91 | 59 | 1,973.90 | A |
| Cabbage | 667.72 | 26 | 743.00 | A |
| Carrot | 2,204.42 | 30 | 1,599.15 | A |
| Cauliflower | 318.21 | 17 | 374.00 | A |
| Celery | 1,083.36 | 16 | 581.50 | A |
| Lettuce, Head | 1.47 | 1 | 23.85 | A |
| N-Outdr Flower | 3.11 | 3 | 59.00 | A |
| Onion, Dry | 17,374.29 | 303 | 15,619.58 | A |
| Potato | 315.50 | 8 | 335.40 | A |
| Chemical Total | 23,336.70 | 464 | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| CHLORPYRIFOS | | | | |
| Alfalfa | 3,535.47 | 67 | 4,296.70 | A |
| Corn, Human Consumption | 2,630.84 | 39 | 2,896.50 | A |
| Lemon | 216.74 | 23 | 859.00 | A |
| N-Outdr Flower | 2.99 | 1 | 9.30 | A |
| Sugarbeet | 20,113.74 | 320 | 23,751.53 | A |
| Sunflower | 156.35 | 2 | 208.00 | A |
| Chemical Total | 26,656.14 | 452 | | |
| CHLORSULFURON | | | | |
| Rights Of Way | 173.47 | | | |
| Chemical Total | 173.47 | | | |
| CHLORTHAL-DIMETHYL | | | | |
| Bok Choy | 519.90 | 33 | 116.62 | A |
| Broccoli | 9,277.09 | 48 | 1,618.90 | A |
| Cabbage | 1,884.79 | 16 | 307.10 | A |
| Cauliflower | 446.47 | 8 | 130.77 | A |
| Chinese Cabbage (Nappa) | 553.46 | 8 | 76.33 | A |
| Gai Lon | 132.52 | 25 | 28.74 | A |
| Kale | 75.47 | 1 | 12.00 | A |
| Mustard | 54.34 | 1 | 9.00 | A |
| N-Outdr Flower | 1,086.75 | 13 | 144.00 | A |
| Onion, Dry | 18,282.94 | 63 | 3,161.25 | A |
| Peas | 0.78 | 1 | 0.17 | A |
| Rapini | 3,605.48 | 106 | 1,457.90 | A |
| Uncultivated Ag | 199.61 | 2 | 52.90 | A |
| Chemical Total | 36,119.60 | 325 | | |
| CHOLECALCIFEROL | | | | |
| Structural Pest Control | 0.08 | | | |
| Chemical Total | 0.08 | | | |
| CHROMOBACTERIUM SUBTSUGAE STRAIN PRAA4-1 | | | | |
| Arugula | 3.34 | 1 | 3.80 | A |
| Basil, Sweet | 0.90 | 2 | 3.00 | A |
| Broccoli | 34.95 | 4 | 39.71 | A |
| Cabbage | 34.29 | 5 | 38.10 | A |
| Cantaloupe | 96.29 | 6 | 207.00 | A |
| Cauliflower | 96.02 | 4 | 108.42 | A |
| Cilantro | 4.04 | 1 | 4.60 | A |
| Kale | 9.05 | 3 | 10.43 | A |
| Lettuce, Leaf | 176.12 | 9 | 212.56 | A |
| Melon | 35.99 | 1 | 77.00 | A |
| Mizuna | 3.34 | 2 | 4.02 | A |
| Spinach | 53.91 | 5 | 62.02 | A |
| Swiss Chard | 15.48 | 4 | 18.66 | A |
| Watermelon | 60.01 | 2 | 133.00 | A |
| Chemical Total | 623.72 | 49 | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---------------------------|----------------|------------------------------|-------------------|--------------|
| CITRIC ACID | | | | |
| Alfalfa | 2,015.06 | 665 | 40,316.96 | A |
| Basil, Sweet | 3.82 | 2 | 96.00 | A |
| Bermudagrass | 55.53 | 54 | 1,799.00 | A |
| Broccoli | 36.55 | 59 | 650.00 | A |
| Brussels Sprout | 0.05 | 1 | 2.00 | A |
| Cabbage | 2.40 | 17 | 88.00 | A |
| Canola (Rape) | 2.44 | 2 | 35.00 | A |
| Cantaloupe | 1.96 | 1 | 91.00 | A |
| Carrot | 1.77 | 2 | 115.00 | A |
| Cauliflower | 22.82 | 52 | 347.50 | A |
| Celery | 1.09 | 5 | 40.00 | A |
| Chinese Cabbage (Nappa) | 0.13 | 3 | 5.00 | A |
| Cilantro | 2.40 | 3 | 137.00 | A |
| Corn (Forage - Fodder) | 31.92 | 39 | 2,369.85 | A |
| Corn, Human Consumption | 0.49 | 1 | 35.00 | A |
| Cotton | 82.75 | 161 | 6,512.26 | A |
| Date | 10.38 | 39 | 1,348.00 | A |
| Endive (Escarole) | 0.25 | 9 | 8.80 | A |
| Forage Hay/Silage | 3.69 | 3 | 340.00 | A |
| Grapefruit | 6.59 | 16 | 712.00 | A |
| Grass, Seed | 1.32 | 4 | 380.00 | A |
| Lemon | 48.09 | 110 | 5,309.00 | A |
| Lettuce, Head | 1.41 | 12 | 112.80 | A |
| Lettuce, Leaf | 5.85 | 33 | 229.18 | A |
| Lime | 2.31 | 7 | 238.00 | A |
| Mango | 1.79 | 2 | 260.00 | A |
| N-Outdr Flower | 0.22 | 1 | 15.00 | A |
| Oat | 4.68 | 6 | 265.00 | A |
| Onion, Dry | 18.49 | 21 | 948.10 | A |
| Parsley | 3.44 | 2 | 98.00 | A |
| Rights Of Way | 601.59 | | | |
| Sorghum (Forage - Fodder) | 2.11 | 2 | 80.00 | A |
| Spinach | 0.37 | 7 | 14.00 | A |
| Sugarbeet | 429.43 | 140 | 10,419.72 | A |
| Sunflower | 34.71 | 10 | 1,022.33 | A |
| Tangelo | 2.13 | 19 | 605.00 | A |
| Tangerine | 5.72 | 15 | 670.00 | A |
| Uncultivated Ag | 139.60 | 81 | 4,875.06 | A |
| Watermelon | 8.28 | 4 | 201.00 | A |
| Wheat | 87.09 | 26 | 1,802.31 | A |
| Chemical Total | 3,680.72 | 1,636 | | |

CLARIFIED HYDROPHOBIC EXTRACT OF NEEM OIL

| | | | | |
|-------------------------|--------|----|--------|---|
| Arugula | 46.23 | 2 | 12.50 | A |
| Beet | 531.89 | 10 | 298.80 | A |
| Bok Choy | 7.16 | 4 | 6.75 | A |
| Broccoli | 275.12 | 19 | 172.00 | A |
| Brussels Sprout | 3.82 | 1 | 2.00 | A |
| Cabbage | 782.44 | 33 | 412.90 | A |
| Cauliflower | 317.15 | 26 | 186.50 | A |
| Chinese Cabbage (Nappa) | 0.96 | 1 | 1.00 | A |
| Cilantro | 17.70 | 11 | 18.45 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|------------------|------------------------------|-------------------|--------------|
| Collard | 86.62 | 18 | 49.80 | A |
| Dill | 4.45 | 7 | 4.60 | A |
| Endive (Escarole) | 21.40 | 10 | 11.20 | A |
| Kale | 695.59 | 34 | 508.19 | A |
| Lettuce, Head | 114.63 | 11 | 60.00 | A |
| Lettuce, Leaf | 2,669.01 | 133 | 1,545.38 | A |
| Mustard | 51.93 | 22 | 44.80 | A |
| Onion, Dry | 851.87 | 23 | 544.54 | A |
| Parsley | 38.02 | 16 | 39.80 | A |
| Radish | 5.25 | 5 | 5.00 | A |
| Spinach | 201.10 | 19 | 195.15 | A |
| Swiss Chard | 164.27 | 31 | 150.36 | A |
| Chemical Total | 6,886.60 | 436 | | |
| CLETHODIM | | | | |
| Alfalfa | 21,865.51 | 1,512 | 95,486.73 | A |
| Asparagus | 8.41 | 4 | 63.00 | A |
| Bermudagrass | 24.43 | 1 | 67.00 | A |
| Broccoli | 197.02 | 44 | 1,632.91 | A |
| Cabbage | 49.95 | 15 | 394.60 | A |
| Canola (Rape) | 0.49 | 1 | 5.00 | A |
| Carrot | 603.38 | 94 | 4,800.10 | A |
| Cauliflower | 79.68 | 14 | 651.00 | A |
| Celery | 26.93 | 7 | 162.40 | A |
| Cilantro | 31.39 | 5 | 225.00 | A |
| Herb, Spice | 3.76 | 1 | 31.00 | A |
| Lettuce, Head | 72.88 | 34 | 692.76 | A |
| Lettuce, Leaf | 136.67 | 66 | 1,264.05 | A |
| N-Outdr Flower | 6.54 | 2 | 40.00 | A |
| Onion, Dry | 782.17 | 64 | 3,573.38 | A |
| Rapini | 123.06 | 18 | 1,321.40 | A |
| Rights Of Way | 8.50 | | | |
| Spinach | 6.71 | 2 | 60.57 | A |
| Sugarbeet | 89.53 | 9 | 481.00 | A |
| Sunflower | 52.66 | 4 | 215.33 | A |
| Uncultivated Ag | 45.62 | 2 | 185.00 | A |
| Watermelon | 8.43 | 2 | 71.00 | A |
| Chemical Total | 24,223.73 | 1,901 | | |
| CLOPYRALID, MONOETHANOLAMINE SALT | | | | |
| Broccoli | 351.52 | 36 | 1,538.49 | A |
| Cabbage | 1.38 | 1 | 10.00 | A |
| Cauliflower | 4.07 | 4 | 18.80 | A |
| Sugarbeet | 307.44 | 20 | 1,763.31 | A |
| Uncultivated Ag | 42.48 | 3 | 175.00 | A |
| Wheat | 34.58 | 3 | 214.00 | A |
| Chemical Total | 741.47 | 67 | | |
| CLOTHIANIDIN | | | | |
| Broccoli | 113.37 | 17 | 1,131.20 | A |
| Cabbage | 68.46 | 4 | 343.00 | A |
| Cauliflower | 52.95 | 8 | 376.50 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Chinese Cabbage (Nappa) | 2.99 | 1 | 15.00 | A |
| Lettuce, Head | 0.66 | 1 | 10.00 | A |
| Lettuce, Leaf | 3.19 | 3 | 50.00 | A |
| Rights Of Way | 3.19 | | | |
| Spinach | 15.37 | 3 | 231.00 | A |
| Structural Pest Control | 0.08 | | | |
| Chemical Total | 260.28 | 37 | | |
| COCONUT DIETHANOLAMIDE | | | | |
| N-Outdr Flower | 0.72 | 9 | 95.25 | A |
| Chemical Total | 0.72 | 9 | | |
| COCONUT IMIDAZOLINE SODIUM CARBOXYLATE | | | | |
| Alfalfa | 0.83 | 15 | 763.60 | A |
| Corn, Human Consumption | 1.56 | 11 | 761.00 | A |
| Cotton | 0.10 | 2 | 47.30 | A |
| Sudangrass | 0.11 | 1 | 90.00 | A |
| Sugarbeet | 0.11 | 1 | 140.00 | A |
| Chemical Total | 2.69 | 30 | | |
| COPPER HYDROXIDE | | | | |
| Broccoli | 89.12 | 14 | 307.38 | A |
| Cabbage | 0.58 | 2 | 2.00 | A |
| Carrot | 509.09 | 17 | 655.90 | A |
| Cauliflower | 4.61 | 1 | 15.00 | A |
| Celery | 132.43 | 11 | 244.90 | A |
| Corn, Human Consumption | 808.52 | 25 | 1,256.00 | A |
| Grapefruit | 148.44 | 4 | 182.00 | A |
| Lemon | 62.51 | 3 | 134.00 | A |
| Lettuce, Leaf | 98.27 | 2 | 68.00 | A |
| Onion, Dry | 3,472.22 | 77 | 4,231.00 | A |
| Potato | 157.85 | 4 | 205.00 | A |
| Watermelon | 13.83 | 1 | 30.00 | A |
| Chemical Total | 5,497.46 | 161 | | |
| COPPER OCTANOATE | | | | |
| Celery | 27.10 | 1 | 65.00 | A |
| Lettuce, Leaf | 31.27 | 7 | 91.47 | A |
| Onion, Dry | 339.16 | 9 | 440.00 | A |
| Potato | 229.30 | 5 | 275.00 | A |
| Spinach | 502.08 | 40 | 621.10 | A |
| Swiss Chard | 47.99 | 8 | 69.40 | A |
| Chemical Total | 1,176.90 | 70 | | |
| COPPER OXIDE (OUS) | | | | |
| Broccoli | 671.20 | 7 | 411.00 | A |
| Celery | 549.55 | 20 | 275.60 | A |
| Lettuce, Leaf | 62.93 | 2 | 64.00 | A |
| Onion, Dry | 916.36 | 17 | 543.54 | A |
| Chemical Total | 2,200.03 | 46 | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--------------------------------------|----------------|------------------------------|-------------------|--------------|
| COPPER OXYCHLORIDE | | | | |
| Broccoli | 33.34 | 4 | 133.00 | A |
| Celery | 110.76 | 8 | 195.90 | A |
| Lemon | 9.53 | 1 | 40.00 | A |
| Onion, Dry | 179.12 | 12 | 562.00 | A |
| Chemical Total | 332.76 | 25 | | |
| COPPER SULFATE (BASIC) | | | | |
| Mango | 311.29 | 1 | 110.00 | A |
| Chemical Total | 311.29 | 1 | | |
| COPPER SULFATE (PENTAHYDRATE) | | | | |
| Lemon | 198.10 | 1 | 29.00 | A |
| Chemical Total | 198.10 | 1 | | |
| CORN SYRUP | | | | |
| Alfalfa | 823.63 | 109 | 5,792.90 | A |
| Asparagus | 9.25 | 4 | 63.00 | A |
| Bermudagrass | 65.27 | 3 | 204.00 | A |
| Corn (Forage - Fodder) | 6.22 | 1 | 32.00 | A |
| Forage Hay/Silage | 6.22 | 1 | 74.00 | A |
| Ryegrass | 103.51 | 9 | 646.00 | A |
| Sugarbeet | 65.27 | 9 | 362.00 | A |
| Uncultivated Ag | 1,511.01 | 98 | 5,647.60 | A |
| Wheat | 62.16 | 13 | 742.00 | A |
| Chemical Total | 2,652.53 | 247 | | |
| COTTONSEED OIL | | | | |
| Alfalfa | 81.08 | 8 | 340.00 | A |
| Cotton | 12.69 | 2 | 47.30 | A |
| Chemical Total | 93.77 | 10 | | |
| CYANTRANILIPROLE | | | | |
| Beet | 4.92 | 2 | 34.25 | A |
| Bok Choy | 6.18 | 4 | 46.00 | A |
| Broccoli | 163.67 | 15 | 1,005.00 | A |
| Cabbage | 117.47 | 18 | 729.50 | A |
| Cantaloupe | 51.60 | 12 | 382.00 | A |
| Cauliflower | 32.98 | 5 | 274.00 | A |
| Celery | 2.35 | 2 | 23.10 | A |
| Chinese Cabbage (Nappa) | 11.04 | 7 | 86.40 | A |
| Endive (Escarole) | 0.91 | 1 | 4.60 | A |
| Fennel | 1.88 | 3 | 15.44 | A |
| Grapefruit | 5.99 | 2 | 57.00 | A |
| Kale | 15.92 | 5 | 97.00 | A |
| Lemon | 53.91 | 10 | 521.00 | A |
| Lettuce, Head | 134.89 | 15 | 817.10 | A |
| Lettuce, Leaf | 272.37 | 34 | 1,516.00 | A |
| Melon | 8.29 | 8 | 64.57 | A |
| N-Outdr Flower | 10.40 | 5 | 72.75 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-------------------------|----------------|------------------------------|-------------------|--------------|
| Spinach | 53.47 | 20 | 486.00 | A |
| Tangerine | 20.64 | 2 | 196.00 | A |
| Watermelon | 42.71 | 15 | 363.80 | A |
| Chemical Total | 1,011.57 | 185 | | |
| CYAZOFAMID | | | | |
| Kale | 2.33 | 6 | 31.88 | A |
| Lettuce, Head | 77.99 | 36 | 1,151.80 | A |
| Lettuce, Leaf | 65.10 | 31 | 934.40 | A |
| N-Outdr Flower | 1.66 | 14 | 176.50 | A |
| Onion, Dry | 40.55 | 10 | 466.50 | A |
| Spinach | 1.13 | 1 | 16.00 | A |
| Chemical Total | 188.76 | 98 | | |
| CYCLOATE | | | | |
| Beet | 109.60 | 9 | 27.95 | A |
| Spinach | 7,915.89 | 102 | 2,586.93 | A |
| Chemical Total | 8,025.49 | 111 | | |
| CYFLUFENAMID | | | | |
| Cantaloupe | 29.83 | 29 | 1,626.20 | A |
| Melon | 14.21 | 16 | 759.50 | A |
| N-Outdr Flower | 2.90 | 1 | 28.00 | A |
| Watermelon | 14.52 | 24 | 677.80 | A |
| Chemical Total | 61.46 | 70 | | |
| CYFLUMETOFEN | | | | |
| Tangerine | 35.85 | 2 | 196.00 | A |
| Chemical Total | 35.85 | 2 | | |
| CYFLUTHRIN | | | | |
| Alfalfa | 457.62 | 177 | 12,994.00 | A |
| Celery | 36.06 | 13 | 438.50 | A |
| Corn, Human Consumption | 196.69 | 113 | 3,936.00 | A |
| Endive (Escarole) | 1.04 | 1 | 20.00 | A |
| Lettuce, Head | 0.89 | 1 | 17.50 | A |
| Structural Pest Control | 0.19 | | | |
| Chemical Total | 692.49 | 305 | | |
| BETA-CYFLUTHRIN | | | | |
| Alfalfa | 348.54 | 208 | 15,719.62 | A |
| Bok Choy | 4.89 | 21 | 201.34 | A |
| Broccoli | 4.04 | 2 | 150.00 | A |
| Cabbage | 9.84 | 5 | 373.00 | A |
| Cauliflower | 6.25 | 4 | 237.00 | A |
| Chinese Cabbage (Nappa) | 1.35 | 3 | 55.00 | A |
| Corn, Human Consumption | 110.67 | 89 | 4,822.34 | A |
| Endive (Escarole) | 0.43 | 1 | 16.00 | A |
| Gai Lon | 0.13 | 4 | 6.24 | A |
| Kale | 2.91 | 4 | 114.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-------------------------|-----------------|---------------------------|----------------|-----------|
| Landscape Maintenance | 0.06 | | | |
| Lemon | 124.77 | 75 | 2,622.02 | A |
| Lettuce, Head | 14.38 | 20 | 553.00 | A |
| Lettuce, Leaf | 36.68 | 35 | 1,419.20 | A |
| Public Health | 0.31 | | | |
| Rapini | 0.54 | 1 | 34.00 | A |
| Structural Pest Control | 32.10 | | | |
| Chemical Total | 697.90 | 472 | | |
| CYMOXANIL | | | | |
| Lettuce, Head | 392.46 | 92 | 2,395.50 | A |
| Lettuce, Leaf | 1,268.65 | 365 | 8,562.18 | A |
| Onion, Dry | 3.75 | 1 | 27.00 | A |
| Spinach | 459.02 | 175 | 3,357.12 | A |
| Chemical Total | 2,123.88 | 633 | | |
| CYPERMETHRIN | | | | |
| Alfalfa | 10.42 | 2 | 210.00 | A |
| Bok Choy | 0.20 | 1 | 3.30 | A |
| Broccoli | 12.46 | 5 | 167.00 | A |
| Cabbage | 6.30 | 5 | 181.00 | A |
| Cauliflower | 3.36 | 3 | 60.00 | A |
| Chinese Cabbage (Nappa) | 0.07 | 1 | 1.20 | A |
| Kale | 10.86 | 7 | 135.63 | A |
| Lettuce, Leaf | 2.96 | 1 | 70.00 | A |
| Mizuna | 0.30 | 2 | 4.60 | A |
| Structural Pest Control | 1,779.76 | | | |
| Sugarbeet | 9.00 | 4 | 200.00 | A |
| Chemical Total | 1,835.70 | 31 | | |
| (S)-CYPERMETHRIN | | | | |
| Alfalfa | 1,482.38 | 436 | 31,436.50 | A |
| Arugula | 28.08 | 37 | 592.03 | A |
| Beet | 4.04 | 6 | 82.23 | A |
| Bermudagrass | 120.44 | 40 | 2,650.00 | A |
| Bok Choy | 5.14 | 14 | 106.29 | A |
| Broccoli | 190.46 | 97 | 4,060.29 | A |
| Cabbage | 132.52 | 107 | 2,846.80 | A |
| Cantaloupe | 46.35 | 18 | 1,083.50 | A |
| Carrot | 64.32 | 35 | 1,431.00 | A |
| Cauliflower | 80.53 | 52 | 1,726.00 | A |
| Celery | 6.22 | 6 | 140.00 | A |
| Chinese Cabbage (Nappa) | 10.26 | 12 | 216.60 | A |
| Cilantro | 6.63 | 13 | 142.00 | A |
| Corn, Human Consumption | 598.17 | 231 | 12,678.46 | A |
| Cucumber | 0.15 | 1 | 3.00 | A |
| Endive (Escarole) | 1.89 | 14 | 40.55 | A |
| Fennel | 0.47 | 2 | 9.94 | A |
| Forage Hay/Silage | 9.25 | 3 | 193.00 | A |
| Gai Lon | 8.22 | 40 | 170.13 | A |
| Kale | 24.57 | 49 | 511.16 | A |
| Lemon | 30.53 | 28 | 1,037.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-----------------------------------|----------------|------------------------------|-------------------|--------------|
| Lettuce, Head | 218.97 | 185 | 4,708.92 | A |
| Lettuce, Leaf | 619.18 | 584 | 13,556.82 | A |
| Melon | 9.73 | 5 | 206.50 | A |
| Mizuna | 10.40 | 29 | 216.55 | A |
| Mustard | 10.17 | 14 | 226.44 | A |
| Onion, Dry | 172.72 | 75 | 3,793.00 | A |
| Parsley | 3.70 | 1 | 75.00 | A |
| Rapini | 96.13 | 31 | 2,166.60 | A |
| Spinach | 210.13 | 142 | 4,341.88 | A |
| Squash, Zucchini | 0.19 | 1 | 4.00 | A |
| Structural Pest Control | 0.03 | | | |
| Sugarbeet | 1,574.94 | 514 | 36,760.87 | A |
| Swiss Chard | 14.09 | 46 | 306.75 | A |
| Watermelon | 9.33 | 4 | 234.00 | A |
| Chemical Total | 5,800.32 | 2,872 | | |
| CYPRODINIL | | | | |
| N-Outdr Flower | 3.19 | 3 | 24.00 | A |
| Chemical Total | 3.19 | 3 | | |
| CYTOKININ (AS KINETIN) | | | | |
| Cotton | < 0.01 | 4 | 104.90 | A |
| Chemical Total | < 0.01 | 4 | | |
| 2,4-D | | | | |
| Landscape Maintenance | 0.55 | | | |
| Chemical Total | 0.55 | | | |
| 2,4-D, DIETHANOLAMINE SALT | | | | |
| Bermudagrass | 85.79 | 2 | 67.00 | A |
| Chemical Total | 85.79 | 2 | | |
| 2,4-D, DIMETHYLAMINE SALT | | | | |
| Alfalfa | 760.94 | 7 | 433.00 | A |
| Bermudagrass | 24,948.18 | 265 | 16,565.83 | A |
| Forage Hay/Silage | 11,221.11 | 125 | 7,581.31 | A |
| Landscape Maintenance | 0.13 | | | |
| Oat | 1,255.79 | 23 | 1,254.90 | A |
| Pastureland | 382.60 | 2 | 211.00 | A |
| Rights Of Way | 123.78 | | | |
| Ryegrass | 815.59 | 11 | 702.00 | A |
| Sudangrass | 237.44 | 5 | 140.00 | A |
| Uncultivated Ag | 897.00 | 10 | 653.00 | A |
| Wheat | 4,936.21 | 72 | 5,094.50 | A |
| Chemical Total | 45,578.76 | 520 | | |
| 2,4-D, 2-ETHYLHEXYL ESTER | | | | |
| Landscape Maintenance | < 0.01 | | | |
| Chemical Total | < 0.01 | | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|---------------------------|----------------|-----------|
| 2,4-D, ISOOCTYL ESTER | | | | |
| Alfalfa | 0.08 | 1 | 8.00 | A |
| Chemical Total | 0.08 | 1 | | |
| 2,4-D, ISOPROPYL ESTER | | | | |
| Grapefruit | 7.97 | 4 | 144.00 | A |
| Lemon | 6.38 | 3 | 240.00 | A |
| Chemical Total | 14.35 | 7 | | |
| 4-(2,4-DB), DIMETHYLAMINE SALT | | | | |
| Alfalfa | 42,999.45 | 671 | 46,611.62 | A |
| Chemical Total | 42,999.45 | 671 | | |
| DDVP | | | | |
| Industrial Site | 35.42 | | 12,000.00 | K |
| Chemical Total | 35.42 | | | |
| DDVP, OTHER RELATED | | | | |
| Industrial Site | 0.91 | | 12,000.00 | K |
| Chemical Total | 0.91 | | | |
| DELTAMETHRIN | | | | |
| Structural Pest Control | 17.89 | | | |
| Chemical Total | 17.89 | | | |
| DESMEDIPHAM | | | | |
| Sugarbeet | 76.94 | 13 | 1,021.00 | A |
| Chemical Total | 76.94 | 13 | | |
| DIAZINON | | | | |
| Lettuce, Head | 10.00 | 1 | 20.00 | A |
| Chemical Total | 10.00 | 1 | | |
| 2,2-DIBROMO-3-NITRILOPROPIONAMIDE | | | | |
| Water (Industrial) | 203.63 | | 1.00 | U |
| Chemical Total | 203.63 | | | |
| DICAMBA | | | | |
| Landscape Maintenance | 0.06 | | | |
| Chemical Total | 0.06 | | | |
| DICAMBA, SODIUM SALT | | | | |
| Forage Hay/Silage | 68.75 | 5 | 267.00 | A |
| Chemical Total | 68.75 | 5 | | |
| 1,3-DICHLORO-5,5-DIMETHYLHYDANTOIN | | | | |
| Water (Industrial) | 86.70 | | 1.00 | U |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K = Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Chemical Total | 86.70 | | | |
| 1,3-DICHLORO-5-ETHYL-5-METHYLHYDANTOIN | | | | |
| Water (Industrial) | 47.70 | | 1.00 | U |
| Chemical Total | 47.70 | | | |
| 1,3-DICHLOROPROPENE | | | | |
| Carrot | 466,064.79 | 84 | 4,914.60 | A |
| Lettuce, Leaf | 13,745.02 | 1 | 150.00 | A |
| Potato | 7,829.13 | 2 | 50.00 | A |
| Watermelon | 35,401.02 | 13 | 383.00 | A |
| Chemical Total | 523,039.96 | 100 | | |
| DICLORAN | | | | |
| Celery | 187.25 | 10 | 177.50 | A |
| Chemical Total | 187.25 | 10 | | |
| DIDECYL DIMETHYL AMMONIUM CHLORIDE | | | | |
| Structural Pest Control | < 0.01 | | | |
| Chemical Total | < 0.01 | | | |
| DIETHYLENE GLYCOL | | | | |
| Alfalfa | 5,492.97 | 843 | 62,767.95 | A |
| Asparagus | 0.04 | 1 | 20.00 | A |
| Bermudagrass | 530.17 | 51 | 4,186.55 | A |
| Broccoli | 10.48 | 21 | 1,016.00 | A |
| Cabbage | 0.58 | 1 | 10.00 | A |
| Cantaloupe | 89.02 | 4 | 285.50 | A |
| Carrot | 2.95 | 4 | 127.75 | A |
| Corn (Forage - Fodder) | 176.26 | 13 | 1,632.00 | A |
| Corn, Human Consumption | 28.93 | 98 | 6,217.25 | A |
| Forage Hay/Silage | 10.88 | 3 | 144.00 | A |
| Landscape Maintenance | 0.14 | | | |
| Lemon | 5.10 | 1 | 70.00 | A |
| Lettuce, Head | 55.06 | 142 | 4,370.10 | A |
| Lettuce, Leaf | 85.32 | 32 | 1,287.71 | A |
| N-Outdr Flower | 28.37 | 8 | 203.35 | A |
| Onion, Dry | 1,080.03 | 108 | 7,548.10 | A |
| Potato | 3.83 | 5 | 241.50 | A |
| Rights Of Way | 10.89 | | | |
| Sudangrass | 0.11 | 1 | 90.00 | A |
| Sugarbeet | 1,263.86 | 229 | 14,300.64 | A |
| Sunflower | 7.31 | 2 | 92.00 | A |
| Uncultivated Ag | 466.86 | 92 | 5,555.60 | A |
| Wheat | 5.79 | 1 | 18.00 | A |
| Chemical Total | 9,354.95 | 1,660 | | |
| DIFETHIALONE | | | | |
| Structural Pest Control | 0.04 | | | |
| Chemical Total | 0.04 | | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| DIGLYCOLAMINE SALT OF 3,6-DICHLORO-O-ANISIC ACID | | | | |
| Alfalfa | 151.24 | 1 | 147.00 | A |
| Bermudagrass | 3,352.46 | 111 | 7,039.75 | A |
| Forage Hay/Silage | 1,150.49 | 38 | 2,174.10 | A |
| Pastureland | 105.88 | 1 | 141.00 | A |
| Ryegrass | 111.25 | 8 | 578.00 | A |
| Sorghum (Forage - Fodder) | 11.88 | 1 | 35.00 | A |
| Uncultivated Ag | 86.99 | 4 | 180.00 | A |
| Wheat | 641.45 | 26 | 2,702.00 | A |
| Chemical Total | 5,611.65 | 190 | | |
| DIMETHENAMID-P | | | | |
| Corn, Human Consumption | 1,472.12 | 31 | 2,162.00 | A |
| Onion, Dry | 119.98 | 1 | 140.00 | A |
| Potato | 242.53 | 19 | 257.00 | A |
| Sugarbeet | 239.96 | 4 | 262.56 | A |
| Chemical Total | 2,074.60 | 55 | | |
| DIMETHOATE | | | | |
| Alfalfa | 24,028.92 | 806 | 58,041.86 | A |
| Bermudagrass | 48.92 | 21 | 1,431.00 | A |
| Broccoli | 101.25 | 3 | 218.00 | A |
| Corn (Forage - Fodder) | 70.36 | 1 | 154.03 | A |
| Cotton | 148.75 | 30 | 298.30 | A |
| Wheat | 289.59 | 12 | 831.00 | A |
| Chemical Total | 24,687.80 | 873 | | |
| DIMETHOMORPH | | | | |
| Arugula | 97.03 | 31 | 488.88 | A |
| Bok Choy | 3.33 | 5 | 16.42 | A |
| Broccoli | 187.76 | 29 | 965.84 | A |
| Cabbage | 158.40 | 32 | 836.26 | A |
| Cauliflower | 4.64 | 2 | 24.00 | A |
| Chinese Cabbage (Nappa) | 0.24 | 1 | 1.20 | A |
| Endive (Escarole) | 22.80 | 18 | 116.76 | A |
| Kale | 68.26 | 25 | 333.95 | A |
| Lettuce, Head | 1,250.05 | 217 | 6,704.32 | A |
| Lettuce, Leaf | 2,186.83 | 421 | 11,238.31 | A |
| Mizuna | 14.13 | 10 | 68.95 | A |
| Mustard | 22.69 | 9 | 127.62 | A |
| N-Outdr Flower | 39.31 | 12 | 177.00 | A |
| Onion, Dry | 1,072.90 | 84 | 5,082.33 | A |
| Potato | 12.02 | 1 | 61.00 | A |
| Spinach | 696.26 | 180 | 3,475.90 | A |
| Sugarbeet | 2.05 | 1 | 5.00 | A |
| Swiss Chard | 27.67 | 22 | 149.80 | A |
| Chemical Total | 5,866.39 | 1,100 | | |
| DIMETHYL ALKYL TERTIARY AMINES | | | | |
| Wheat | 4.05 | 32 | 682.08 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Chemical Total | 4.05 | 32 | | |
| DIMETHYL DICOCOALKYL AMMONIUM SALT WITH NAPHTHALENESULFONIC ACID, FORMALDEHYDE CONDENSATE | | | | |
| Alfalfa | 45.66 | 21 | 1,345.70 | A |
| Broccoli | 4.52 | 5 | 232.34 | A |
| Kale | 0.91 | 2 | 40.67 | A |
| Melon | 1.51 | 1 | 45.00 | A |
| Chemical Total | 52.61 | 29 | | |
| DIMETHYLPOLYSILOXANE | | | | |
| Alfalfa | 89.88 | 1,071 | 83,971.41 | A |
| Artichoke, Globe | 0.02 | 2 | 34.00 | A |
| Basil, Sweet | 4.05 | 4 | 159.00 | A |
| Beet | 9.10 | 18 | 469.40 | A |
| Bermudagrass | 7.60 | 92 | 6,427.80 | A |
| Bok Choy | 0.16 | 4 | 8.00 | A |
| Broccoli | 4.35 | 84 | 3,438.20 | A |
| Brussels Sprout | 0.24 | 4 | 12.00 | A |
| Cabbage | 7.49 | 40 | 434.60 | A |
| Cantaloupe | 0.63 | 16 | 1,109.10 | A |
| Carrot | 0.64 | 22 | 1,113.40 | A |
| Cauliflower | 0.72 | 8 | 203.20 | A |
| Celery | 0.16 | 5 | 136.30 | A |
| Chinese Cabbage (Nappa) | 0.53 | 17 | 26.00 | A |
| Collard | 0.28 | 7 | 13.73 | A |
| Corn (Forage - Fodder) | 1.69 | 17 | 1,915.00 | A |
| Corn, Human Consumption | 0.02 | 6 | 188.25 | A |
| Dill | 0.07 | 2 | 3.40 | A |
| Endive (Escarole) | 0.55 | 25 | 27.20 | A |
| Forage Hay/Silage | 0.26 | 4 | 200.00 | A |
| Grape | 13.40 | 5 | 500.00 | A |
| Kale | 1.40 | 9 | 52.49 | A |
| Landscape Maintenance | 0.02 | | | |
| Lemon | 3.70 | 34 | 1,831.02 | A |
| Lettuce, Head | 5.41 | 135 | 3,749.68 | A |
| Lettuce, Leaf | 11.23 | 218 | 4,898.89 | A |
| Melon | 0.09 | 3 | 172.00 | A |
| Mizuna | 0.58 | 2 | 8.00 | A |
| N-Outdr Flower | 288.64 | 48 | 627.15 | A |
| Onion, Dry | 74.79 | 384 | 28,015.90 | A |
| Parsley | 0.67 | 1 | 33.10 | A |
| Pastureland | 0.12 | 2 | 211.00 | A |
| Potato | 0.09 | 1 | 61.00 | A |
| Rights Of Way | 12.66 | | | |
| Spinach | 3.80 | 17 | 62.75 | A |
| Sugarbeet | 29.04 | 223 | 17,501.41 | A |
| Sunflower | 0.40 | 7 | 919.00 | A |
| Swiss Chard | 1.14 | 10 | 56.41 | A |
| Tropical/Subtropical Fruit | 0.02 | 1 | 27.00 | A |
| Uncultivated Ag | 3.05 | 107 | 6,447.80 | A |
| Watermelon | 0.06 | 3 | 135.00 | A |
| Wheat | 0.66 | 33 | 1,949.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Chemical Total | 579.42 | 2,691 | | |
| DINOTEFURAN | | | | |
| Broccoli | 65.38 | 13 | 347.60 | A |
| Cabbage | 37.10 | 11 | 223.00 | A |
| Cantaloupe | 419.74 | 30 | 1,781.50 | A |
| Cauliflower | 26.18 | 9 | 153.00 | A |
| Melon | 293.30 | 20 | 1,340.50 | A |
| N-Outdr Flower | 5.05 | 2 | 50.50 | A |
| Pepper, Fruiting | 13.30 | 2 | 76.00 | A |
| Structural Pest Control | 7.34 | | | |
| Watermelon | 1.40 | 1 | 8.00 | A |
| Chemical Total | 868.80 | 88 | | |
| DIOCTYL DIMETHYL AMMONIUM CHLORIDE | | | | |
| Water (Industrial) | 382.39 | | 2.00 | U |
| Chemical Total | 382.39 | | | |
| DIPHACINONE | | | | |
| Ditch Bank | < 0.01 | | 1.00 | A |
| Landscape Maintenance | < 0.01 | | | |
| Rights Of Way | < 0.01 | | | |
| Structural Pest Control | < 0.01 | | | |
| Chemical Total | < 0.01 | | | |
| DIQUAT DIBROMIDE | | | | |
| Alfalfa | 1,143.05 | 24 | 1,271.80 | A |
| Potato | 224.20 | 5 | 241.50 | A |
| Chemical Total | 1,367.24 | 29 | | |
| DISODIUM OCTABORATE TETRAHYDRATE | | | | |
| Structural Pest Control | 22.41 | | | |
| Chemical Total | 22.41 | | | |
| DIURON | | | | |
| Cotton | 129.43 | 71 | 2,587.01 | A |
| Rights Of Way | 428.42 | | | |
| Chemical Total | 557.86 | 71 | | |
| DODECYLBENZENE SULFONIC ACID | | | | |
| N-Outdr Flower | 3.11 | 9 | 95.25 | A |
| Chemical Total | 3.11 | 9 | | |
| ALPHA-(PARA-DODECYLPHENYL)-OMEGA-HYDROXPOLY(OXYETHYLENE) | | | | |
| Alfalfa | 2.29 | 4 | 178.00 | A |
| Arugula | 0.21 | 2 | 31.50 | A |
| Broccoli | 39.95 | 20 | 906.64 | A |
| Cabbage | 5.55 | 2 | 96.00 | A |
| Cantaloupe | 1.43 | 5 | 140.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|-----------------|------------------------------|-------------------|--------------|
| Cauliflower | 6.03 | 11 | 232.69 | A |
| Corn, Human Consumption | 4.30 | 6 | 279.00 | A |
| Endive (Escarole) | 0.13 | 6 | 19.35 | A |
| Grape | 16.28 | 41 | 1,864.00 | A |
| Lettuce, Leaf | 12.18 | 28 | 737.38 | A |
| Melon | 0.86 | 1 | 77.00 | A |
| Onion, Dry | 4.89 | 5 | 247.00 | A |
| Rapini | 6.15 | 4 | 191.00 | A |
| Spinach | 0.91 | 25 | 685.85 | A |
| Sugarbeet | 1.72 | 5 | 283.10 | A |
| Watermelon | 1.43 | 2 | 133.00 | A |
| Chemical Total | 104.32 | 167 | | |
| EDTA, TETRASODIUM SALT | | | | |
| N-Outdr Flower | 0.19 | 9 | 95.25 | A |
| Chemical Total | 0.19 | 9 | | |
| EMAMECTIN BENZOATE | | | | |
| Bok Choy | 0.07 | 1 | 6.89 | A |
| Broccoli | 35.80 | 87 | 2,860.54 | A |
| Cabbage | 13.99 | 50 | 993.55 | A |
| Cauliflower | 11.07 | 32 | 887.00 | A |
| Celery | 8.46 | 29 | 816.20 | A |
| Chinese Cabbage (Nappa) | 0.66 | 4 | 49.58 | A |
| Endive (Escarole) | 0.10 | 5 | 8.83 | A |
| Kale | 0.48 | 6 | 31.88 | A |
| Lettuce, Head | 44.38 | 173 | 4,157.37 | A |
| Lettuce, Leaf | 37.69 | 162 | 3,246.64 | A |
| Sugarbeet | 0.14 | 1 | 5.00 | A |
| Chemical Total | 152.84 | 550 | | |
| EMULSIFIABLE METHYLATED VEGETABLE OIL | | | | |
| Alfalfa | 4,021.18 | 457 | 29,515.55 | A |
| Bermudagrass | 47.01 | 6 | 298.75 | A |
| Broccoli | 121.12 | 20 | 930.67 | A |
| Cabbage | 2.77 | 2 | 24.00 | A |
| Cantaloupe | 267.18 | 14 | 865.70 | A |
| Carrot | 74.09 | 12 | 470.00 | A |
| Cauliflower | 45.65 | 11 | 344.00 | A |
| Celery | 94.99 | 22 | 714.00 | A |
| Corn, Human Consumption | 769.30 | 104 | 4,943.75 | A |
| Forage Hay/Silage | 8.30 | 1 | 76.00 | A |
| Lettuce, Head | 119.27 | 30 | 1,051.00 | A |
| Lettuce, Leaf | 197.42 | 57 | 2,146.02 | A |
| Melon | 175.44 | 10 | 473.50 | A |
| Onion, Dry | 487.49 | 34 | 2,205.00 | A |
| Rights Of Way | 180.43 | | | |
| Sugarbeet | 489.32 | 50 | 3,404.15 | A |
| Uncultivated Ag | 87.69 | 3 | 214.00 | A |
| Wheat | 78.67 | 3 | 146.00 | A |
| Chemical Total | 7,267.30 | 836 | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-------------------------|----------------|------------------------------|-------------------|--------------|
| EPTC | | | | |
| Alfalfa | 103,901.69 | 637 | 47,559.30 | A |
| Carrot | 5,686.05 | 54 | 2,536.00 | A |
| Corn (Forage - Fodder) | 392.06 | 1 | 150.00 | A |
| Sugarbeet | 2,505.82 | 15 | 1,054.90 | A |
| Uncultivated Ag | 19,738.79 | 114 | 7,028.80 | A |
| Chemical Total | 132,224.41 | 821 | | |
| ESFENVALERATE | | | | |
| Alfalfa | 2.60 | 1 | 54.00 | A |
| Artichoke, Globe | 1.00 | 1 | 20.00 | A |
| Broccoli | 152.56 | 111 | 3,519.14 | A |
| Cabbage | 0.60 | 1 | 12.00 | A |
| Cantaloupe | 17.51 | 6 | 424.20 | A |
| Carrot | 387.65 | 172 | 8,691.35 | A |
| Cauliflower | 17.26 | 15 | 410.50 | A |
| Corn, Human Consumption | 1,342.34 | 579 | 27,571.62 | A |
| Lettuce, Head | 65.58 | 58 | 1,521.25 | A |
| Melon | 7.56 | 3 | 158.00 | A |
| Structural Pest Control | 1.54 | | | |
| Sudangrass | 4.49 | 1 | 90.00 | A |
| Sugarbeet | 2,064.52 | 743 | 46,854.88 | A |
| Sunflower | 0.82 | 1 | 18.00 | A |
| Chemical Total | 4,066.02 | 1,692 | | |
| ETHALFLURALIN | | | | |
| Cantaloupe | 25.76 | 4 | 280.00 | A |
| Sunflower | 1,807.57 | 26 | 1,655.34 | A |
| Chemical Total | 1,833.33 | 30 | | |
| ETHEPHON | | | | |
| Cotton | 2,850.15 | 96 | 3,779.60 | A |
| Pepper, Fruiting | 96.07 | 8 | 100.84 | A |
| Chemical Total | 2,946.22 | 104 | | |
| ETHOFUMESATE | | | | |
| Onion, Dry | 1,102.95 | 23 | 1,481.00 | A |
| Ryegrass | 116.67 | 1 | 70.00 | A |
| Sugarbeet | 9.86 | 1 | 21.00 | A |
| Chemical Total | 1,229.47 | 25 | | |
| ETHYLENE GLYCOL | | | | |
| Alfalfa | 60.48 | 1 | 70.00 | A |
| Lettuce, Head | 514.29 | 100 | 1,451.13 | A |
| Lettuce, Leaf | 360.58 | 97 | 888.89 | A |
| Chemical Total | 935.34 | 198 | | |
| ETOXAZOLE | | | | |
| Watermelon | 12.95 | 6 | 101.05 | A |
| Chemical Total | 12.95 | 6 | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| FAMOXADONE | | | | |
| Lettuce, Head | 81.25 | 25 | 560.00 | A |
| Lettuce, Leaf | 664.01 | 219 | 4,695.88 | A |
| Onion, Dry | 3.75 | 1 | 27.00 | A |
| Spinach | 432.68 | 156 | 3,216.50 | A |
| Chemical Total | 1,181.70 | 401 | | |
| FATTY ACIDS, METHYL ESTERS | | | | |
| Alfalfa | 233.86 | 3 | 208.00 | A |
| Rights Of Way | 54.24 | | | |
| Chemical Total | 288.10 | 3 | | |
| FATTY ACIDS, MIXED | | | | |
| Alfalfa | 2,037.27 | 229 | 16,094.40 | A |
| Bermudagrass | 315.96 | 22 | 2,037.00 | A |
| Broccoli | 14.30 | 10 | 356.00 | A |
| Carrot | 1.93 | 4 | 225.50 | A |
| Corn (Forage - Fodder) | 79.96 | 11 | 1,090.00 | A |
| Corn, Human Consumption | 0.10 | 2 | 30.00 | A |
| Cotton | 13.31 | 10 | 328.70 | A |
| Lettuce, Head | 0.23 | 1 | 10.00 | A |
| Lettuce, Leaf | 3.11 | 6 | 110.00 | A |
| Oat | 0.06 | 1 | 20.00 | A |
| Onion, Dry | 79.33 | 5 | 473.00 | A |
| Sugarbeet | 9.93 | 2 | 190.00 | A |
| Uncultivated Ag | 8.79 | 14 | 988.20 | A |
| Watermelon | 1.65 | 5 | 415.00 | A |
| Wheat | 1.83 | 5 | 317.00 | A |
| Chemical Total | 2,567.77 | 327 | | |
| FATTY ACIDS, C16-18 AND C18-UNSATURATED, BRANCHED AND LINEAR | | | | |
| Alfalfa | 5.50 | 8 | 480.00 | A |
| Bermudagrass | 0.69 | 2 | 143.00 | A |
| Corn, Human Consumption | 0.17 | 1 | 52.00 | A |
| Uncultivated Ag | 0.55 | 6 | 51.00 | A |
| Chemical Total | 6.91 | 17 | | |
| FATTY ACIDS, C16-C18 AND C18-UNSATURATED, METHYL ESTERS | | | | |
| Alfalfa | 8,578.62 | 663 | 41,129.00 | A |
| Artichoke, Globe | 6.20 | 5 | 40.50 | A |
| Arugula | 92.37 | 38 | 498.60 | A |
| Asparagus | 14.64 | 3 | 40.00 | A |
| Beet | 16.99 | 6 | 109.85 | A |
| Bermudagrass | 249.91 | 19 | 725.00 | A |
| Bok Choy | 41.65 | 39 | 295.76 | A |
| Broccoli | 745.29 | 207 | 5,119.99 | A |
| Cabbage | 616.92 | 193 | 3,700.56 | A |
| Cantaloupe | 630.50 | 104 | 4,519.50 | A |
| Carrot | 176.11 | 26 | 935.00 | A |
| Cauliflower | 217.61 | 67 | 1,308.60 | A |
| Celery | 172.36 | 62 | 1,511.20 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---------------------------|----------------|------------------------------|-------------------|--------------|
| Chinese Cabbage (Nappa) | 99.85 | 58 | 706.31 | A |
| Cilantro | 107.32 | 18 | 228.50 | A |
| Endive (Escarole) | 14.86 | 35 | 168.49 | A |
| Fennel | 17.25 | 26 | 102.52 | A |
| Forage Hay/Silage | 29.78 | 3 | 88.00 | A |
| Kale | 186.85 | 125 | 1,050.51 | A |
| Lettuce, Head | 3,840.48 | 425 | 9,252.89 | A |
| Lettuce, Leaf | 4,399.14 | 1,387 | 26,414.37 | A |
| Melon | 12.76 | 1 | 54.50 | A |
| Mizuna | 50.00 | 36 | 278.30 | A |
| Onion, Dry | 723.37 | 178 | 3,180.83 | A |
| Sorghum (Forage - Fodder) | 12.76 | 1 | 35.00 | A |
| Spinach | 345.16 | 104 | 2,475.01 | A |
| Sudangrass | 242.52 | 18 | 1,512.00 | A |
| Sugarbeet | 1,038.07 | 90 | 5,458.00 | A |
| Sunflower | 85.10 | 3 | 226.00 | A |
| Swiss Chard | 62.36 | 40 | 375.20 | A |
| Uncultivated Ag | 36.47 | 3 | 99.00 | A |
| Watermelon | 120.28 | 35 | 900.60 | A |
| Wheat | 142.81 | 11 | 499.50 | A |
| Chemical Total | 23,126.37 | 4,029 | | |

FATTY ACIDS DERIVED FROM TALLOW

| | | | | |
|-------------------------|--------|-----|-----------|---|
| Alfalfa | 268.99 | 165 | 11,673.30 | A |
| Bermudagrass | 2.46 | 2 | 77.00 | A |
| Canola (Rape) | 0.20 | 1 | 5.00 | A |
| Cantaloupe | 4.93 | 4 | 238.00 | A |
| Corn (Forage - Fodder) | 7.74 | 12 | 500.00 | A |
| Corn, Human Consumption | 2.46 | 2 | 167.00 | A |
| Cotton | 38.03 | 31 | 1,353.60 | A |
| Forage Hay/Silage | 3.70 | 1 | 75.00 | A |
| Gai Lon | 2.59 | 11 | 66.95 | A |
| Grapefruit | 4.44 | 2 | 57.00 | A |
| Lemon | 28.51 | 6 | 281.00 | A |
| Lettuce, Head | 127.39 | 130 | 3,977.09 | A |
| Lettuce, Leaf | 72.44 | 85 | 2,333.14 | A |
| Onion, Dry | 31.42 | 13 | 901.00 | A |
| Orange | 4.34 | 2 | 56.00 | A |
| Sugarbeet | 227.18 | 136 | 11,045.63 | A |
| Sunflower | 11.40 | 7 | 290.00 | A |
| Tangerine | 34.74 | 6 | 448.00 | A |
| Uncultivated Ag | 12.33 | 5 | 282.00 | A |
| Wheat | 4.56 | 3 | 240.00 | A |
| Chemical Total | 889.84 | 624 | | |

FENAMIDONE

| | | | | |
|-------------|--------|-----|----------|---|
| Arugula | 80.03 | 17 | 343.74 | A |
| Beet | 4.21 | 5 | 19.20 | A |
| Bok Choy | 1.44 | 2 | 6.58 | A |
| Broccoli | 829.02 | 110 | 3,417.65 | A |
| Cabbage | 339.97 | 65 | 1,373.50 | A |
| Carrot | 17.71 | 1 | 67.00 | A |
| Cauliflower | 166.67 | 23 | 680.30 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---------------------------|----------------|------------------------------|-------------------|--------------|
| Chinese Cabbage (Nappa) | 0.45 | 1 | 2.40 | A |
| Endive (Escarole) | 17.40 | 18 | 69.57 | A |
| Kale | 56.46 | 12 | 240.30 | A |
| Lettuce, Head | 1,058.15 | 164 | 4,415.82 | A |
| Lettuce, Leaf | 2,261.11 | 433 | 9,268.96 | A |
| Mizuna | 12.26 | 7 | 49.15 | A |
| Mustard | 9.53 | 3 | 37.12 | A |
| Mustard Greens | 4.95 | 1 | 22.29 | A |
| Onion, Dry | 954.09 | 99 | 5,822.30 | A |
| Potato | 16.51 | 1 | 68.00 | A |
| Spinach | 701.00 | 123 | 2,830.10 | A |
| Swiss Chard | 31.49 | 25 | 133.34 | A |
| Chemical Total | 6,562.48 | 1,110 | | |
| FENHEXAMID | | | | |
| N-Outdr Flower | 21.30 | 7 | 45.00 | A |
| Chemical Total | 21.30 | 7 | | |
| FENOXAPROP-P-ETHYL | | | | |
| Wheat | 0.95 | 1 | 11.50 | A |
| Chemical Total | 0.95 | 1 | | |
| FENPROPATHRIN | | | | |
| Grapefruit | 284.68 | 25 | 856.94 | A |
| Kumquat | 2.96 | 3 | 9.47 | A |
| Lemon | 975.72 | 90 | 2,942.52 | A |
| Lime | 74.88 | 11 | 235.42 | A |
| Orange | 89.30 | 14 | 278.44 | A |
| Tangelo | 134.73 | 16 | 435.00 | A |
| Tangerine | 289.79 | 34 | 879.13 | A |
| Chemical Total | 1,852.07 | 193 | | |
| FENPYROXIMATE | | | | |
| Cantaloupe | 10.25 | 3 | 106.00 | A |
| Lemon | 12.93 | 3 | 98.00 | A |
| Watermelon | 24.33 | 4 | 233.00 | A |
| Chemical Total | 47.51 | 10 | | |
| FERROUS SULFATE | | | | |
| Alfalfa | 4.29 | 15 | 763.60 | A |
| Corn, Human Consumption | 8.10 | 11 | 761.00 | A |
| Cotton | 0.50 | 2 | 47.30 | A |
| Sudangrass | 0.56 | 1 | 90.00 | A |
| Sugarbeet | 0.56 | 1 | 140.00 | A |
| Chemical Total | 14.01 | 30 | | |
| FIPRONIL | | | | |
| Structural Pest Control | 405.56 | | | |
| Chemical Total | 405.56 | | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--------------------------|----------------|------------------------------|-------------------|--------------|
| FLONICAMID | | | | |
| Alfalfa | 4,281.88 | 781 | 49,675.97 | A |
| Arugula | 13.75 | 11 | 157.00 | A |
| Beet | 1.54 | 3 | 17.60 | A |
| Bok Choy | 3.71 | 6 | 42.99 | A |
| Broccoli | 93.82 | 42 | 1,138.50 | A |
| Cabbage | 100.54 | 61 | 1,233.95 | A |
| Carrot | 0.38 | 1 | 5.00 | A |
| Cauliflower | 41.39 | 19 | 521.00 | A |
| Celery | 6.50 | 5 | 86.00 | A |
| Chinese Cabbage (Nappa) | 10.58 | 7 | 125.31 | A |
| Cotton | 97.85 | 39 | 1,122.25 | A |
| Endive (Escarole) | 2.38 | 4 | 27.72 | A |
| Kale | 17.58 | 14 | 205.52 | A |
| Lettuce, Head | 85.66 | 57 | 1,077.07 | A |
| Lettuce, Leaf | 423.55 | 284 | 5,272.94 | A |
| Mizuna | 5.03 | 7 | 58.30 | A |
| Parsley | 0.53 | 1 | 6.00 | A |
| Spinach | 87.83 | 66 | 1,042.55 | A |
| Swiss Chard | 3.09 | 6 | 36.05 | A |
| Uncultivated Ag | 0.59 | 1 | 41.00 | A |
| Chemical Total | 5,278.13 | 1,415 | | |
| FLUAZIFOP-P-BUTYL | | | | |
| Carrot | 526.17 | 52 | 2,687.60 | A |
| Onion, Dry | 1,547.76 | 68 | 4,599.30 | A |
| Chemical Total | 2,073.94 | 120 | | |
| FLUBENDIAMIDE | | | | |
| Alfalfa | 755.31 | 117 | 7,401.72 | A |
| Broccoli | 4.41 | 2 | 115.00 | A |
| Corn, Human Consumption | 534.45 | 129 | 6,970.90 | A |
| Sudangrass | 24.42 | 3 | 224.00 | A |
| Chemical Total | 1,318.58 | 251 | | |
| FLUDIOXONIL | | | | |
| Citrus | 42.35 | | 89,766.10 | P |
| N-Outdr Flower | 2.13 | 3 | 24.00 | A |
| Chemical Total | 44.48 | 3 | | |
| FLUMIOXAZIN | | | | |
| Alfalfa | 405.58 | 48 | 3,333.00 | A |
| Chemical Total | 405.58 | 48 | | |
| FLUOPICOLIDE | | | | |
| Arugula | 20.69 | 13 | 171.90 | A |
| Beet | 3.32 | 5 | 27.00 | A |
| Bok Choy | 1.22 | 3 | 9.88 | A |
| Chinese Cabbage (Nappa) | 0.24 | 2 | 2.40 | A |
| Endive (Escarole) | 3.63 | 2 | 30.00 | A |
| Gai Lon | 20.93 | 39 | 168.57 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|------------------|------------------------------|-------------------|--------------|
| Kale | 36.65 | 12 | 154.23 | A |
| Lettuce, Head | 8.43 | 2 | 68.30 | A |
| Lettuce, Leaf | 12.74 | 4 | 111.10 | A |
| Mizuna | 1.11 | 4 | 8.85 | A |
| N-Outdr Flower | 12.94 | 8 | 106.50 | A |
| Onion, Dry | 0.04 | 1 | 0.50 | A |
| Spinach | 59.20 | 45 | 448.60 | A |
| Swiss Chard | 3.71 | 4 | 30.00 | A |
| Chemical Total | 184.85 | 144 | | |
| FLUOPYRAM | | | | |
| Potato | 8.74 | 3 | 137.00 | A |
| Sugarbeet | 7.23 | 2 | 43.00 | A |
| Sunflower | 5.31 | 3 | 41.00 | A |
| Chemical Total | 21.28 | 8 | | |
| FLUPYRADIFURONE | | | | |
| Alfalfa | 11,412.09 | 1,536 | 111,843.26 | A |
| Arugula | 81.95 | 31 | 482.91 | A |
| Beet | 3.97 | 5 | 24.00 | A |
| Bok Choy | 13.52 | 18 | 79.10 | A |
| Broccoli | 156.09 | 34 | 1,111.67 | A |
| Cabbage | 109.26 | 28 | 679.05 | A |
| Canola (Rape) | 0.55 | 1 | 3.00 | A |
| Cauliflower | 82.20 | 15 | 518.80 | A |
| Celery | 42.54 | 13 | 383.90 | A |
| Chinese Cabbage (Nappa) | 25.83 | 14 | 149.94 | A |
| Cilantro | 28.24 | 11 | 168.77 | A |
| Endive (Escarole) | 0.80 | 2 | 4.55 | A |
| Fennel | 0.97 | 2 | 5.37 | A |
| Grapefruit | 49.77 | 7 | 275.00 | A |
| Kale | 104.87 | 32 | 612.66 | A |
| Kumquat | 0.92 | 1 | 5.00 | A |
| Lemon | 285.16 | 29 | 1,711.64 | A |
| Lettuce, Head | 46.41 | 10 | 306.76 | A |
| Lettuce, Leaf | 244.20 | 84 | 1,505.76 | A |
| Melon | 119.04 | 15 | 326.21 | A |
| Mizuna | 7.81 | 10 | 44.50 | A |
| Mustard | 16.07 | 7 | 100.77 | A |
| Orange | 24.09 | 1 | 132.00 | A |
| Rapini | 54.95 | 5 | 318.60 | A |
| Spinach | 156.10 | 72 | 908.11 | A |
| Swiss Chard | 13.35 | 14 | 81.23 | A |
| Tangelo | 16.38 | 4 | 90.00 | A |
| Tangerine | 12.03 | 3 | 66.00 | A |
| Watermelon | 21.54 | 6 | 144.30 | A |
| Chemical Total | 13,130.71 | 2,010 | | |
| FLUROXYPYR, 1-METHYLHEPTYL ESTER | | | | |
| Landscape Maintenance | 0.02 | | | |
| Chemical Total | 0.02 | | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| FLUTRIAFOL | | | | |
| Cantaloupe | 147.07 | 39 | 1,293.69 | A |
| Cotton | 7.83 | 1 | 30.10 | A |
| Melon | 163.04 | 3 | 61.74 | A |
| Chemical Total | 317.94 | 43 | | |
| FLUXAPYROXAD | | | | |
| Alfalfa | 2.90 | 2 | 70.00 | A |
| Celery | 27.38 | 6 | 202.00 | A |
| Lettuce, Leaf | 32.63 | 7 | 280.00 | A |
| Onion, Dry | 76.30 | 24 | 439.65 | A |
| Orange | 2.78 | 1 | 28.00 | A |
| Sunflower | 9.73 | 1 | 145.00 | A |
| Tangelo | 5.56 | 3 | 50.00 | A |
| Tangerine | 21.26 | 2 | 196.00 | A |
| Chemical Total | 178.54 | 46 | | |
| FORMETANATE HYDROCHLORIDE | | | | |
| Alfalfa | 585.83 | 12 | 636.77 | A |
| Chemical Total | 585.83 | 12 | | |
| FOSETYL-AL | | | | |
| Endive (Escarole) | 80.00 | 1 | 20.00 | A |
| Kale | 25.94 | 4 | 9.97 | A |
| Lettuce, Head | 601.45 | 10 | 174.25 | A |
| Lettuce, Leaf | 847.58 | 12 | 262.09 | A |
| N-Outdr Flower | 223.98 | 6 | 246.75 | A |
| Spinach | 192.18 | 15 | 109.11 | A |
| Chemical Total | 1,971.12 | 48 | | |
| FREE FATTY ACIDS AND/OR AMINE SALTS | | | | |
| Rights Of Way | 13.76 | | | |
| Chemical Total | 13.76 | | | |
| GIBBERELLINS | | | | |
| Artichoke, Globe | 1.62 | 6 | 120.00 | A |
| Citrus | 0.51 | | 7,593.51 | P |
| | 0.17 | | 47.75 | U |
| Total Pounds On This Commodity | 0.68 | | | |
| Grape | 385.46 | 9 | 875.00 | A |
| Lemon | 21.51 | 37 | 992.00 | A |
| Tangerine | 0.52 | 2 | 40.00 | A |
| Chemical Total | 409.79 | 54 | | |
| GLUFOSINATE-AMMONIUM | | | | |
| Canola (Rape) | 13.50 | 1 | 30.00 | A |
| Chemical Total | 13.50 | 1 | | |
| GLYCEROL | | | | |
| Alfalfa | 456.36 | 43 | 3,228.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-------------------------|----------------|---------------------------|----------------|-----------|
| Bermudagrass | 28.45 | 3 | 243.00 | A |
| Cantaloupe | 10.73 | 1 | 91.00 | A |
| Carrot | 5.36 | 1 | 70.00 | A |
| Corn (Forage - Fodder) | 109.94 | 24 | 1,568.00 | A |
| Corn, Human Consumption | 8.01 | 2 | 87.00 | A |
| Cotton | 4.59 | 22 | 838.20 | A |
| Onion, Dry | 0.14 | 1 | 14.90 | A |
| Uncultivated Ag | 54.70 | 10 | 379.00 | A |
| Watermelon | 18.77 | 2 | 141.00 | A |
| Chemical Total | 697.05 | 109 | | |

GLYPHOSATE, ISOPROPYLAMINE SALT

| | | | | |
|--------------------------------|------------|-----|-----------|---|
| Alfalfa | 2,833.29 | 106 | 3,764.80 | A |
| Bermudagrass | 1,235.34 | 35 | 772.00 | A |
| Cabbage | 66.73 | 2 | 38.35 | A |
| Cantaloupe | 452.43 | 4 | 305.90 | A |
| Carrot | 220.56 | 4 | 147.00 | A |
| Cauliflower | 360.06 | 4 | 223.00 | A |
| Corn (Forage - Fodder) | 3,683.56 | 47 | 2,453.00 | A |
| Corn, Human Consumption | 580.10 | 6 | 431.00 | A |
| Cotton | 4,272.73 | 46 | 2,224.90 | A |
| Landscape Maintenance | 327.98 | | | |
| Lemon | 247.36 | 15 | 346.00 | A |
| Melon | 48.01 | 1 | 32.00 | A |
| Oat | 44.96 | 1 | 15.00 | A |
| Onion, Dry | 69.97 | 2 | 62.00 | A |
| Rights Of Way | 215,735.36 | | | |
| Ryegrass | 311.94 | 2 | 138.00 | A |
| Structural Pest Control | 506.18 | | | |
| Sugarbeet | 18,020.68 | 204 | 15,278.92 | A |
| | 55.01 | | 71.00 | P |
| Total Pounds On This Commodity | 18,075.69 | | | |
| Sunflower | 418.07 | 5 | 423.00 | A |
| Uncultivated Ag | 37,400.19 | 355 | 18,992.74 | A |
| Watermelon | 289.77 | 2 | 141.00 | A |
| Wheat | 34.35 | 1 | 145.00 | A |
| Chemical Total | 287,214.65 | 842 | | |

GLYPHOSATE, MONOAMMONIUM SALT

| | | | | |
|----------------|------|--|--|--|
| Rights Of Way | 0.29 | | | |
| Chemical Total | 0.29 | | | |

GLYPHOSATE, POTASSIUM SALT

| | | | | |
|------------------------|----------|----|----------|---|
| Alfalfa | 2,332.47 | 23 | 963.00 | A |
| Asparagus | 55.17 | 1 | 23.00 | A |
| Bermudagrass | 2,142.69 | 14 | 419.00 | A |
| Corn (Forage - Fodder) | 8,246.61 | 40 | 4,195.85 | A |
| Cotton | 2,790.32 | 47 | 1,452.61 | A |
| Date | 2,452.07 | 39 | 1,348.00 | A |
| Ditch Bank | 5.18 | | 3.00 | A |
| Grapefruit | 1,226.04 | 18 | 769.00 | A |
| Landscape Maintenance | 7,171.74 | | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---------------------------|-------------------|---------------------------|----------------|-----------|
| Lemon | 8,677.14 | 119 | 5,658.00 | A |
| Lime | 706.14 | 8 | 272.00 | A |
| Mango | 449.61 | 2 | 260.00 | A |
| Onion, Dry | 18.98 | 1 | 10.00 | A |
| Parsley | 270.32 | 2 | 98.00 | A |
| Rights Of Way | 39,877.86 | | | |
| Sorghum (Forage - Fodder) | 165.50 | 2 | 80.00 | A |
| Structural Pest Control | 27.58 | | | |
| Sugarbeet | 40,461.95 | 384 | 27,537.91 | A |
| Sunflower | 4,160.60 | 25 | 1,870.00 | A |
| Tangelo | 540.42 | 19 | 605.00 | A |
| Tangerine | 1,636.26 | 20 | 1,026.00 | A |
| Uncultivated Ag | 13,227.73 | 119 | 4,561.48 | A |
| Watermelon | 326.04 | 6 | 144.80 | A |
| Chemical Total | 136,968.41 | 889 | | |

HALOSULFURON-METHYL

| | | | | |
|------------------------|--------------|-----------|--------|---|
| Alfalfa | 38.29 | 34 | 919.50 | A |
| Bermudagrass | 6.56 | 3 | 115.00 | A |
| Corn (Forage - Fodder) | 1.41 | 1 | 32.00 | A |
| Forage Hay/Silage | 15.63 | 5 | 267.00 | A |
| Rights Of Way | 0.38 | | | |
| Ryegrass | 7.97 | 3 | 195.00 | A |
| Uncultivated Ag | 2.18 | 1 | 35.00 | A |
| Watermelon | 1.88 | 1 | 83.00 | A |
| Chemical Total | 74.28 | 48 | | |

HEPTAMETHYLTRISILOXANE ETHOXYLATED

| | | | | |
|-----------------------|---------------|------------|-----------|---|
| Alfalfa | 510.30 | 185 | 15,421.40 | A |
| Broccoli | 25.00 | 36 | 1,422.74 | A |
| Cantaloupe | 14.34 | 9 | 608.70 | A |
| Cauliflower | 2.04 | 3 | 102.00 | A |
| Lemon | 82.13 | 22 | 1,335.00 | A |
| Lettuce, Head | 35.33 | 59 | 2,259.40 | A |
| Lettuce, Leaf | 20.14 | 42 | 1,352.95 | A |
| Melon | 3.37 | 2 | 140.00 | A |
| Onion, Dry | 30.98 | 22 | 1,229.20 | A |
| Sugarbeet | 31.21 | 14 | 1,363.00 | A |
| Watermelon | 1.69 | 2 | 75.00 | A |
| Chemical Total | 756.53 | 396 | | |

HEPTAMETHYLTRISILOXANE-1,3-PROPANEDIOL ETHER, ETHOXYLATED PROPOXYLATED

| | | | | |
|---------------|--------|----|----------|---|
| Alfalfa | 682.98 | 62 | 3,955.80 | A |
| Bermudagrass | 6.89 | 2 | 24.50 | A |
| Carrot | 0.56 | 1 | 72.60 | A |
| Cotton | 4.48 | 6 | 94.30 | A |
| Lettuce, Leaf | 0.94 | 3 | 39.50 | A |
| Onion, Dry | 0.28 | 1 | 35.00 | A |
| Rights Of Way | 181.49 | | | |
| Sunflower | 10.12 | 2 | 150.00 | A |
| Tangelo | 0.19 | 3 | 50.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|---------------------------|----------------|-----------|
| Wheat | 65.98 | 18 | 1,365.70 | A |
| Chemical Total | 953.92 | 98 | | |
| HEXYTHIAZOX | | | | |
| Alfalfa | 4,138.35 | 397 | 25,737.72 | A |
| Bermudagrass | 888.50 | 84 | 5,816.93 | A |
| Corn (Forage - Fodder) | 399.16 | 24 | 2,319.03 | A |
| Corn, Human Consumption | 168.96 | 31 | 1,484.00 | A |
| Date | 21.00 | 4 | 115.00 | A |
| Grass, Seed | 35.13 | 3 | 280.25 | A |
| N-Outdr Plants In Containers | 2.81 | 1 | 15.00 | A |
| Chemical Total | 5,653.91 | 544 | | |
| HYDRAMETHYLNON | | | | |
| Rights Of Way | 0.07 | | | |
| Structural Pest Control | 0.11 | | | |
| Chemical Total | 0.18 | | | |
| HYDROGEN PEROXIDE | | | | |
| Artichoke, Globe | 4.21 | 3 | 36.15 | A |
| Arugula | 16.11 | 50 | 445.67 | A |
| Basil, Sweet | 119.52 | 1 | 48.00 | A |
| Broccoli | 78.36 | 67 | 724.45 | A |
| Cabbage | 85.42 | 157 | 2,250.10 | A |
| Cauliflower | 62.79 | 68 | 543.48 | A |
| Celery | 150.06 | 14 | 174.70 | A |
| Cilantro | 1.34 | 4 | 54.00 | A |
| Corn, Human Consumption | 0.62 | 1 | 24.20 | A |
| Ditch Bank | 624.88 | | 1.00 | U |
| Endive (Escarole) | 0.27 | 3 | 2.07 | A |
| Fennel | 1.54 | 3 | 15.65 | A |
| Food Proccessing Plant | 1,874.64 | | 3.00 | U |
| Kale | 16.41 | 68 | 268.62 | A |
| Lettuce, Head | 356.96 | 391 | 8,483.80 | A |
| Lettuce, Leaf | 1,350.48 | 980 | 16,580.28 | A |
| Mizuna | 0.30 | 3 | 5.35 | A |
| Onion, Dry | 646.73 | 9 | 419.00 | A |
| Spinach | 1,219.74 | 362 | 6,909.91 | A |
| Swiss Chard | 15.26 | 52 | 298.84 | A |
| Chemical Total | 6,625.65 | 2,236 | | |
| HYDROPRENE | | | | |
| Structural Pest Control | 2.15 | | | |
| Chemical Total | 2.15 | | | |
| HYDROTREATED PARAFFINIC SOLVENT | | | | |
| Alfalfa | 34,464.78 | 489 | 27,905.30 | A |
| Bermudagrass | 545.15 | 7 | 697.00 | A |
| Carrot | 811.67 | 23 | 1,025.00 | A |
| Cilantro | 90.80 | 3 | 135.00 | A |
| Corn, Human Consumption | 2,448.35 | 31 | 1,813.20 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Cotton | 762.35 | 38 | 1,230.50 | A |
| Forage Hay/Silage | 60.57 | 1 | 86.00 | A |
| Lettuce, Head | 121.15 | 3 | 126.40 | A |
| Lettuce, Leaf | 136.29 | 2 | 150.00 | A |
| Oat | 127.20 | 5 | 252.90 | A |
| Onion, Dry | 878.36 | 22 | 1,099.50 | A |
| Sudangrass | 401.77 | 4 | 331.00 | A |
| Sugarbeet | 793.32 | 18 | 941.00 | A |
| Uncultivated Ag | 272.58 | 12 | 505.50 | A |
| Wheat | 1,808.09 | 29 | 1,694.00 | A |
| Chemical Total | 43,722.44 | 687 | | |
| 2-(3-HYDROXYPROPYL)-HEPTA-METHYL TRISILOXANE, ETHOXYLATED, ACETATE | | | | |
| Arugula | 0.77 | 2 | 14.00 | A |
| Broccoli | 1.80 | 1 | 34.40 | A |
| Cauliflower | 1.29 | 1 | 25.06 | A |
| Lettuce, Leaf | 19.24 | 10 | 309.82 | A |
| Spinach | 50.13 | 14 | 837.83 | A |
| Swiss Chard | 0.43 | 2 | 7.83 | A |
| Chemical Total | 73.66 | 30 | | |
| IMAZALIL | | | | |
| Citrus | 15.58 | | 230,134.90 | P |
| Chemical Total | 15.59 | | | |
| IMAZAMOX, AMMONIUM SALT | | | | |
| Alfalfa | 1,535.37 | 593 | 39,212.62 | A |
| Canola (Rape) | 0.17 | 1 | 5.00 | A |
| Sunflower | 11.08 | 10 | 451.00 | A |
| Chemical Total | 1,546.62 | 604 | | |
| IMAZAPYR, ISOPROPYLAMINE SALT | | | | |
| Bermudagrass | 3.08 | 1 | 13.00 | A |
| Rights Of Way | 1,178.58 | | | |
| Chemical Total | 1,181.66 | 1 | | |
| IMAZETHAPYR, AMMONIUM SALT | | | | |
| Alfalfa | 2,489.69 | 476 | 32,461.92 | A |
| Chemical Total | 2,489.69 | 476 | | |
| IMIDACLOPRID | | | | |
| Arugula | 58.05 | 5 | 144.80 | A |
| Basil, Sweet | 35.74 | 2 | 96.00 | A |
| Beet | 9.11 | 1 | 30.00 | A |
| Bok Choy | 32.11 | 29 | 86.12 | A |
| Broccoli | 1,380.43 | 104 | 4,131.63 | A |
| Cabbage | 440.35 | 30 | 1,411.35 | A |
| Cantaloupe | 924.76 | 40 | 2,494.60 | A |
| Cauliflower | 833.08 | 64 | 2,443.49 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-------------------------|------------------|------------------------------|-------------------|--------------|
| Celery | 143.08 | 9 | 388.30 | A |
| Chinese Cabbage (Nappa) | 27.22 | 6 | 84.09 | A |
| Cilantro | 34.06 | 10 | 166.00 | A |
| Cotton | 157.82 | 17 | 714.20 | A |
| Endive (Escarole) | 9.52 | 10 | 28.26 | A |
| Fennel | 3.50 | 2 | 11.50 | A |
| Gai Lon | 11.33 | 25 | 31.00 | A |
| Grapefruit | 288.65 | 15 | 573.50 | A |
| Kale | 66.72 | 32 | 170.81 | A |
| Kumquat | 2.54 | 1 | 5.00 | A |
| Landscape Maintenance | 0.41 | | | |
| Lemon | 1,891.57 | 100 | 3,999.55 | A |
| Lettuce, Head | 1,987.20 | 157 | 5,556.49 | A |
| Lettuce, Leaf | 2,822.13 | 254 | 7,597.09 | A |
| Lime | 69.06 | 3 | 137.00 | A |
| Melon | 294.83 | 17 | 786.00 | A |
| Mizuna | 33.04 | 5 | 82.40 | A |
| Orange | 114.08 | 6 | 226.00 | A |
| Peas | 0.05 | 1 | 0.17 | A |
| Potato | 73.15 | 7 | 253.00 | A |
| Public Health | 38.84 | | | |
| Rapini | 470.58 | 18 | 1,280.40 | A |
| Spinach | 505.21 | 22 | 1,464.10 | A |
| Structural Pest Control | 310.25 | | | |
| Sugarbeet | 2,240.92 | 154 | 11,877.77 | A |
| Swiss Chard | 19.69 | 3 | 49.10 | A |
| Tangelo | 149.49 | 10 | 297.00 | A |
| Tangerine | 366.45 | 18 | 726.00 | A |
| Watermelon | 353.45 | 33 | 1,392.55 | A |
| Chemical Total | 16,198.46 | 1,210 | | |
| INDAZIFLAM | | | | |
| Rights Of Way | 55.95 | | | |
| Chemical Total | 55.95 | | | |
| INDOXACARB | | | | |
| Alfalfa | 8,121.74 | 1,421 | 99,896.90 | A |
| Broccoli | 132.44 | 70 | 2,062.80 | A |
| Cabbage | 57.11 | 35 | 886.55 | A |
| Cauliflower | 44.49 | 39 | 697.60 | A |
| Celery | 12.22 | 7 | 248.50 | A |
| Chinese Cabbage (Nappa) | 2.82 | 3 | 43.00 | A |
| Corn, Human Consumption | 199.03 | 86 | 3,316.16 | A |
| Fennel | 0.63 | 4 | 9.71 | A |
| Kale | 1.06 | 6 | 16.02 | A |
| Lettuce, Head | 0.53 | 1 | 8.00 | A |
| Lettuce, Leaf | 26.28 | 9 | 298.00 | A |
| Structural Pest Control | 2.38 | | | |
| Chemical Total | 8,600.72 | 1,681 | | |
| IPRODIONE | | | | |
| Broccoli | 14.69 | 4 | 28.92 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Carrot | 109.84 | 3 | 162.20 | A |
| Lettuce, Head | 648.88 | 37 | 695.03 | A |
| Lettuce, Leaf | 1,391.35 | 95 | 1,473.97 | A |
| N-Outdr Flower | 18.90 | 7 | 110.00 | A |
| Onion, Dry | 1,647.59 | 100 | 2,764.65 | A |
| Chemical Total | 3,831.25 | 246 | | |
| IRON PHOSPHATE | | | | |
| Structural Pest Control | 0.02 | | | |
| Chemical Total | 0.02 | | | |
| ISODECYL ALCOHOL | | | | |
| Alfalfa | 0.85 | 1 | 40.00 | A |
| Corn, Human Consumption | 6.90 | 6 | 347.00 | A |
| Forage Hay/Silage | 0.85 | 1 | 27.00 | A |
| Potato | 1.70 | 1 | 61.00 | A |
| Sugarbeet | 2.33 | 5 | 149.95 | A |
| Chemical Total | 12.64 | 14 | | |
| ALPHA-ISODECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | | | | |
| Alfalfa | 0.30 | 1 | 68.00 | A |
| Cotton | 4.19 | 22 | 838.20 | A |
| Onion, Dry | 0.13 | 1 | 14.90 | A |
| Chemical Total | 4.62 | 24 | | |
| ALPHA-ISODECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE | | | | |
| Alfalfa | 26.33 | 5 | 285.00 | A |
| Lettuce, Leaf | 0.57 | 1 | 10.00 | A |
| Onion, Dry | 2.93 | 1 | 35.00 | A |
| Chemical Total | 29.83 | 7 | | |
| ISOPROPYL ALCOHOL | | | | |
| Alfalfa | 587.94 | 776 | 56,424.10 | A |
| Artichoke, Globe | 0.42 | 2 | 34.00 | A |
| Bermudagrass | 61.12 | 47 | 2,873.75 | A |
| Broccoli | 25.39 | 27 | 1,199.06 | A |
| Carrot | 15.70 | 24 | 1,285.30 | A |
| Cauliflower | 0.42 | 1 | 35.20 | A |
| Celery | 1.26 | 4 | 110.00 | A |
| Corn (Forage - Fodder) | 8.27 | 6 | 347.00 | A |
| Corn, Human Consumption | 21.98 | 66 | 4,745.00 | A |
| Cotton | 1.14 | 4 | 150.00 | A |
| Forage Hay/Silage | 5.99 | 6 | 317.00 | A |
| Lemon | 2.93 | 7 | 259.00 | A |
| Lettuce, Head | 98.49 | 145 | 2,519.63 | A |
| Lettuce, Leaf | 83.21 | 161 | 2,959.28 | A |
| N-Outdr Flower | 0.95 | 9 | 95.25 | A |
| Onion, Dry | 169.37 | 144 | 10,415.00 | A |
| Pastureland | 2.52 | 2 | 211.00 | A |
| Pepper, Fruiting | 0.26 | 1 | 36.00 | A |
| Rights Of Way | 256.04 | | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Structural Pest Control | 0.70 | | | |
| Sugarbeet | 91.76 | 250 | 14,434.72 | A |
| Sunflower | 8.02 | 5 | 669.00 | A |
| Tropical/Subtropical Fruit | 0.42 | 1 | 27.00 | A |
| Uncultivated Ag | 45.44 | 106 | 5,956.30 | A |
| Watermelon | 0.42 | 1 | 60.00 | A |
| Wheat | 7.10 | 20 | 671.20 | A |
| Chemical Total | 1,497.28 | 1,815 | | |
| ISOPROPYLAMINE DODECYLBENZENE SULFONATE | | | | |
| Alfalfa | 17.83 | 41 | 2,733.40 | A |
| Bermudagrass | 3.00 | 7 | 544.00 | A |
| Corn, Human Consumption | 11.79 | 66 | 2,412.07 | A |
| Cotton | 1.74 | 28 | 1,344.60 | A |
| Forage Hay/Silage | 0.28 | 2 | 85.00 | A |
| Grass, Seed | 0.28 | 1 | 70.00 | A |
| Onion, Dry | 3.91 | 7 | 622.00 | A |
| Rights Of Way | 225.05 | | | |
| Sudangrass | 0.56 | 1 | 80.00 | A |
| Chemical Total | 264.45 | 153 | | |
| KAOLIN | | | | |
| Grapefruit | 14,003.76 | 8 | 222.00 | A |
| Lemon | 79,090.08 | 51 | 1,624.66 | A |
| Onion, Dry | 94,055.95 | 67 | 2,131.89 | A |
| Orange | 3,174.90 | 4 | 66.00 | A |
| Pepper, Fruiting | 4,797.50 | 2 | 100.85 | A |
| Tangelo | 1,198.52 | 1 | 19.00 | A |
| Tangerine | 8,768.12 | 7 | 139.00 | A |
| Watermelon | 6,745.00 | 5 | 112.00 | A |
| Chemical Total | 211,833.83 | 145 | | |
| LAMBDA-CYHALOTHRIN | | | | |
| Alfalfa | 3,306.81 | 1,757 | 115,805.27 | A |
| Asparagus | 0.50 | 1 | 20.00 | A |
| Bermudagrass | 273.35 | 134 | 9,562.08 | A |
| Broccoli | 168.52 | 223 | 6,055.58 | A |
| Cabbage | 69.56 | 96 | 2,534.05 | A |
| Canola (Rape) | 0.15 | 1 | 5.00 | A |
| Cantaloupe | 8.15 | 5 | 313.50 | A |
| Cauliflower | 57.19 | 84 | 2,032.90 | A |
| Chinese Cabbage (Nappa) | 0.57 | 3 | 19.30 | A |
| Corn, Human Consumption | 1,415.70 | 754 | 50,665.14 | A |
| Forage Hay/Silage | 8.73 | 6 | 309.00 | A |
| Gai Lon | 0.60 | 2 | 19.00 | A |
| Grass, Seed | 24.19 | 8 | 855.25 | A |
| Lettuce, Head | 341.83 | 442 | 11,997.51 | A |
| Lettuce, Leaf | 466.25 | 764 | 17,053.63 | A |
| Melon | 13.62 | 10 | 644.00 | A |
| Onion, Dry | 326.41 | 212 | 11,312.32 | A |
| Pepper, Fruiting | 1.98 | 2 | 100.85 | A |
| Structural Pest Control | 4.11 | | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-------------------------|------------------|---------------------------|----------------|-----------|
| Sunflower | 6.06 | 2 | 208.00 | A |
| Wheat | 118.24 | 66 | 4,149.20 | A |
| Chemical Total | 6,612.52 | 4,572 | | |
| LECITHIN | | | | |
| Alfalfa | 3,964.84 | 456 | 25,635.50 | A |
| Arugula | 6.84 | 5 | 62.15 | A |
| Bermudagrass | 351.45 | 47 | 2,542.00 | A |
| Bok Choy | 0.53 | 2 | 4.40 | A |
| Broccoli | 290.05 | 38 | 2,169.30 | A |
| Cabbage | 109.95 | 35 | 895.50 | A |
| Carrot | 45.08 | 4 | 225.50 | A |
| Cauliflower | 83.42 | 16 | 613.50 | A |
| Celery | 9.16 | 5 | 60.00 | A |
| Corn (Forage - Fodder) | 15.15 | 4 | 195.00 | A |
| Corn, Human Consumption | 465.83 | 146 | 5,156.75 | A |
| Forage Hay/Silage | 6.10 | 1 | 55.00 | A |
| Gai Lon | 3.87 | 2 | 19.00 | A |
| Kale | 12.13 | 5 | 105.30 | A |
| Landscape Maintenance | 7.19 | | | |
| Lettuce, Leaf | 95.63 | 19 | 809.33 | A |
| Mizuna | 0.53 | 2 | 4.40 | A |
| Oat | 5.58 | 2 | 35.00 | A |
| Onion, Dry | 15.38 | 2 | 112.00 | A |
| Rapini | 659.70 | 77 | 5,293.60 | A |
| Sugarbeet | 512.12 | 53 | 3,648.00 | A |
| Sunflower | 14.24 | 1 | 70.00 | A |
| Swiss Chard | 1.26 | 2 | 10.15 | A |
| Uncultivated Ag | 454.77 | 82 | 2,534.90 | A |
| Watermelon | 38.55 | 5 | 415.00 | A |
| Wheat | 248.32 | 21 | 1,342.10 | A |
| Chemical Total | 7,417.65 | 1,032 | | |
| LINURON | | | | |
| Asparagus | 10.00 | 1 | 10.00 | A |
| Carrot | 6,568.26 | 165 | 8,616.20 | A |
| Celery | 146.49 | 5 | 193.00 | A |
| Cilantro | 451.86 | 12 | 474.00 | A |
| Dill | 7.50 | 1 | 15.00 | A |
| Chemical Total | 7,184.11 | 184 | | |
| MALATHION | | | | |
| Alfalfa | 17,904.85 | 243 | 15,836.39 | A |
| Bermudagrass | 3,037.10 | 51 | 3,398.45 | A |
| Broccoli | 288.20 | 15 | 268.61 | A |
| Grass, Seed | 150.76 | 1 | 120.00 | A |
| Lettuce, Leaf | 44.44 | 4 | 30.13 | A |
| Onion, Dry | 84.12 | 2 | 58.00 | A |
| Spinach | 8.09 | 1 | 8.50 | A |
| Chemical Total | 21,517.56 | 317 | | |
| MANCOZEB | | | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--------------------------|------------------|------------------------------|-------------------|--------------|
| Broccoli | 1,444.70 | 17 | 1,108.00 | A |
| Cabbage | 1,110.01 | 23 | 795.55 | A |
| Corn, Human Consumption | 39.03 | 1 | 24.20 | A |
| Lettuce, Head | 6,807.11 | 223 | 5,534.07 | A |
| Lettuce, Leaf | 7,596.16 | 320 | 5,805.55 | A |
| Mango | 206.25 | 1 | 110.00 | A |
| N-Outdr Flower | 407.97 | 35 | 644.10 | A |
| Onion, Dry | 16,393.90 | 184 | 10,136.28 | A |
| Watermelon | 13.54 | 1 | 11.80 | A |
| Chemical Total | 34,018.67 | 805 | | |
| MANDIPROPAMID | | | | |
| Alfalfa | 8.34 | 1 | 68.00 | A |
| Arugula | 94.16 | 49 | 740.29 | A |
| Basil, Sweet | 4.56 | 1 | 35.00 | A |
| Bok Choy | 3.54 | 10 | 26.86 | A |
| Broccoli | 260.76 | 59 | 2,098.27 | A |
| Cabbage | 166.09 | 58 | 1,367.10 | A |
| Cauliflower | 70.09 | 21 | 589.00 | A |
| Chinese Cabbage (Nappa) | 4.81 | 3 | 37.10 | A |
| Endive (Escarole) | 2.42 | 4 | 19.15 | A |
| Gai Lon | 21.99 | 39 | 168.57 | A |
| Kale | 80.95 | 62 | 628.13 | A |
| Lettuce, Head | 457.49 | 146 | 3,830.21 | A |
| Lettuce, Leaf | 1,199.38 | 458 | 9,793.93 | A |
| Mizuna | 6.54 | 13 | 49.80 | A |
| Mustard | 9.25 | 8 | 81.62 | A |
| Mustard Greens | 0.46 | 1 | 3.61 | A |
| Onion, Dry | 89.78 | 37 | 712.43 | A |
| Spinach | 800.11 | 324 | 6,258.69 | A |
| Swiss Chard | 17.35 | 29 | 140.97 | A |
| Chemical Total | 3,298.05 | 1,323 | | |
| MANGANESE SULFATE | | | | |
| Alfalfa | 5.94 | 15 | 763.60 | A |
| Corn, Human Consumption | 11.22 | 11 | 761.00 | A |
| Cotton | 0.69 | 2 | 47.30 | A |
| Sudangrass | 0.77 | 1 | 90.00 | A |
| Sugarbeet | 0.77 | 1 | 140.00 | A |
| Chemical Total | 19.40 | 30 | | |
| MARGOSA OIL | | | | |
| Arugula | 65.37 | 11 | 116.40 | A |
| Basil, Sweet | 4.20 | 3 | 6.00 | A |
| Beet | 12.96 | 1 | 22.10 | A |
| Broccoli | 317.98 | 19 | 392.44 | A |
| Cabbage | 51.82 | 5 | 82.60 | A |
| Cauliflower | 23.65 | 3 | 89.90 | A |
| Cilantro | 17.33 | 10 | 28.65 | A |
| Collard | 14.71 | 9 | 32.70 | A |
| Dill | 14.30 | 21 | 34.90 | A |
| Endive (Escarole) | 1.23 | 3 | 2.07 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---------------------------------|----------------|------------------------------|-------------------|--------------|
| Kale | 433.77 | 45 | 642.35 | A |
| Lettuce, Head | 139.34 | 31 | 200.50 | A |
| Lettuce, Leaf | 805.47 | 164 | 1,628.32 | A |
| Mizuna | 11.23 | 9 | 18.20 | A |
| Mustard | 8.90 | 11 | 26.05 | A |
| Parsley | 15.51 | 16 | 26.30 | A |
| Spinach | 150.54 | 26 | 622.04 | A |
| Swiss Chard | 144.37 | 29 | 215.57 | A |
| Chemical Total | 2,232.68 | 416 | | |
| MECOPROP-P | | | | |
| Landscape Maintenance | 0.12 | | | |
| Chemical Total | 0.12 | | | |
| MEFENOXAM | | | | |
| Alfalfa | 209.08 | | 2,500,308.00 | P |
| | 1.67 | 1 | 31.00 | A |
| Total Pounds On This Commodity | 210.75 | | | |
| Arugula | 201.91 | 20 | 237.92 | A |
| Basil, Sweet | 275.56 | 10 | 275.00 | A |
| Broccoli | 120.06 | 59 | 1,901.90 | A |
| Cabbage | 36.58 | 22 | 390.00 | A |
| Cantaloupe | 85.25 | 4 | 330.00 | A |
| Carrot | 1,108.25 | 62 | 3,173.70 | A |
| Cauliflower | 14.87 | 18 | 222.00 | A |
| Cilantro | 55.02 | 1 | 74.00 | A |
| Grapefruit | 22.55 | 2 | 45.00 | A |
| Herb, Spice | 31.06 | 1 | 31.00 | A |
| Kale | 21.75 | 6 | 54.10 | A |
| Lemon | 278.57 | 22 | 560.00 | A |
| Lettuce, Head | 274.14 | 105 | 2,410.29 | A |
| Lettuce, Leaf | 1,056.93 | 250 | 5,586.48 | A |
| Mizuna | 61.68 | 5 | 82.40 | A |
| Mustard | 25.06 | 8 | 50.55 | A |
| Onion, Dry | 1,942.38 | 342 | 19,187.81 | A |
| Orange | 15.03 | 3 | 30.00 | A |
| Potato | 69.24 | 8 | 314.00 | A |
| Spinach | 1,513.49 | 115 | 2,334.10 | A |
| Swiss Chard | 46.53 | 12 | 69.34 | A |
| Tangelo | 19.04 | 2 | 38.00 | A |
| Tangerine | 60.62 | 6 | 121.00 | A |
| Watermelon | 159.43 | 9 | 294.50 | A |
| Wheat | 1.93 | 2 | 19.30 | A |
| Chemical Total | 7,707.69 | 1,095 | | |
| MEFENOXAM, OTHER RELATED | | | | |
| Alfalfa | 6.47 | | 2,500,308.00 | P |
| Chemical Total | 6.47 | | | |
| MEPIQUAT CHLORIDE | | | | |
| Cotton | 196.61 | 215 | 7,592.27 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|----------------------------|----------------|------------------------------|-------------------|--------------|
| Chemical Total | 196.61 | 215 | | |
| MESOSULFURON-METHYL | | | | |
| Wheat | 121.50 | 154 | 9,819.71 | A |
| Chemical Total | 121.50 | 154 | | |
| METALAXYL | | | | |
| Alfalfa | 78.67 | | 4,243,255.00 | P |
| N-Outdr Flower | 0.28 | 4 | 80.00 | A |
| Chemical Total | 78.95 | 4 | | |
| METALDEHYDE | | | | |
| Lemon | 68.00 | 3 | 232.00 | A |
| Chemical Total | 68.00 | 3 | | |
| METHOMYL | | | | |
| Alfalfa | 11,527.68 | 219 | 14,100.39 | A |
| Asparagus | 14.40 | 1 | 20.00 | A |
| Bermudagrass | 1,874.25 | 39 | 2,261.10 | A |
| Bok Choy | 1.51 | 1 | 2.18 | A |
| Broccoli | 32.40 | 1 | 47.00 | A |
| Cabbage | 108.01 | 4 | 144.00 | A |
| Carrot | 7.20 | 2 | 10.00 | A |
| Cauliflower | 10.80 | 1 | 16.00 | A |
| Celery | 10.80 | 1 | 12.00 | A |
| Corn, Human Consumption | 21,586.07 | 862 | 48,839.49 | A |
| Endive (Escarole) | 36.15 | 20 | 64.71 | A |
| Fennel | 7.15 | 2 | 9.04 | A |
| Kale | 55.60 | 14 | 64.71 | A |
| Lettuce, Head | 1,636.07 | 113 | 3,125.60 | A |
| Lettuce, Leaf | 1,891.29 | 161 | 3,042.81 | A |
| Onion, Dry | 639.63 | 23 | 792.70 | A |
| Pepper, Fruiting | 45.00 | 2 | 100.85 | A |
| Spinach | 733.09 | 55 | 1,003.40 | A |
| Sugarbeet | 4,585.35 | 111 | 7,085.15 | A |
| Chemical Total | 44,802.45 | 1,632 | | |
| S-METHOPRENE | | | | |
| Bermudagrass | 2.79 | | 3,327,760.00 | P |
| Regulatory Pest Control | 0.05 | | | |
| Rights Of Way | 0.05 | | | |
| Structural Pest Control | 0.05 | | | |
| Chemical Total | 2.94 | | | |
| METHOXYFENOZIDE | | | | |
| Alfalfa | 10,740.91 | 1,291 | 84,675.69 | A |
| Beet | 12.43 | 3 | 56.03 | A |
| Bermudagrass | 33.89 | 4 | 316.00 | A |
| Broccoli | 47.90 | 35 | 433.70 | A |
| Cabbage | 42.33 | 8 | 218.00 | A |
| Cantaloupe | 288.13 | 51 | 2,782.80 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-------------------------------|----------------|------------------------------|-------------------|--------------|
| Carrot | 371.55 | 93 | 4,723.75 | A |
| Cauliflower | 22.59 | 4 | 175.40 | A |
| Celery | 42.47 | 9 | 349.50 | A |
| Chinese Cabbage (Nappa) | 15.50 | 5 | 83.00 | A |
| Corn, Human Consumption | 76.81 | 8 | 635.00 | A |
| Date | 20.26 | 4 | 133.00 | A |
| Kale | 29.16 | 18 | 167.83 | A |
| Lettuce, Head | 53.87 | 14 | 478.00 | A |
| Lettuce, Leaf | 117.57 | 48 | 905.60 | A |
| Melon | 26.44 | 7 | 172.00 | A |
| N-Outdr Flower | 19.14 | 11 | 122.50 | A |
| Pepper, Fruiting | 15.81 | 2 | 76.00 | A |
| Spinach | 5.29 | 5 | 35.70 | A |
| Sugarbeet | 3,846.86 | 460 | 30,049.76 | A |
| Uncultivated Ag | 5.04 | 2 | 59.70 | A |
| Watermelon | 78.71 | 13 | 622.00 | A |
| Wheat | 4.53 | 4 | 51.30 | A |
| Chemical Total | 15,917.20 | 2,099 | | |
| METHYLATED SILICA | | | | |
| Alfalfa | 40.93 | 105 | 5,584.90 | A |
| Asparagus | 0.47 | 4 | 63.00 | A |
| Bermudagrass | 3.29 | 3 | 204.00 | A |
| Corn (Forage - Fodder) | 0.31 | 1 | 32.00 | A |
| Forage Hay/Silage | 0.31 | 1 | 74.00 | A |
| Ryegrass | 5.22 | 9 | 646.00 | A |
| Sugarbeet | 3.29 | 9 | 362.00 | A |
| Uncultivated Ag | 76.19 | 98 | 5,647.60 | A |
| Wheat | 3.13 | 13 | 742.00 | A |
| Chemical Total | 133.14 | 243 | | |
| METHYLATED SOYBEAN OIL | | | | |
| Alfalfa | 25,943.83 | 1,495 | 99,761.23 | A |
| Artichoke, Globe | 30.32 | 5 | 134.00 | A |
| Arugula | 3.42 | 5 | 62.15 | A |
| Asparagus | 6.58 | 1 | 20.00 | A |
| Basil, Sweet | 55.06 | 2 | 70.00 | A |
| Bermudagrass | 1,604.39 | 95 | 6,745.50 | A |
| Bok Choy | 45.87 | 22 | 165.91 | A |
| Broccoli | 948.94 | 150 | 5,662.08 | A |
| Cabbage | 951.93 | 118 | 3,889.60 | A |
| Canola (Rape) | 0.73 | 1 | 3.00 | A |
| Cantaloupe | 476.38 | 48 | 2,398.00 | A |
| Carrot | 481.34 | 29 | 1,416.35 | A |
| Cauliflower | 690.79 | 90 | 2,781.30 | A |
| Celery | 12.16 | 8 | 109.00 | A |
| Corn (Forage - Fodder) | 97.09 | 8 | 477.03 | A |
| Corn, Human Consumption | 16,908.34 | 988 | 60,109.75 | A |
| Cotton | 391.56 | 85 | 2,243.56 | A |
| Forage Hay/Silage | 15.18 | 3 | 137.00 | A |
| Gai Lon | 4.60 | 7 | 28.68 | A |
| Grapefruit | 1,118.12 | 77 | 2,727.50 | A |
| Grass, Seed | 292.59 | 14 | 1,235.25 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-------------------------------|------------------|------------------------------|-------------------|--------------|
| Kale | 48.69 | 9 | 247.31 | A |
| Kumquat | 4.73 | 2 | 10.00 | A |
| Lemon | 7,331.79 | 455 | 17,082.50 | A |
| Lettuce, Head | 1,343.35 | 235 | 7,356.54 | A |
| Lettuce, Leaf | 1,102.57 | 205 | 6,941.72 | A |
| Lime | 110.58 | 9 | 258.02 | A |
| Mango | 7.46 | 2 | 126.00 | A |
| Melon | 232.04 | 30 | 1,330.00 | A |
| Mizuna | 0.26 | 2 | 4.40 | A |
| Mustard | 3.98 | 1 | 22.29 | A |
| Mustard Greens | 4.39 | 1 | 22.29 | A |
| N-Outdr Flower | 3.98 | 1 | 15.00 | A |
| N-Outdr Plants In Containers | 11.40 | 1 | 15.00 | A |
| Oat | 2.03 | 1 | 15.00 | A |
| Onion, Dry | 3,138.97 | 240 | 12,308.57 | A |
| Orange | 221.63 | 23 | 495.00 | A |
| Pepper, Fruiting | 23.40 | 4 | 176.85 | A |
| Potato | 180.51 | 6 | 302.50 | A |
| Rapini | 329.85 | 77 | 5,293.60 | A |
| Rights Of Way | 2,215.64 | | | |
| Sudangrass | 33.26 | 3 | 160.00 | A |
| Sugarbeet | 1,865.70 | 171 | 11,209.08 | A |
| Sunflower | 239.41 | 13 | 1,083.66 | A |
| Swiss Chard | 0.63 | 2 | 10.15 | A |
| Tangelo | 559.35 | 49 | 1,189.00 | A |
| Tangerine | 951.43 | 60 | 2,016.22 | A |
| Uncultivated Ag | 121.19 | 38 | 941.55 | A |
| Watermelon | 320.32 | 39 | 1,673.00 | A |
| Wheat | 2,340.58 | 77 | 3,132.95 | A |
| Chemical Total | 72,828.34 | 5,007 | | |
| METHYL SILICONE RESINS | | | | |
| Alfalfa | 28.66 | 6 | 406.20 | A |
| Broccoli | 0.27 | 6 | 79.40 | A |
| Cantaloupe | 3.15 | 6 | 438.20 | A |
| Carrot | 11.04 | 27 | 1,524.50 | A |
| Cotton | 0.06 | 4 | 150.00 | A |
| Lemon | 1.06 | 1 | 4.98 | A |
| Lettuce, Leaf | 34.24 | 53 | 2,263.00 | A |
| Melon | 2.00 | 8 | 304.50 | A |
| Onion, Dry | 3.91 | 26 | 1,642.30 | A |
| Uncultivated Ag | 0.14 | 5 | 138.20 | A |
| Wheat | 0.18 | 13 | 174.20 | A |
| Chemical Total | 84.69 | 155 | | |
| METOFLUTHRIN | | | | |
| Structural Pest Control | < 0.01 | | | |
| Chemical Total | < 0.01 | | | |
| S-METOLACHLOR | | | | |
| Sorghum/Milo | 12.27 | 1 | 7.94 | A |
| Spinach | 362.95 | 44 | 588.52 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---------------------------|----------------|------------------------------|-------------------|--------------|
| Sugarbeet | 7.70 | 7 | 13.39 | A |
| Swiss Chard | 19.44 | 12 | 32.68 | A |
| Chemical Total | 402.36 | 64 | | |
| METRIBUZIN | | | | |
| Alfalfa | 706.22 | 25 | 1,823.60 | A |
| Carrot | 129.78 | 8 | 536.00 | A |
| Chemical Total | 836.00 | 33 | | |
| MINERAL OIL | | | | |
| Alfalfa | 71,959.94 | 919 | 58,600.63 | A |
| Artichoke, Globe | 256.98 | 7 | 86.26 | A |
| Arugula | 1.10 | 2 | 31.50 | A |
| Asparagus | 51.85 | 2 | 46.00 | A |
| Basil, Sweet | 11.30 | 4 | 160.00 | A |
| Bermudagrass | 10,852.19 | 156 | 9,239.56 | A |
| Broccoli | 1,595.14 | 64 | 1,473.07 | A |
| Cabbage | 712.74 | 64 | 381.20 | A |
| Cantaloupe | 7.52 | 5 | 140.00 | A |
| Carrot | 168.40 | 13 | 772.00 | A |
| Cauliflower | 834.79 | 51 | 588.45 | A |
| Celery | 45.98 | 1 | 52.00 | A |
| Cilantro | 9.75 | 1 | 30.00 | A |
| Corn (Forage - Fodder) | 287.17 | 4 | 333.85 | A |
| Corn, Human Consumption | 3,497.57 | 84 | 4,184.02 | A |
| Endive (Escarole) | 0.71 | 6 | 19.35 | A |
| Forage Hay/Silage | 3,739.40 | 54 | 3,201.51 | A |
| Grape | 1,925.77 | 42 | 1,939.00 | A |
| Grapefruit | 8,591.84 | 25 | 1,175.00 | A |
| Grass, Seed | 30.80 | 1 | 33.00 | A |
| Herb, Spice | 24.61 | 1 | 31.00 | A |
| Kale | 43.02 | 2 | 14.45 | A |
| Lemon | 41,867.32 | 128 | 5,211.99 | A |
| Lettuce, Head | 1,042.31 | 34 | 223.25 | A |
| Lettuce, Leaf | 3,007.69 | 154 | 1,806.46 | A |
| Lime | 2,163.09 | 13 | 395.62 | A |
| Melon | 4.51 | 1 | 77.00 | A |
| N-Outdr Flower | 3.85 | 1 | 46.00 | A |
| Oat | 155.56 | 5 | 196.60 | A |
| Onion, Dry | 1,963.89 | 29 | 1,917.50 | A |
| Orange | 2,361.21 | 5 | 334.00 | A |
| Parsley | 86.53 | 3 | 98.30 | A |
| Pastureland | 69.14 | 1 | 70.00 | A |
| Public Health | 1,941.40 | | | |
| Rapini | 38.41 | 4 | 191.00 | A |
| Rights Of Way | 1,151.31 | | | |
| Ryegrass | 34.57 | 1 | 30.00 | A |
| Sorghum (Forage - Fodder) | 15.38 | 1 | 15.00 | A |
| Spinach | 8.70 | 27 | 759.35 | A |
| Sudangrass | 460.77 | 8 | 420.00 | A |
| Sugarbeet | 1,828.85 | 99 | 6,854.60 | A |
| Tangelo | 1,657.35 | 8 | 215.00 | A |
| Tangerine | 1,892.08 | 8 | 348.60 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Uncultivated Ag | 1,773.51 | 34 | 2,002.66 | A |
| Watermelon | 84.43 | 4 | 241.00 | A |
| Wheat | 1,450.29 | 51 | 1,935.00 | A |
| Chemical Total | 169,710.73 | 2,127 | | |
| MSMA | | | | |
| Ditch Bank | 14.29 | | 1.00 | A |
| Rights Of Way | 558.60 | | | |
| Chemical Total | 572.90 | | | |
| MUSCALURE | | | | |
| Structural Pest Control | < 0.01 | | | |
| Chemical Total | < 0.01 | | | |
| MYCLOBUTANIL | | | | |
| Cantaloupe | 176.96 | 29 | 1,452.70 | A |
| Lettuce, Head | 15.60 | 5 | 145.00 | A |
| Lettuce, Leaf | 38.55 | 11 | 316.51 | A |
| Melon | 26.45 | 5 | 217.00 | A |
| N-Outdr Flower | 4.62 | 7 | 38.00 | A |
| Watermelon | 67.10 | 12 | 552.00 | A |
| Chemical Total | 329.28 | 69 | | |
| NABAM | | | | |
| Water (Industrial) | 10,873.10 | | 18.00 | U |
| Chemical Total | 10,873.10 | | | |
| NALED | | | | |
| Sugarbeet | 1,723.14 | 26 | 1,737.00 | A |
| Chemical Total | 1,723.14 | 26 | | |
| NAPROPAMIDE | | | | |
| Basil, Sweet | 320.00 | 4 | 160.00 | A |
| Broccoli | 905.79 | 65 | 2,487.13 | A |
| Cauliflower | 599.75 | 11 | 644.50 | A |
| Chemical Total | 1,825.54 | 80 | | |
| NITRAPYRIN | | | | |
| Corn, Human Consumption | 8.24 | 1 | 15.00 | A |
| Wheat | 8.24 | 1 | 18.50 | A |
| Chemical Total | 16.49 | 2 | | |
| NONANOIC ACID | | | | |
| Landscape Maintenance | 3.47 | | | |
| Chemical Total | 3.47 | | | |
| 4-NONYLPHENOL, FORMALDEHYDE RESIN, PROPOXYLATED | | | | |
| Alfalfa | 2,868.27 | 663 | 41,129.00 | A |
| Artichoke, Globe | 2.01 | 5 | 40.50 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---------------------------|-----------------|------------------------------|-------------------|--------------|
| Arugula | 31.34 | 38 | 498.60 | A |
| Asparagus | 4.97 | 3 | 40.00 | A |
| Beet | 4.25 | 6 | 109.85 | A |
| Bermudagrass | 83.94 | 19 | 725.00 | A |
| Bok Choy | 13.16 | 39 | 295.76 | A |
| Broccoli | 242.51 | 207 | 5,119.99 | A |
| Cabbage | 209.10 | 193 | 3,700.56 | A |
| Cantaloupe | 211.32 | 104 | 4,519.50 | A |
| Carrot | 52.58 | 26 | 935.00 | A |
| Cauliflower | 72.62 | 67 | 1,308.60 | A |
| Celery | 50.13 | 62 | 1,511.20 | A |
| Chinese Cabbage (Nappa) | 31.77 | 58 | 706.31 | A |
| Cilantro | 30.07 | 18 | 228.50 | A |
| Endive (Escarole) | 3.72 | 35 | 168.49 | A |
| Fennel | 4.31 | 26 | 102.52 | A |
| Forage Hay/Silage | 10.11 | 3 | 88.00 | A |
| Kale | 59.96 | 125 | 1,050.51 | A |
| Lettuce, Head | 1,265.94 | 425 | 9,252.89 | A |
| Lettuce, Leaf | 1,388.18 | 1,387 | 26,414.37 | A |
| Melon | 4.33 | 1 | 54.50 | A |
| Mizuna | 16.56 | 36 | 278.30 | A |
| Onion, Dry | 222.04 | 178 | 3,180.83 | A |
| Sorghum (Forage - Fodder) | 4.33 | 1 | 35.00 | A |
| Spinach | 113.77 | 104 | 2,475.01 | A |
| Sudangrass | 82.28 | 18 | 1,512.00 | A |
| Sugarbeet | 350.90 | 90 | 5,458.00 | A |
| Sunflower | 23.17 | 3 | 226.00 | A |
| Swiss Chard | 21.02 | 40 | 375.20 | A |
| Uncultivated Ag | 11.40 | 3 | 99.00 | A |
| Watermelon | 40.81 | 35 | 900.60 | A |
| Wheat | 43.70 | 11 | 499.50 | A |
| Chemical Total | 7,574.56 | 4,029 | | |

ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY(OXYETHYLENE)

| | | | | |
|-------------------------|-----------|-------|------------|---|
| Alfalfa | 17,693.14 | 3,545 | 245,097.52 | A |
| Artichoke, Globe | 10.55 | 7 | 168.00 | A |
| Asparagus | 0.60 | 1 | 20.00 | A |
| Basil, Sweet | 10.32 | 2 | 70.00 | A |
| Bermudagrass | 1,693.26 | 210 | 15,242.30 | A |
| Bok Choy | 8.55 | 20 | 161.51 | A |
| Broccoli | 425.39 | 155 | 5,124.54 | A |
| Cabbage | 87.66 | 84 | 3,004.10 | A |
| Canola (Rape) | 0.63 | 2 | 8.00 | A |
| Cantaloupe | 123.25 | 56 | 2,921.50 | A |
| Carrot | 616.99 | 169 | 8,969.75 | A |
| Cauliflower | 73.86 | 76 | 2,209.00 | A |
| Celery | 16.00 | 7 | 159.00 | A |
| Cilantro | 7.48 | 3 | 135.00 | A |
| Corn (Forage - Fodder) | 304.78 | 42 | 3,119.03 | A |
| Corn, Human Consumption | 2,128.23 | 995 | 63,495.90 | A |
| Cotton | 260.99 | 146 | 4,603.96 | A |
| Forage Hay/Silage | 117.14 | 21 | 1,249.00 | A |
| Gai Lon | 6.97 | 16 | 76.63 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|------------------------------|----------------|------------------------------|-------------------|--------------|
| Grapefruit | 157.09 | 80 | 2,819.50 | A |
| Grass, Seed | 55.99 | 15 | 1,268.25 | A |
| Herb, Spice | 1.48 | 1 | 31.00 | A |
| Kale | 7.99 | 4 | 142.01 | A |
| Kumquat | 0.89 | 2 | 10.00 | A |
| Landscape Maintenance | 7.86 | | | |
| Lemon | 1,177.53 | 468 | 17,483.50 | A |
| Lettuce, Head | 817.89 | 518 | 14,066.76 | A |
| Lettuce, Leaf | 720.26 | 448 | 12,236.02 | A |
| Lime | 18.74 | 9 | 240.02 | A |
| Mango | 1.40 | 2 | 126.00 | A |
| Melon | 41.33 | 30 | 1,330.00 | A |
| Mustard | 0.36 | 1 | 22.29 | A |
| Mustard Greens | 0.40 | 1 | 22.29 | A |
| N-Outdr Flower | 11.68 | 9 | 218.35 | A |
| N-Outdr Plants In Containers | 2.14 | 1 | 15.00 | A |
| Oat | 10.89 | 6 | 272.90 | A |
| Onion, Dry | 3,125.46 | 503 | 31,621.47 | A |
| Orange | 40.03 | 25 | 551.00 | A |
| Parsley | 7.61 | 2 | 98.00 | A |
| Pastureland | 29.17 | 2 | 211.00 | A |
| Pepper, Fruiting | 2.13 | 4 | 176.85 | A |
| Potato | 16.54 | 6 | 302.50 | A |
| Rights Of Way | 2,987.28 | | | |
| Sorghum (Forage - Fodder) | 0.92 | 1 | 15.00 | A |
| Sudangrass | 22.41 | 6 | 442.00 | A |
| Sugarbeet | 2,490.43 | 602 | 41,593.12 | A |
| Sunflower | 156.21 | 25 | 1,990.66 | A |
| Tangelo | 65.58 | 49 | 1,189.00 | A |
| Tangerine | 216.06 | 64 | 2,344.22 | A |
| Tropical/Subtropical Fruit | 4.86 | 1 | 27.00 | A |
| Uncultivated Ag | 984.66 | 166 | 9,479.00 | A |
| Watermelon | 71.40 | 47 | 2,256.00 | A |
| Wheat | 530.29 | 102 | 5,042.97 | A |
| Chemical Total | 37,370.78 | 8,757 | | |

**ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY(OXYETHYLENE),
BRANCHED**

| | | | | |
|----------------|--------|----|----------|---|
| Alfalfa | 38.95 | 23 | 931.00 | A |
| Cotton | 60.90 | 38 | 1,230.50 | A |
| Lettuce, Leaf | 0.16 | 1 | 10.00 | A |
| Onion, Dry | 0.84 | 1 | 35.00 | A |
| Sudangrass | 33.02 | 3 | 259.00 | A |
| Chemical Total | 133.87 | 66 | | |

**ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY(OXYETHYLENE),
PHOSPHATE ESTER**

| | | | | |
|-------------------------|----------|-----|-----------|---|
| Alfalfa | 1,786.26 | 651 | 39,304.60 | A |
| Bermudagrass | 24.10 | 15 | 827.00 | A |
| Canola (Rape) | 3.42 | 1 | 30.00 | A |
| Carrot | 52.14 | 113 | 6,059.50 | A |
| Cilantro | 0.74 | 3 | 135.00 | A |
| Corn, Human Consumption | 21.32 | 32 | 1,888.20 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|-----------------|------------------------------|-------------------|--------------|
| Forage Hay/Silage | 0.50 | 1 | 86.00 | A |
| Lettuce, Head | 0.99 | 3 | 126.40 | A |
| Lettuce, Leaf | 1.12 | 2 | 150.00 | A |
| Oat | 2.41 | 6 | 267.90 | A |
| Onion, Dry | 8.58 | 23 | 1,141.50 | A |
| Sudangrass | 0.50 | 1 | 72.00 | A |
| Sugarbeet | 537.66 | 87 | 5,514.06 | A |
| Sunflower | 3.60 | 1 | 70.00 | A |
| Uncultivated Ag | 58.68 | 18 | 839.70 | A |
| Watermelon | 6.84 | 1 | 35.00 | A |
| Wheat | 57.10 | 35 | 1,984.00 | A |
| Chemical Total | 2,565.94 | 993 | | |
| ALPHA-(PARA-NONYLPHENYL)-OMEGA-HYDROXPOLY (OXYETHYLENE) SULFATE, AMMONIUM SALT | | | | |
| Alfalfa | 1.94 | 7 | 366.00 | A |
| Bermudagrass | 0.42 | 3 | 105.00 | A |
| Rights Of Way | 0.07 | | | |
| Sudangrass | 0.88 | 2 | 147.00 | A |
| Wheat | 1.08 | 10 | 299.00 | A |
| Chemical Total | 4.39 | 22 | | |
| NOVALURON | | | | |
| Alfalfa | 21.73 | 4 | 277.00 | A |
| Cabbage | 4.07 | 1 | 52.00 | A |
| Structural Pest Control | 0.03 | | | |
| Chemical Total | 25.84 | 5 | | |
| N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE | | | | |
| Structural Pest Control | 7.00 | | | |
| Chemical Total | 7.00 | | | |
| ALPHA-OCTYLPHENYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | | | | |
| Alfalfa | 58.12 | 15 | 908.00 | A |
| Carrot | 9.41 | 2 | 111.90 | A |
| Lettuce, Head | 4.89 | 3 | 76.00 | A |
| Lettuce, Leaf | 7.68 | 6 | 196.00 | A |
| Pepper, Fruiting | 1.35 | 1 | 36.00 | A |
| Sugarbeet | 15.99 | 14 | 515.00 | A |
| Uncultivated Ag | 5.64 | 1 | 35.00 | A |
| Chemical Total | 103.08 | 42 | | |
| OLEIC ACID | | | | |
| Alfalfa | 148.16 | 22 | 1,346.00 | A |
| Artichoke, Globe | 0.34 | 1 | 6.50 | A |
| Beet | 5.31 | 6 | 109.85 | A |
| Bermudagrass | 3.32 | 2 | 115.00 | A |
| Bok Choy | 3.40 | 21 | 114.76 | A |
| Broccoli | 36.25 | 83 | 1,085.49 | A |
| Cabbage | 0.74 | 12 | 26.06 | A |
| Cantaloupe | 9.12 | 4 | 280.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Carrot | 25.12 | 14 | 518.00 | A |
| Cauliflower | 4.26 | 8 | 122.60 | A |
| Celery | 29.23 | 46 | 898.70 | A |
| Chinese Cabbage (Nappa) | 7.38 | 32 | 245.31 | A |
| Cilantro | 22.18 | 6 | 35.00 | A |
| Endive (Escarole) | 4.64 | 35 | 168.49 | A |
| Fennel | 5.39 | 26 | 102.52 | A |
| Kale | 12.01 | 74 | 234.51 | A |
| Lettuce, Head | 129.79 | 186 | 4,113.05 | A |
| Lettuce, Leaf | 365.34 | 385 | 6,485.05 | A |
| Mizuna | 1.41 | 3 | 26.40 | A |
| Onion, Dry | 81.84 | 83 | 1,108.13 | A |
| Spinach | 11.68 | 25 | 269.51 | A |
| Sugarbeet | 4.56 | 1 | 80.00 | A |
| Sunflower | 19.94 | 1 | 141.00 | A |
| Swiss Chard | 0.50 | 4 | 12.50 | A |
| Uncultivated Ag | 3.42 | 1 | 35.00 | A |
| Wheat | 16.63 | 4 | 189.50 | A |
| Chemical Total | 951.96 | 1,085 | | |
| OLEIC ACID, ETHYL ESTER | | | | |
| Alfalfa | 9.75 | 1 | 68.00 | A |
| Arugula | 104.74 | 32 | 580.88 | A |
| Broccoli | 16.44 | 4 | 89.79 | A |
| Cotton | 420.62 | 47 | 1,493.30 | A |
| Endive (Escarole) | 1.04 | 3 | 5.55 | A |
| Lettuce, Head | 56.86 | 8 | 321.68 | A |
| Lettuce, Leaf | 182.42 | 46 | 1,033.73 | A |
| Mustard | 32.76 | 15 | 191.64 | A |
| Onion, Dry | 20.89 | 11 | 129.10 | A |
| Spinach | 250.79 | 52 | 1,410.59 | A |
| Swiss Chard | 23.86 | 33 | 138.44 | A |
| Chemical Total | 1,120.18 | 252 | | |
| OLEIC ACID, METHYL ESTER | | | | |
| Alfalfa | 11,386.43 | 308 | 23,446.40 | A |
| Bermudagrass | 131.39 | 2 | 105.00 | A |
| Broccoli | 166.09 | 36 | 1,422.74 | A |
| Cantaloupe | 95.26 | 9 | 608.70 | A |
| Cauliflower | 13.54 | 3 | 102.00 | A |
| Lemon | 545.72 | 22 | 1,335.00 | A |
| Lettuce, Head | 234.77 | 59 | 2,259.40 | A |
| Lettuce, Leaf | 134.64 | 42 | 1,360.95 | A |
| Melon | 22.42 | 2 | 140.00 | A |
| Onion, Dry | 197.48 | 21 | 1,194.20 | A |
| Sugarbeet | 391.31 | 16 | 1,580.00 | A |
| Uncultivated Ag | 651.36 | 33 | 696.65 | A |
| Watermelon | 11.21 | 2 | 75.00 | A |
| Wheat | 296.54 | 6 | 290.00 | A |
| Chemical Total | 14,278.18 | 561 | | |
| ORGANOSILICONE, POLY OXYALKYLENE ETHER COPOLYMER | | | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|-----------------|------------------------------|-------------------|--------------|
| Alfalfa | 204.06 | 229 | 12,092.75 | A |
| Asparagus | 1.00 | 1 | 20.00 | A |
| Bermudagrass | 2.00 | 2 | 70.00 | A |
| Broccoli | 19.99 | 10 | 680.00 | A |
| Carrot | 1.05 | 2 | 35.75 | A |
| Corn, Human Consumption | 166.28 | 86 | 5,682.00 | A |
| Lettuce, Head | 89.70 | 100 | 3,428.50 | A |
| Lettuce, Leaf | 9.24 | 11 | 451.50 | A |
| Onion, Dry | 40.36 | 33 | 1,346.20 | A |
| Potato | 22.53 | 4 | 180.50 | A |
| Sudangrass | 2.75 | 1 | 90.00 | A |
| Sugarbeet | 24.27 | 16 | 807.00 | A |
| Chemical Total | 583.24 | 495 | | |
| OXAMYL | | | | |
| Onion, Dry | 318.59 | 3 | 177.00 | A |
| Chemical Total | 318.59 | 3 | | |
| OXATHIPIPROLIN | | | | |
| Alfalfa | 1.00 | 1 | 68.00 | A |
| Arugula | 0.41 | 1 | 26.60 | A |
| Broccoli | 5.43 | 16 | 355.10 | A |
| Cabbage | 6.73 | 23 | 464.10 | A |
| Cauliflower | 1.36 | 5 | 88.00 | A |
| Grapefruit | 4.74 | 2 | 57.00 | A |
| Lemon | 7.82 | 2 | 94.00 | A |
| Lettuce, Head | 20.69 | 69 | 1,454.21 | A |
| Lettuce, Leaf | 84.31 | 303 | 5,744.80 | A |
| N-Outdr Flower | 0.42 | 1 | 18.60 | A |
| Onion, Dry | 3.65 | 27 | 233.43 | A |
| Orange | 2.33 | 1 | 28.00 | A |
| Spinach | 38.69 | 118 | 2,593.25 | A |
| Tangerine | 2.33 | 1 | 28.00 | A |
| Chemical Total | 179.91 | 570 | | |
| OXYFLUORFEN | | | | |
| Artichoke, Globe | 139.70 | 11 | 186.00 | A |
| Broccoli | 1,005.64 | 146 | 4,185.24 | A |
| Cabbage | 386.09 | 18 | 802.35 | A |
| Cauliflower | 1,009.26 | 79 | 2,530.97 | A |
| Cotton | 225.89 | 18 | 514.15 | A |
| Onion, Dry | 3,335.47 | 313 | 18,493.55 | A |
| Uncultivated Ag | 30.22 | 5 | 93.60 | A |
| Chemical Total | 6,132.27 | 590 | | |
| PAECILOMYCES FUMOSOROSEUS APOPKA STRAIN 97 | | | | |
| Cabbage | 32.48 | 7 | 81.20 | A |
| Collard | 3.15 | 3 | 9.00 | A |
| Kale | 25.90 | 2 | 74.00 | A |
| Swiss Chard | 8.92 | 2 | 23.50 | A |
| Chemical Total | 70.45 | 14 | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| PURPUREOCILLIUM LILACIUNUM STRAIN 251 | | | | |
| Carrot | 1,305.06 | 108 | 4,829.50 | A |
| Onion, Dry | 246.48 | 15 | 1,014.00 | A |
| Parsnip | 2.40 | 2 | 9.00 | A |
| Watermelon | 62.64 | 8 | 261.00 | A |
| Chemical Total | 1,616.58 | 133 | | |
| PARAQUAT DICHLORIDE | | | | |
| Alfalfa | 1,801.75 | 24 | 1,518.35 | A |
| Cantaloupe | 432.64 | 16 | 350.52 | A |
| Melon | 98.73 | 4 | 67.84 | A |
| Uncultivated Ag | 929.25 | 14 | 787.45 | A |
| Chemical Total | 3,262.37 | 58 | | |
| PENDIMETHALIN | | | | |
| Alfalfa | 257,907.89 | 1,843 | 125,692.37 | A |
| Artichoke, Globe | 110.87 | 6 | 115.00 | A |
| Bermudagrass | 283.14 | 1 | 67.00 | A |
| Carrot | 5,706.81 | 127 | 6,309.20 | A |
| Corn (Forage - Fodder) | 321.97 | 3 | 301.85 | A |
| Corn, Human Consumption | 9,598.28 | 152 | 8,338.81 | A |
| Cotton | 2,278.31 | 62 | 2,245.91 | A |
| Grapefruit | 71.02 | 1 | 35.00 | A |
| Landscape Maintenance | 0.04 | | | |
| Lemon | 329.54 | 7 | 174.00 | A |
| Lime | 30.30 | 1 | 16.00 | A |
| Onion, Dry | 11,381.12 | 273 | 15,532.49 | A |
| Potato | 245.64 | 19 | 257.00 | A |
| Sugarcane | 56.82 | 1 | 30.00 | A |
| Sunflower | 2,970.52 | 33 | 2,646.00 | A |
| Tangerine | 75.76 | 1 | 40.00 | A |
| Uncultivated Ag | 2.56 | 1 | 1.35 | A |
| Wheat | 2,176.53 | 43 | 1,655.00 | A |
| Chemical Total | 293,547.14 | 2,574 | | |
| PENTHIOPYRAD | | | | |
| Beet | 2.96 | 2 | 9.50 | A |
| Broccoli | 43.90 | 11 | 121.20 | A |
| Cantaloupe | 232.78 | 28 | 1,161.00 | A |
| Carrot | 70.78 | 5 | 263.00 | A |
| Celery | 22.80 | 6 | 133.40 | A |
| Endive (Escarole) | 8.64 | 13 | 36.46 | A |
| Kale | 1.57 | 2 | 6.05 | A |
| Lettuce, Head | 34.77 | 5 | 130.70 | A |
| Lettuce, Leaf | 184.91 | 51 | 726.09 | A |
| Melon | 24.98 | 3 | 135.00 | A |
| Onion, Dry | 1,010.17 | 78 | 3,897.30 | A |
| Pepper, Fruiting | 16.65 | 2 | 100.85 | A |
| Swiss Chard | 4.66 | 2 | 14.95 | A |
| Watermelon | 38.82 | 6 | 216.10 | A |
| Chemical Total | 1,698.39 | 214 | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| PERMETHRIN | | | | |
| Alfalfa | 2,582.38 | 241 | 16,996.54 | A |
| Artichoke, Globe | 3.20 | 1 | 18.00 | A |
| Arugula | 62.55 | 22 | 357.96 | A |
| Broccoli | 251.70 | 51 | 1,415.16 | A |
| Cabbage | 128.85 | 41 | 694.50 | A |
| Cantaloupe | 154.79 | 21 | 1,055.70 | A |
| Cauliflower | 1.24 | 2 | 12.40 | A |
| Celery | 196.22 | 36 | 1,053.10 | A |
| Corn (Forage - Fodder) | 57.32 | 10 | 330.00 | A |
| Corn, Human Consumption | 556.77 | 65 | 3,317.81 | A |
| Endive (Escarole) | 23.46 | 35 | 127.16 | A |
| Fennel | 7.69 | 9 | 43.88 | A |
| Lettuce, Head | 1,431.96 | 269 | 7,717.30 | A |
| Lettuce, Leaf | 2,838.08 | 699 | 15,865.29 | A |
| Melon | 7.92 | 2 | 77.50 | A |
| N-Outdr Flower | 132.62 | 50 | 868.85 | A |
| Onion, Dry | 929.22 | 91 | 3,918.89 | A |
| Public Health | 27.11 | | | |
| Spinach | 1,441.32 | 355 | 8,362.22 | A |
| Structural Pest Control | 1.31 | | | |
| Swiss Chard | 8.14 | 9 | 45.38 | A |
| Chemical Total | 10,843.85 | 2,009 | | |
| PEROXYACETIC ACID | | | | |
| Artichoke, Globe | 0.31 | 3 | 36.15 | A |
| Arugula | 1.19 | 50 | 445.67 | A |
| Basil, Sweet | 8.82 | 1 | 48.00 | A |
| Broccoli | 5.78 | 67 | 724.45 | A |
| Cabbage | 4.89 | 141 | 1,988.10 | A |
| Cauliflower | 4.58 | 67 | 511.48 | A |
| Celery | 24.94 | 14 | 174.70 | A |
| Cilantro | 0.10 | 4 | 54.00 | A |
| Corn, Human Consumption | 0.05 | 1 | 24.20 | A |
| Ditch Bank | 426.05 | | 1.00 | U |
| Endive (Escarole) | 0.02 | 3 | 2.07 | A |
| Fennel | 0.11 | 3 | 15.65 | A |
| Food Proccessing Plant | 1,278.16 | | 3.00 | U |
| Kale | 1.22 | 68 | 268.62 | A |
| Lettuce, Head | 45.12 | 243 | 4,985.30 | A |
| Lettuce, Leaf | 363.71 | 797 | 12,875.21 | A |
| Mizuna | 0.05 | 3 | 5.35 | A |
| Onion, Dry | 179.15 | 7 | 279.00 | A |
| Spinach | 518.48 | 197 | 2,283.41 | A |
| Swiss Chard | 1.13 | 52 | 298.84 | A |
| Chemical Total | 2,863.87 | 1,721 | | |
| PETROLEUM DISTILLATES, ALIPHATIC | | | | |
| Alfalfa | 358.48 | 4 | 244.00 | A |
| Corn, Human Consumption | 75.47 | 1 | 46.00 | A |
| Sudangrass | 75.47 | 1 | 72.00 | A |
| Wheat | 716.96 | 9 | 457.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Chemical Total | 1,226.38 | 15 | | |
| PETROLEUM DISTILLATES, AROMATIC | | | | |
| Alfalfa | 820.08 | 9 | 769.00 | A |
| Carrot | 3,173.07 | 90 | 5,034.50 | A |
| Corn, Human Consumption | 87.87 | 1 | 75.00 | A |
| Chemical Total | 4,081.02 | 100 | | |
| PETROLEUM HYDROCARBONS | | | | |
| Alfalfa | 6.88 | 1 | 8.00 | A |
| Chemical Total | 6.88 | 1 | | |
| PETROLEUM OIL, PARAFFIN BASED | | | | |
| Alfalfa | 28,409.03 | 714 | 48,077.41 | A |
| Bermudagrass | 2,060.90 | 61 | 3,680.00 | A |
| Broccoli | 652.85 | 12 | 617.30 | A |
| Cantaloupe | 95.17 | 4 | 139.50 | A |
| Carrot | 572.15 | 49 | 2,554.20 | A |
| Celery | 105.21 | 3 | 105.00 | A |
| Cilantro | 368.35 | 6 | 308.00 | A |
| Corn, Human Consumption | 12,357.47 | 516 | 25,005.82 | A |
| Cotton | 282.70 | 28 | 1,344.60 | A |
| Forage Hay/Silage | 485.79 | 21 | 1,159.90 | A |
| Grass, Seed | 45.62 | 1 | 70.00 | A |
| Lettuce, Head | 284.03 | 8 | 304.25 | A |
| Lettuce, Leaf | 76.77 | 2 | 69.50 | A |
| N-Outdr Flower | 39.91 | 2 | 40.00 | A |
| Onion, Dry | 3,833.95 | 70 | 5,349.50 | A |
| Rights Of Way | 36,666.86 | | | |
| Sudangrass | 523.43 | 9 | 589.00 | A |
| Sugarbeet | 3,793.75 | 83 | 5,860.06 | A |
| Sugarcane | 34.07 | 2 | 100.00 | A |
| Uncultivated Ag | 521.25 | 50 | 3,073.50 | A |
| Wheat | 2,678.48 | 84 | 5,796.40 | A |
| Chemical Total | 93,887.74 | 1,725 | | |
| PETROLEUM OIL, UNCLASSIFIED | | | | |
| Landscape Maintenance | 0.05 | | | |
| Lemon | 4,391.09 | 6 | 445.00 | A |
| Chemical Total | 4,391.14 | 6 | | |
| PHENMEDIPHAM | | | | |
| Sugarbeet | 76.94 | 13 | 1,021.00 | A |
| Chemical Total | 76.94 | 13 | | |
| PHENOTHRLIN | | | | |
| Structural Pest Control | 0.13 | | | |
| Chemical Total | 0.13 | | | |
| PHORATE | | | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Cotton | 2,364.25 | 37 | 1,497.98 | A |
| Chemical Total | 2,364.25 | 37 | | |
| PHOSPHORIC ACID | | | | |
| Alfalfa | 2,198.67 | 986 | 67,899.11 | A |
| Bermudagrass | 49.92 | 21 | 1,217.75 | A |
| Broccoli | 17.06 | 25 | 1,196.67 | A |
| Cabbage | 0.16 | 2 | 24.00 | A |
| Cantaloupe | 19.26 | 15 | 956.70 | A |
| Carrot | 14.51 | 15 | 678.90 | A |
| Cauliflower | 2.72 | 11 | 344.00 | A |
| Celery | 5.66 | 22 | 714.00 | A |
| Corn (Forage - Fodder) | 34.14 | 24 | 1,568.00 | A |
| Corn, Human Consumption | 180.87 | 182 | 10,484.75 | A |
| Cotton | 76.26 | 32 | 1,383.41 | A |
| Forage Hay/Silage | 6.57 | 2 | 121.00 | A |
| Grass, Seed | 7.29 | 4 | 380.00 | A |
| Lemon | 26.03 | 3 | 114.00 | A |
| Lettuce, Head | 12.94 | 37 | 1,203.80 | A |
| Lettuce, Leaf | 27.49 | 71 | 2,586.02 | A |
| Melon | 10.46 | 10 | 473.50 | A |
| N-Outdr Flower | 1.80 | 10 | 110.25 | A |
| Oat | 15.80 | 4 | 185.00 | A |
| Onion, Dry | 43.22 | 41 | 2,663.50 | A |
| Pepper, Fruiting | 0.97 | 1 | 36.00 | A |
| Rights Of Way | 3,142.42 | | | |
| Sudangrass | 3.57 | 1 | 90.00 | A |
| Sugarbeet | 80.71 | 89 | 5,649.65 | A |
| Sunflower | 2.15 | 1 | 47.33 | A |
| Uncultivated Ag | 35.78 | 13 | 748.46 | A |
| Watermelon | 6.60 | 3 | 166.00 | A |
| Wheat | 21.98 | 6 | 318.00 | A |
| Chemical Total | 6,045.01 | 1,631 | | |
| PIPERONYL BUTOXIDE | | | | |
| Public Health | 27.11 | | | |
| Structural Pest Control | 22.76 | | | |
| Chemical Total | 49.86 | | | |
| PIPERONYL BUTOXIDE, OTHER RELATED | | | | |
| Structural Pest Control | 1.51 | | | |
| Chemical Total | 1.51 | | | |
| POLYACRYLAMIDE, POLYETHYLENE GLYCOL MIXTURE | | | | |
| Alfalfa | 2.86 | 4 | 298.00 | A |
| Corn, Human Consumption | 0.71 | 1 | 68.00 | A |
| Onion, Dry | 2.63 | 4 | 234.60 | A |
| Rights Of Way | 204.85 | | | |
| Sugarbeet | 4.69 | 9 | 444.00 | A |
| Sunflower | 0.71 | 1 | 138.00 | A |
| Uncultivated Ag | 1.43 | 2 | 157.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Chemical Total | 217.88 | 21 | | |
| POLYACRYLAMIDE POLYMER | | | | |
| Alfalfa | 74.66 | 90 | 7,241.00 | A |
| Bermudagrass | 16.44 | 28 | 2,126.00 | A |
| Broccoli | 0.87 | 3 | 158.00 | A |
| Cantaloupe | 1.08 | 1 | 91.00 | A |
| Carrot | 0.54 | 1 | 70.00 | A |
| Corn (Forage - Fodder) | 15.90 | 29 | 2,273.00 | A |
| Corn, Human Consumption | 3.33 | 20 | 693.00 | A |
| Forage Hay/Silage | 3.92 | 9 | 806.00 | A |
| Oat | 0.74 | 1 | 65.00 | A |
| Onion, Dry | 1.06 | 6 | 285.00 | A |
| Rights Of Way | 12.00 | | | |
| Sudangrass | 0.44 | 1 | 70.00 | A |
| Sugarbeet | 13.13 | 33 | 2,239.00 | A |
| Uncultivated Ag | 7.28 | 17 | 1,318.00 | A |
| Watermelon | 2.43 | 3 | 224.00 | A |
| Wheat | 8.87 | 24 | 1,479.00 | A |
| Chemical Total | 162.69 | 266 | | |
| POLYACRYLIC POLYMER | | | | |
| Alfalfa | 73.74 | 142 | 9,607.48 | A |
| Bermudagrass | 3.38 | 12 | 620.00 | A |
| Cotton | 6.61 | 30 | 1,336.11 | A |
| Forage Hay/Silage | 0.55 | 1 | 45.00 | A |
| Grass, Seed | 0.66 | 4 | 380.00 | A |
| Lemon | 2.36 | 3 | 114.00 | A |
| Lettuce, Head | 0.21 | 4 | 76.80 | A |
| N-Outdr Flower | 0.11 | 1 | 15.00 | A |
| Oat | 1.43 | 4 | 185.00 | A |
| Onion, Dry | 0.55 | 2 | 62.50 | A |
| Rights Of Way | 281.82 | | | |
| Sunflower | 0.19 | 1 | 47.33 | A |
| Uncultivated Ag | 1.67 | 6 | 241.46 | A |
| Watermelon | 0.07 | 1 | 25.00 | A |
| Wheat | 1.92 | 5 | 246.00 | A |
| Chemical Total | 375.28 | 216 | | |
| POLYALKENE OXIDE MODIFIED HEPTAMETHYL TRISILOXANE | | | | |
| Alfalfa | 497.12 | 721 | 51,436.03 | A |
| Artichoke, Globe | 1.52 | 5 | 134.00 | A |
| Basil, Sweet | 2.75 | 2 | 70.00 | A |
| Bermudagrass | 45.62 | 44 | 3,630.00 | A |
| Bok Choy | 2.28 | 20 | 161.51 | A |
| Broccoli | 20.54 | 45 | 1,983.48 | A |
| Cabbage | 3.05 | 10 | 357.10 | A |
| Canola (Rape) | 0.04 | 1 | 3.00 | A |
| Cantaloupe | 17.24 | 41 | 1,926.00 | A |
| Carrot | 2.27 | 3 | 133.00 | A |
| Cauliflower | 4.71 | 14 | 495.50 | A |
| Celery | 0.38 | 3 | 49.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|------------------------------|----------------|------------------------------|-------------------|--------------|
| Corn (Forage - Fodder) | 4.85 | 8 | 477.03 | A |
| Corn, Human Consumption | 96.43 | 227 | 9,255.00 | A |
| Cotton | 17.99 | 79 | 2,149.26 | A |
| Forage Hay/Silage | 0.61 | 2 | 82.00 | A |
| Gai Lon | 0.13 | 5 | 9.68 | A |
| Grapefruit | 21.90 | 37 | 1,574.50 | A |
| Grass, Seed | 13.81 | 13 | 1,190.25 | A |
| Kale | 2.13 | 4 | 142.01 | A |
| Kumquat | 0.24 | 2 | 10.00 | A |
| Lemon | 210.87 | 240 | 11,383.58 | A |
| Lettuce, Head | 26.62 | 104 | 2,898.54 | A |
| Lettuce, Leaf | 27.33 | 97 | 3,043.56 | A |
| Lime | 4.77 | 8 | 224.02 | A |
| Mango | 0.37 | 2 | 126.00 | A |
| Melon | 10.47 | 23 | 1,218.00 | A |
| N-Outdr Flower | 0.20 | 1 | 15.00 | A |
| N-Outdr Plants In Containers | 0.57 | 1 | 15.00 | A |
| Onion, Dry | 81.83 | 102 | 5,089.50 | A |
| Orange | 4.68 | 4 | 216.00 | A |
| Sudangrass | 0.76 | 2 | 70.00 | A |
| Sugarbeet | 66.46 | 96 | 6,541.08 | A |
| Sunflower | 7.88 | 9 | 854.66 | A |
| Tangelo | 6.80 | 21 | 460.00 | A |
| Tangerine | 24.61 | 20 | 1,161.22 | A |
| Uncultivated Ag | 1.42 | 1 | 31.00 | A |
| Watermelon | 11.63 | 30 | 1,271.00 | A |
| Wheat | 3.79 | 17 | 350.07 | A |
| Chemical Total | 1,246.66 | 2,064 | | |
| POLYBUTENES | | | | |
| Alfalfa | 1,546.01 | 663 | 41,129.00 | A |
| Artichoke, Globe | 1.14 | 5 | 40.50 | A |
| Arugula | 16.49 | 38 | 498.60 | A |
| Asparagus | 2.61 | 3 | 40.00 | A |
| Beet | 3.54 | 6 | 109.85 | A |
| Bermudagrass | 44.91 | 19 | 725.00 | A |
| Bok Choy | 7.76 | 39 | 295.76 | A |
| Broccoli | 136.54 | 207 | 5,119.99 | A |
| Cabbage | 110.23 | 193 | 3,700.56 | A |
| Cantaloupe | 113.46 | 104 | 4,519.50 | A |
| Carrot | 33.84 | 26 | 935.00 | A |
| Cauliflower | 39.27 | 67 | 1,308.60 | A |
| Celery | 33.56 | 62 | 1,511.20 | A |
| Chinese Cabbage (Nappa) | 18.53 | 58 | 706.31 | A |
| Cilantro | 21.28 | 18 | 228.50 | A |
| Endive (Escarole) | 3.10 | 35 | 168.49 | A |
| Fennel | 3.59 | 26 | 102.52 | A |
| Forage Hay/Silage | 5.32 | 3 | 88.00 | A |
| Kale | 34.51 | 125 | 1,050.51 | A |
| Lettuce, Head | 698.16 | 425 | 9,252.89 | A |
| Lettuce, Leaf | 820.35 | 1,387 | 26,414.37 | A |
| Melon | 2.28 | 1 | 54.50 | A |
| Mizuna | 9.06 | 36 | 278.30 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---------------------------|----------------|------------------------------|-------------------|--------------|
| Onion, Dry | 148.43 | 180 | 3,360.83 | A |
| Sorghum (Forage - Fodder) | 2.28 | 1 | 35.00 | A |
| Spinach | 62.75 | 104 | 2,475.01 | A |
| Sudangrass | 43.31 | 18 | 1,512.00 | A |
| Sugarbeet | 185.80 | 90 | 5,458.00 | A |
| Sunflower | 17.10 | 3 | 226.00 | A |
| Swiss Chard | 11.18 | 40 | 375.20 | A |
| Uncultivated Ag | 6.84 | 3 | 99.00 | A |
| Watermelon | 21.48 | 35 | 900.60 | A |
| Wheat | 27.09 | 11 | 499.50 | A |
| Chemical Total | 4,231.80 | 4,031 | | |

POLYETHER MODIFIED POLYSILOXANE

| | | | | |
|-------------------------|----------|-------|-----------|---|
| Alfalfa | 853.32 | 680 | 46,294.35 | A |
| Arugula | 4.42 | 1 | 26.40 | A |
| Bermudagrass | 83.24 | 19 | 1,683.75 | A |
| Broccoli | 55.39 | 79 | 1,862.97 | A |
| Cabbage | 130.42 | 75 | 2,661.00 | A |
| Cantaloupe | 35.00 | 21 | 1,337.70 | A |
| Carrot | 55.27 | 34 | 1,601.00 | A |
| Cauliflower | 88.95 | 71 | 2,016.30 | A |
| Celery | 5.15 | 22 | 714.00 | A |
| Corn, Human Consumption | 2,169.48 | 635 | 44,989.75 | A |
| Endive (Escarole) | 6.37 | 28 | 45.30 | A |
| Fennel | 4.84 | 35 | 40.10 | A |
| Forage Hay/Silage | 0.45 | 1 | 76.00 | A |
| Grapefruit | 105.98 | 40 | 1,153.00 | A |
| Grass, Seed | 2.56 | 1 | 45.00 | A |
| Lemon | 577.86 | 210 | 5,555.92 | A |
| Lettuce, Head | 69.81 | 110 | 2,312.70 | A |
| Lettuce, Leaf | 287.92 | 374 | 6,331.35 | A |
| Melon | 13.03 | 17 | 585.50 | A |
| Mustard | 0.62 | 1 | 22.29 | A |
| Mustard Greens | 2.81 | 3 | 47.89 | A |
| Onion, Dry | 212.40 | 139 | 7,964.87 | A |
| Orange | 19.96 | 19 | 279.00 | A |
| Parsley | 0.25 | 1 | 2.30 | A |
| Pepper, Fruiting | 3.65 | 4 | 176.85 | A |
| Potato | 5.01 | 2 | 122.00 | A |
| Sugarbeet | 48.40 | 58 | 3,834.15 | A |
| Sunflower | 0.46 | 1 | 9.00 | A |
| Swiss Chard | 2.29 | 10 | 29.11 | A |
| Tangelo | 61.02 | 25 | 679.00 | A |
| Tangerine | 59.55 | 37 | 695.00 | A |
| Uncultivated Ag | 1.50 | 2 | 144.00 | A |
| Watermelon | 13.68 | 9 | 402.00 | A |
| Wheat | 0.67 | 1 | 72.00 | A |
| Chemical Total | 4,981.72 | 2,765 | | |

POLYETHOXYLATED CASTOR OIL

| | | | | |
|--------------|--------|-----|-----------|---|
| Alfalfa | 217.41 | 229 | 17,106.80 | A |
| Bermudagrass | 26.90 | 13 | 1,385.00 | A |
| Broccoli | 16.28 | 59 | 932.30 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--------------------------------------|----------------|------------------------------|-------------------|--------------|
| Cabbage | 43.42 | 73 | 2,637.00 | A |
| Cantaloupe | 6.84 | 7 | 472.00 | A |
| Carrot | 17.32 | 23 | 1,175.00 | A |
| Cauliflower | 28.83 | 60 | 1,672.30 | A |
| Corn, Human Consumption | 709.26 | 531 | 40,046.00 | A |
| Grapefruit | 35.33 | 40 | 1,153.00 | A |
| Grass, Seed | 0.85 | 1 | 45.00 | A |
| Lemon | 154.37 | 207 | 5,315.92 | A |
| Lettuce, Head | 11.45 | 31 | 1,029.50 | A |
| Lettuce, Leaf | 22.84 | 74 | 2,587.83 | A |
| Melon | 1.17 | 7 | 112.00 | A |
| Mustard | 0.21 | 1 | 22.29 | A |
| Mustard Greens | 0.23 | 1 | 22.29 | A |
| Onion, Dry | 61.99 | 105 | 5,759.87 | A |
| Orange | 6.65 | 19 | 279.00 | A |
| Pepper, Fruiting | 1.22 | 4 | 176.85 | A |
| Potato | 1.67 | 2 | 122.00 | A |
| Sugarbeet | 7.29 | 8 | 430.00 | A |
| Sunflower | 0.15 | 1 | 9.00 | A |
| Tangelo | 20.34 | 25 | 679.00 | A |
| Tangerine | 19.85 | 37 | 695.00 | A |
| Watermelon | 4.56 | 9 | 402.00 | A |
| Chemical Total | 1,416.43 | 1,567 | | |
| POLYETHYLENE GLYCOL | | | | |
| Alfalfa | 2,430.72 | 283 | 20,337.95 | A |
| Artichoke, Globe | 2.65 | 2 | 34.00 | A |
| Bermudagrass | 367.73 | 40 | 2,361.75 | A |
| Broccoli | 147.22 | 22 | 932.06 | A |
| Carrot | 82.54 | 19 | 1,010.40 | A |
| Cauliflower | 2.65 | 1 | 35.20 | A |
| Celery | 7.95 | 4 | 110.00 | A |
| Corn (Forage - Fodder) | 51.70 | 5 | 315.00 | A |
| Cotton | 7.22 | 4 | 150.00 | A |
| Forage Hay/Silage | 34.34 | 4 | 200.00 | A |
| Lemon | 18.51 | 7 | 259.00 | A |
| Lettuce, Head | 12.17 | 8 | 214.00 | A |
| Lettuce, Leaf | 91.95 | 52 | 1,681.39 | A |
| Onion, Dry | 1,055.41 | 138 | 9,969.00 | A |
| Pastureland | 15.91 | 2 | 211.00 | A |
| Rights Of Way | 1,613.07 | | | |
| Sugarbeet | 438.70 | 85 | 6,076.72 | A |
| Sunflower | 49.05 | 4 | 595.00 | A |
| Tropical/Subtropical Fruit | 2.65 | 1 | 27.00 | A |
| Uncultivated Ag | 151.23 | 24 | 1,111.20 | A |
| Watermelon | 2.65 | 1 | 60.00 | A |
| Wheat | 44.84 | 20 | 671.20 | A |
| Chemical Total | 6,630.86 | 726 | | |
| POLYETHYLENE GLYCOL DIACETATE | | | | |
| Lettuce, Leaf | 0.02 | 1 | 18.00 | A |
| Chemical Total | 0.02 | 1 | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| POLYETHYLENE GLYCOL OLEATE | | | | |
| Alfalfa | 105.74 | 21 | 1,345.70 | A |
| Broccoli | 10.48 | 5 | 232.34 | A |
| Kale | 2.11 | 2 | 40.67 | A |
| Melon | 3.51 | 1 | 45.00 | A |
| Chemical Total | 121.83 | 29 | | |
| POLYETHYLENE GLYCOL STEARATE | | | | |
| Alfalfa | 2.44 | 1 | 68.00 | A |
| Arugula | 26.19 | 32 | 580.88 | A |
| Broccoli | 4.11 | 4 | 89.79 | A |
| Cotton | 105.16 | 47 | 1,493.30 | A |
| Endive (Escarole) | 0.26 | 3 | 5.55 | A |
| Lettuce, Head | 14.22 | 8 | 321.68 | A |
| Lettuce, Leaf | 45.60 | 46 | 1,033.73 | A |
| Mustard | 8.19 | 15 | 191.64 | A |
| Onion, Dry | 5.22 | 11 | 129.10 | A |
| Spinach | 62.70 | 52 | 1,410.59 | A |
| Swiss Chard | 5.97 | 33 | 138.44 | A |
| Chemical Total | 280.05 | 252 | | |
| POLYHEDRAL OCCLUSION BODIES (OB'S) OF THE NUCLEAR POLYHEDROSIS VIRUS OF HELICOVERPA ZEA (CORN EARWORM) | | | | |
| Corn, Human Consumption | 4.98 | 15 | 1,159.50 | A |
| Chemical Total | 4.98 | 15 | | |
| POLYMERIZED ACRYLIC ACID | | | | |
| Alfalfa | 469.04 | 19 | 2,099.30 | A |
| Chemical Total | 469.04 | 19 | | |
| POLYMERIZED PINENE | | | | |
| Broccoli | 603.60 | 6 | 458.00 | A |
| Cabbage | 90.18 | 1 | 66.00 | A |
| Cauliflower | 65.58 | 1 | 48.00 | A |
| Lettuce, Leaf | 95.21 | 3 | 173.00 | A |
| Onion, Dry | 40.99 | 1 | 70.00 | A |
| Rapini | 109.09 | 4 | 191.00 | A |
| Chemical Total | 1,004.65 | 16 | | |
| POLYOXIN D, ZINC SALT | | | | |
| Lettuce, Head | 0.70 | 1 | 29.00 | A |
| Lettuce, Leaf | 0.07 | 1 | 12.20 | A |
| N-Outdr Flower | 12.18 | 21 | 258.80 | A |
| Chemical Total | 12.94 | 23 | | |
| POLYOXYETHYLENE DIOLEATE | | | | |
| Alfalfa | 4.25 | 229 | 12,092.75 | A |
| Asparagus | 0.02 | 1 | 20.00 | A |
| Bermudagrass | 0.04 | 2 | 70.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Broccoli | 0.42 | 10 | 680.00 | A |
| Carrot | 0.02 | 2 | 35.75 | A |
| Corn, Human Consumption | 3.46 | 86 | 5,682.00 | A |
| Lettuce, Head | 1.87 | 100 | 3,428.50 | A |
| Lettuce, Leaf | 0.19 | 11 | 451.50 | A |
| Onion, Dry | 0.84 | 33 | 1,346.20 | A |
| Potato | 0.47 | 4 | 180.50 | A |
| Sudangrass | 0.06 | 1 | 90.00 | A |
| Sugarbeet | 0.51 | 16 | 807.00 | A |
| Chemical Total | 12.15 | 495 | | |
| POLYOXYETHYLENE MIXED FATTY ACID ESTER | | | | |
| Alfalfa | 119.52 | 12 | 628.00 | A |
| Rights Of Way | 1.54 | | | |
| Sugarbeet | 5.61 | 1 | 16.00 | A |
| Chemical Total | 126.68 | 13 | | |
| POLYOXYETHYLENE POLYOXYPROPYLENE | | | | |
| Alfalfa | 74.09 | 46 | 1,674.80 | A |
| Basil, Sweet | 16.01 | 4 | 159.00 | A |
| Beet | 35.94 | 18 | 469.40 | A |
| Bok Choy | 0.64 | 4 | 8.00 | A |
| Broccoli | 5.88 | 3 | 27.00 | A |
| Brussels Sprout | 0.95 | 4 | 12.00 | A |
| Cabbage | 29.59 | 39 | 424.60 | A |
| Cauliflower | 2.37 | 2 | 30.00 | A |
| Celery | 0.41 | 1 | 26.30 | A |
| Chinese Cabbage (Nappa) | 2.08 | 17 | 26.00 | A |
| Collard | 1.09 | 7 | 13.73 | A |
| Dill | 0.27 | 2 | 3.40 | A |
| Endive (Escarole) | 2.17 | 25 | 27.20 | A |
| Grape | 52.92 | 5 | 500.00 | A |
| Kale | 5.52 | 9 | 52.49 | A |
| Lemon | 6.78 | 4 | 167.02 | A |
| Lettuce, Head | 10.26 | 25 | 128.00 | A |
| Lettuce, Leaf | 34.94 | 83 | 431.40 | A |
| Mizuna | 2.31 | 2 | 8.00 | A |
| N-Outdr Flower | 1,139.88 | 40 | 423.80 | A |
| Parsley | 2.63 | 1 | 33.10 | A |
| Spinach | 3.11 | 16 | 40.00 | A |
| Sugarbeet | 24.66 | 9 | 631.00 | A |
| Swiss Chard | 4.49 | 10 | 56.41 | A |
| Chemical Total | 1,459.00 | 376 | | |
| POLYOXYETHYLENE SORBITOL, MIXED ETHER ESTER | | | | |
| Alfalfa | 33,884.75 | 435 | 28,626.01 | A |
| Bermudagrass | 1,968.50 | 32 | 2,069.00 | A |
| Broccoli | 168.60 | 4 | 164.50 | A |
| Carrot | 1,789.16 | 45 | 2,341.70 | A |
| Celery | 15.12 | 1 | 15.00 | A |
| Corn, Human Consumption | 15,254.30 | 339 | 17,065.25 | A |
| Forage Hay/Silage | 574.72 | 12 | 621.90 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|------------------|---------------------------|----------------|-----------|
| Onion, Dry | 2,509.11 | 33 | 2,427.20 | A |
| Rights Of Way | 122.51 | | | |
| Sudangrass | 320.63 | 3 | 217.00 | A |
| Sugarbeet | 2,562.00 | 41 | 2,879.70 | A |
| Sugarcane | 166.37 | 2 | 100.00 | A |
| Uncultivated Ag | 2,544.91 | 50 | 3,073.50 | A |
| Wheat | 5,244.27 | 52 | 4,086.40 | A |
| Chemical Total | 67,124.95 | 1,049 | | |
| POLYOXYETHYLENE SORBITAN MIXED FATTY ACID ESTERS | | | | |
| Alfalfa | 61.95 | 7 | 366.00 | A |
| Bermudagrass | 13.33 | 3 | 105.00 | A |
| Rights Of Way | 2.34 | | | |
| Sudangrass | 28.12 | 2 | 147.00 | A |
| Wheat | 34.65 | 10 | 299.00 | A |
| Chemical Total | 140.39 | 22 | | |
| POLYOXYETHYLENE SORBITAN MONOLAURATE | | | | |
| Cotton | 176.41 | 79 | 1,702.25 | A |
| Wheat | 158.06 | 32 | 682.08 | A |
| Chemical Total | 334.47 | 111 | | |
| POLYOXYETHYLENE SORBITAN MONOOLEATE | | | | |
| Alfalfa | 71.31 | 41 | 2,733.40 | A |
| Bermudagrass | 12.01 | 7 | 544.00 | A |
| Corn, Human Consumption | 47.15 | 66 | 2,412.07 | A |
| Cotton | 6.95 | 28 | 1,344.60 | A |
| Forage Hay/Silage | 1.12 | 2 | 85.00 | A |
| Grass, Seed | 1.12 | 1 | 70.00 | A |
| Onion, Dry | 15.66 | 7 | 622.00 | A |
| Rights Of Way | 900.22 | | | |
| Sudangrass | 2.24 | 1 | 80.00 | A |
| Chemical Total | 1,057.78 | 153 | | |
| POLYOXYETHYLENE SORBITAN TRIOLEATE | | | | |
| Alfalfa | 469.43 | 41 | 2,733.40 | A |
| Bermudagrass | 79.09 | 7 | 544.00 | A |
| Corn, Human Consumption | 310.39 | 66 | 2,412.07 | A |
| Cotton | 45.74 | 28 | 1,344.60 | A |
| Forage Hay/Silage | 7.39 | 2 | 85.00 | A |
| Grass, Seed | 7.38 | 1 | 70.00 | A |
| Onion, Dry | 103.07 | 7 | 622.00 | A |
| Rights Of Way | 5,926.44 | | | |
| Sudangrass | 14.76 | 1 | 80.00 | A |
| Chemical Total | 6,963.69 | 153 | | |
| POLYOXYETHYLENE SOYBEAN OIL FATTY ACID ESTER | | | | |
| Alfalfa | 6,160.98 | 205 | 12,981.15 | A |
| Bermudagrass | 281.74 | 12 | 619.00 | A |
| Cantaloupe | 104.53 | 8 | 325.00 | A |
| Carrot | 147.57 | 8 | 410.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Celery | 3.69 | 1 | 15.00 | A |
| Forage Hay/Silage | 210.66 | 8 | 530.00 | A |
| Lettuce, Head | 22.14 | 2 | 72.00 | A |
| Onion, Dry | 1.11 | 2 | 3.00 | A |
| Sugarbeet | 473.46 | 16 | 1,466.00 | A |
| Uncultivated Ag | 81.47 | 3 | 191.00 | A |
| Wheat | 298.59 | 6 | 457.00 | A |
| Chemical Total | 7,785.92 | 271 | | |
| POLYOXYETHYLENE TALL OIL FATTY ACID ESTER | | | | |
| Landscape Maintenance | 7.19 | | | |
| Chemical Total | 7.19 | | | |
| POLYPROPYLENE GLYCOL | | | | |
| Onion, Dry | 1.44 | 19 | 1,282.30 | A |
| Chemical Total | 1.44 | 19 | | |
| POLYSACCHARIDE POLYMER | | | | |
| Alfalfa | 3.65 | 36 | 3,185.00 | A |
| Bermudagrass | 1.38 | 23 | 1,712.00 | A |
| Broccoli | 0.10 | 3 | 158.00 | A |
| Corn (Forage - Fodder) | 0.54 | 5 | 705.00 | A |
| Corn, Human Consumption | 0.26 | 18 | 590.00 | A |
| Forage Hay/Silage | 0.44 | 9 | 806.00 | A |
| Onion, Dry | 0.12 | 6 | 285.00 | A |
| Rights Of Way | 0.16 | | | |
| Sugarbeet | 1.05 | 28 | 1,938.00 | A |
| Uncultivated Ag | 0.39 | 13 | 990.00 | A |
| Watermelon | 0.06 | 1 | 83.00 | A |
| Wheat | 0.99 | 24 | 1,479.00 | A |
| Chemical Total | 9.13 | 166 | | |
| POLYSORBATE 65 | | | | |
| Alfalfa | 527.19 | 58 | 4,980.28 | A |
| Basil, Sweet | 1.00 | 4 | 160.00 | A |
| Bermudagrass | 33.76 | 4 | 277.00 | A |
| Corn (Forage - Fodder) | 22.29 | 3 | 301.85 | A |
| Corn, Human Consumption | 13.47 | 4 | 94.67 | A |
| Onion, Dry | 62.70 | 6 | 430.00 | A |
| Rights Of Way | 100.87 | | | |
| Uncultivated Ag | 18.64 | 9 | 305.86 | A |
| Chemical Total | 779.92 | 88 | | |
| POTASH SOAP | | | | |
| Arugula | 883.25 | 70 | 406.78 | A |
| Bok Choy | 29.66 | 5 | 7.50 | A |
| Broccoli | 582.94 | 39 | 492.74 | A |
| Cabbage | 133.98 | 5 | 16.09 | A |
| Cauliflower | 1,074.39 | 35 | 348.52 | A |
| Cilantro | 12.49 | 3 | 3.00 | A |
| Citrus | 60.38 | 6 | 62.10 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|------------------------------|------------------|------------------------------|-------------------|--------------|
| Collard | 20.11 | 8 | 24.00 | A |
| Kale | 327.20 | 17 | 372.00 | A |
| Lettuce, Head | 29.26 | 2 | 19.00 | A |
| Lettuce, Leaf | 2,138.94 | 118 | 1,832.34 | A |
| Mustard | 11.14 | 3 | 5.38 | A |
| Mustard Greens | 447.18 | 38 | 214.63 | A |
| Public Health | 100.66 | | | |
| Radish | 19.81 | 6 | 6.00 | A |
| Rapini | 395.59 | 11 | 446.00 | A |
| Spinach | 34.01 | 6 | 36.41 | A |
| Swiss Chard | 116.74 | 11 | 120.25 | A |
| Chemical Total | 6,417.73 | 383 | | |
| POTASSIUM BICARBONATE | | | | |
| Beet | 77.49 | 3 | 31.50 | A |
| Collard | 25.58 | 2 | 10.40 | A |
| N-Outdr Flower | 2.55 | 1 | 9.00 | A |
| Chemical Total | 105.62 | 6 | | |
| POTASSIUM PHOSPHITE | | | | |
| Arugula | 1,984.91 | 67 | 1,042.69 | A |
| Beet | 88.16 | 11 | 42.70 | A |
| Bok Choy | 27.38 | 8 | 17.46 | A |
| Broccoli | 1,045.82 | 37 | 617.96 | A |
| Cabbage | 26.45 | 2 | 13.60 | A |
| Cauliflower | 61.69 | 2 | 36.00 | A |
| Chinese Cabbage (Nappa) | 14.88 | 6 | 11.10 | A |
| Endive (Escarole) | 370.08 | 36 | 189.21 | A |
| Kale | 1,110.71 | 76 | 638.42 | A |
| Lettuce, Head | 9,086.54 | 173 | 4,704.91 | A |
| Lettuce, Leaf | 13,750.80 | 340 | 6,719.26 | A |
| Mizuna | 22.35 | 9 | 15.95 | A |
| Mustard | 157.13 | 7 | 83.70 | A |
| N-Outdr Flower | 180.05 | 9 | 87.50 | A |
| Onion, Dry | 762.01 | 54 | 504.29 | A |
| Spinach | 10,332.05 | 278 | 5,196.37 | A |
| Swiss Chard | 264.25 | 29 | 150.08 | A |
| Chemical Total | 39,285.27 | 1,144 | | |
| PRALLETHRIN | | | | |
| Structural Pest Control | 0.11 | | | |
| Chemical Total | 0.11 | | | |
| PROMETRYN | | | | |
| Carrot | 209.74 | 3 | 176.00 | A |
| Celery | 848.55 | 25 | 475.00 | A |
| Cilantro | 687.28 | 13 | 485.78 | A |
| Fennel | 43.71 | 7 | 35.00 | A |
| Parsley | 195.76 | 2 | 98.00 | A |
| Chemical Total | 1,985.05 | 50 | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-------------------------|----------------|------------------------------|-------------------|--------------|
| PROPARGITE | | | | |
| Alfalfa | 433.20 | 5 | 272.01 | A |
| Chemical Total | 433.20 | 5 | | |
| PROPICONAZOLE | | | | |
| Bermudagrass | 50.36 | 7 | 394.00 | A |
| Carrot | 916.27 | 148 | 7,825.55 | A |
| Celery | 103.96 | 32 | 981.80 | A |
| N-Outdr Flower | 0.35 | 3 | 24.00 | A |
| Onion, Dry | 68.39 | 6 | 408.00 | A |
| Sugarbeet | 1,262.14 | 150 | 11,837.85 | A |
| Wheat | 46.45 | 6 | 464.00 | A |
| Chemical Total | 2,447.92 | 352 | | |
| PROPIONIC ACID | | | | |
| Alfalfa | 720.63 | 155 | 7,932.00 | A |
| Bermudagrass | 98.71 | 11 | 801.00 | A |
| Carrot | 45.08 | 4 | 225.50 | A |
| Corn (Forage - Fodder) | 15.15 | 4 | 195.00 | A |
| Corn, Human Consumption | 2.27 | 2 | 30.00 | A |
| Landscape Maintenance | 2.05 | | | |
| Oat | 1.51 | 1 | 20.00 | A |
| Onion, Dry | 8.26 | 1 | 42.00 | A |
| Uncultivated Ag | 175.27 | 13 | 1,017.70 | A |
| Watermelon | 38.55 | 5 | 415.00 | A |
| Wheat | 42.72 | 5 | 317.00 | A |
| Chemical Total | 1,150.19 | 201 | | |
| PROPYLENE GLYCOL | | | | |
| Alfalfa | 0.92 | 1 | 40.00 | A |
| Broccoli | 7.15 | 5 | 125.70 | A |
| Cauliflower | 0.33 | 1 | 6.00 | A |
| Corn, Human Consumption | 7.45 | 6 | 347.00 | A |
| Forage Hay/Silage | 0.92 | 1 | 27.00 | A |
| Landscape Maintenance | 2.76 | | | |
| Onion, Dry | 1.46 | 3 | 27.00 | A |
| Potato | 1.84 | 1 | 61.00 | A |
| Rights Of Way | 1.08 | | | |
| Sugarbeet | 2.52 | 5 | 149.95 | A |
| Chemical Total | 26.43 | 23 | | |
| PROPYZAMIDE | | | | |
| Artichoke, Globe | 89.40 | 4 | 83.85 | A |
| Endive (Escarole) | 23.19 | 26 | 41.00 | A |
| Lettuce, Head | 3,572.57 | 204 | 5,113.69 | A |
| Lettuce, Leaf | 5,525.90 | 434 | 7,594.43 | A |
| Uncultivated Ag | 175.82 | 8 | 191.10 | A |
| Chemical Total | 9,386.87 | 676 | | |
| PROTHIOCONAZOLE | | | | |
| Sugarbeet | 7.23 | 2 | 43.00 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-------------------------|----------------|------------------------------|-------------------|--------------|
| Chemical Total | 7.23 | 2 | | |
| PYMETROZINE | | | | |
| Cabbage | 6.79 | 1 | 79.00 | A |
| Lettuce, Head | 2.58 | 1 | 32.00 | A |
| Spinach | 1.16 | 2 | 13.50 | A |
| Chemical Total | 10.53 | 4 | | |
| PYRACLOSTROBIN | | | | |
| Alfalfa | 5.79 | 2 | 70.00 | A |
| Beet | 3.00 | 1 | 19.57 | A |
| Bermudagrass | 400.77 | 26 | 2,235.00 | A |
| Bok Choy | 0.32 | 1 | 2.16 | A |
| Carrot | 74.75 | 14 | 711.80 | A |
| Celery | 27.38 | 6 | 202.00 | A |
| Endive (Escarole) | 4.52 | 4 | 35.19 | A |
| Grass, Seed | 19.18 | 2 | 115.00 | A |
| Lemon | 27.82 | 2 | 122.00 | A |
| Lettuce, Head | 64.57 | 19 | 454.22 | A |
| Lettuce, Leaf | 115.75 | 40 | 861.72 | A |
| Melon | 23.75 | 4 | 285.00 | A |
| N-Outdr Flower | 55.32 | 20 | 326.50 | A |
| Onion, Dry | 208.70 | 56 | 1,347.55 | A |
| Orange | 5.54 | 1 | 28.00 | A |
| Sugarbeet | 461.44 | 43 | 2,879.20 | A |
| Sunflower | 19.40 | 1 | 145.00 | A |
| Tangelo | 11.09 | 3 | 50.00 | A |
| Tangerine | 42.41 | 2 | 196.00 | A |
| Wheat | 120.56 | 54 | 819.90 | A |
| Chemical Total | 1,692.07 | 301 | | |
| PYRAFLUFEN-ETHYL | | | | |
| Carrot | 0.44 | 4 | 147.00 | A |
| Cotton | 2.08 | 21 | 627.30 | A |
| Parsley | 0.32 | 2 | 98.00 | A |
| Sugarbeet | 0.46 | 3 | 140.00 | A |
| Uncultivated Ag | 8.34 | 64 | 3,105.61 | A |
| Wheat | 0.17 | 13 | 174.20 | A |
| Chemical Total | 11.82 | 107 | | |
| PYRETHRINS | | | | |
| Alfalfa | 15.58 | 3 | 334.00 | A |
| Artichoke, Globe | 4.45 | 7 | 86.26 | A |
| Arugula | 23.37 | 106 | 822.80 | A |
| Basil, Sweet | 8.22 | 5 | 160.50 | A |
| Bok Choy | 0.38 | 4 | 7.82 | A |
| Broccoli | 27.84 | 50 | 605.74 | A |
| Cabbage | 6.94 | 37 | 135.83 | A |
| Carrot | 1.75 | 2 | 70.60 | A |
| Cauliflower | 13.99 | 39 | 319.80 | A |
| Cilantro | 0.02 | 1 | 0.35 | A |
| Collard | 0.03 | 1 | 0.63 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Corn, Human Consumption | 2.06 | 1 | 75.00 | A |
| Dill | 0.04 | 2 | 0.75 | A |
| Grape | 4.66 | 10 | 330.00 | A |
| Kale | 11.65 | 58 | 320.18 | A |
| Lettuce, Head | 2.61 | 6 | 50.75 | A |
| Lettuce, Leaf | 115.04 | 293 | 3,431.76 | A |
| Mizuna | 4.59 | 48 | 135.79 | A |
| Mustard | 2.27 | 7 | 92.79 | A |
| Mustard Greens | 13.86 | 68 | 457.84 | A |
| Spinach | 119.39 | 272 | 3,475.78 | A |
| Structural Pest Control | 4.80 | | | |
| Swiss Chard | 12.66 | 97 | 379.41 | A |
| Tat Soi (Spinach Mustard) | 0.84 | 5 | 24.87 | A |
| Uncultivated Ag | 0.32 | 1 | 6.63 | A |
| Vegetable | 0.57 | 1 | 57.00 | A |
| Chemical Total | 397.88 | 1,124 | | |
| PYRIMETHANIL | | | | |
| Potato | 26.14 | 3 | 137.00 | A |
| Chemical Total | 26.14 | 3 | | |
| PYRIPROXYFEN | | | | |
| Cotton | 93.54 | 52 | 1,632.65 | A |
| Lemon | 13.85 | 7 | 129.00 | A |
| Structural Pest Control | 5.74 | | | |
| Chemical Total | 113.13 | 59 | | |
| PYROXSULAM | | | | |
| Wheat | 17.40 | 60 | 1,307.85 | A |
| Chemical Total | 17.40 | 60 | | |
| QST 713 STRAIN OF DRIED BACILLUS SUBTILIS | | | | |
| Arugula | 62.92 | 117 | 861.64 | A |
| Beet | 0.38 | 1 | 7.00 | A |
| Bok Choy | 33.36 | 16 | 145.47 | A |
| Broccoli | 13.78 | 9 | 242.00 | A |
| Gai Lon | 0.79 | 1 | 3.44 | A |
| Kale | 13.52 | 55 | 234.65 | A |
| Lettuce, Leaf | 146.32 | 245 | 2,466.97 | A |
| Mizuna | 4.26 | 28 | 73.40 | A |
| Mustard | 24.05 | 35 | 413.25 | A |
| Mustard Greens | 4.91 | 18 | 86.14 | A |
| Parsley | 2.28 | 1 | 38.50 | A |
| Spinach | 210.91 | 274 | 3,682.53 | A |
| Swiss Chard | 36.67 | 146 | 643.25 | A |
| Chemical Total | 554.15 | 946 | | |
| QUINOXYFEN | | | | |
| Artichoke, Globe | 7.20 | 3 | 75.00 | A |
| Cantaloupe | 187.55 | 45 | 1,990.56 | A |
| Lettuce, Head | 14.39 | 9 | 173.33 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Lettuce, Leaf | 92.05 | 47 | 1,117.18 | A |
| Melon | 37.29 | 13 | 395.15 | A |
| Watermelon | 57.16 | 22 | 660.30 | A |
| Chemical Total | 395.63 | 139 | | |
| REYNOUTRIA SACHALINENSIS | | | | |
| Broccoli | 6.52 | 10 | 81.60 | A |
| Cabbage | 0.16 | 1 | 3.00 | A |
| Lettuce, Head | 126.30 | 12 | 271.20 | A |
| Lettuce, Leaf | 59.04 | 42 | 741.90 | A |
| Potato | 80.85 | 7 | 373.00 | A |
| Watermelon | 52.02 | 6 | 314.00 | A |
| Chemical Total | 324.88 | 78 | | |
| RIMSULFURON | | | | |
| Grapefruit | 2.35 | 1 | 35.00 | A |
| Lemon | 8.38 | 5 | 134.00 | A |
| Lime | 1.00 | 1 | 16.00 | A |
| Chemical Total | 11.73 | 7 | | |
| SAFLUFENACIL | | | | |
| Alfalfa | 369.62 | 136 | 9,211.25 | A |
| Lemon | 16.36 | 8 | 383.00 | A |
| Lime | 1.75 | 1 | 34.00 | A |
| Tangerine | 8.83 | 3 | 160.00 | A |
| Chemical Total | 396.57 | 148 | | |
| SALICYLIC AND BENZOIC ESTERS OF PROPYLENE GLYCOL | | | | |
| Alfalfa | 34.02 | 4 | 208.00 | A |
| Chemical Total | 34.02 | 4 | | |
| SETHOXYDIM | | | | |
| Alfalfa | 2,723.26 | 192 | 11,779.15 | A |
| Broccoli | 169.83 | 11 | 666.00 | A |
| Cabbage | 38.16 | 8 | 151.00 | A |
| Cantaloupe | 14.02 | 3 | 105.00 | A |
| Carrot | 14.02 | 1 | 60.00 | A |
| Cauliflower | 35.40 | 5 | 140.00 | A |
| Celery | 3.50 | 1 | 15.00 | A |
| Cilantro | 39.24 | 4 | 152.00 | A |
| Lettuce, Head | 178.18 | 29 | 851.65 | A |
| Lettuce, Leaf | 132.25 | 11 | 522.00 | A |
| Onion, Dry | 540.28 | 32 | 2,287.20 | A |
| Chemical Total | 3,888.14 | 297 | | |
| SILICA AEROGEL | | | | |
| Structural Pest Control | 68.83 | | | |
| Chemical Total | 68.83 | | | |
| SILICONE DEFOAMER | | | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Alfalfa | 0.30 | 4 | 208.00 | A |
| N-Outdr Flower | 0.08 | 9 | 95.25 | A |
| Chemical Total | 0.38 | 13 | | |
| SILICA FILLED POLYDIMETHYLSILOXANE | | | | |
| Cotton | 0.10 | 79 | 1,702.25 | A |
| Wheat | 0.09 | 32 | 682.08 | A |
| Chemical Total | 0.19 | 111 | | |
| SODIUM BROMIDE | | | | |
| Water (Industrial) | 33,192.86 | | 52.00 | U |
| Chemical Total | 33,192.86 | | | |
| SODIUM CHLORATE | | | | |
| Water (Industrial) | 1,442.24 | | 1.00 | U |
| Chemical Total | 1,442.24 | | | |
| SODIUM CHLORITE | | | | |
| Water (Industrial) | 3,244.49 | | 2.00 | U |
| Chemical Total | 3,244.49 | | | |
| SODIUM DICHLORO-S-TRIAZINETRIONE | | | | |
| Water (Industrial) | 70,262.89 | | 18.00 | U |
| Chemical Total | 70,262.89 | | | |
| SODIUM DIISOCTYLSULFOSUCCINATE | | | | |
| Alfalfa | 2.75 | 8 | 480.00 | A |
| Bermudagrass | 0.34 | 2 | 143.00 | A |
| Corn, Human Consumption | 0.09 | 1 | 52.00 | A |
| Uncultivated Ag | 0.28 | 6 | 51.00 | A |
| Chemical Total | 3.45 | 17 | | |
| SODIUM DIMETHYL DITHIO CARBAMATE | | | | |
| Water (Industrial) | 10,873.10 | | 18.00 | U |
| Chemical Total | 10,873.10 | | | |
| SODIUM HYDROXIDE | | | | |
| Alfalfa | 78.26 | 34 | 2,680.00 | A |
| Bermudagrass | 1.96 | 1 | 100.00 | A |
| Cantaloupe | 2.94 | 1 | 91.00 | A |
| Carrot | 1.47 | 1 | 70.00 | A |
| Corn (Forage - Fodder) | 30.12 | 24 | 1,568.00 | A |
| Corn, Human Consumption | 0.73 | 1 | 35.00 | A |
| Uncultivated Ag | 10.29 | 4 | 328.00 | A |
| Watermelon | 5.14 | 2 | 141.00 | A |
| Chemical Total | 130.91 | 68 | | |
| SODIUM HYPOCHLORITE | | | | |
| Citrus | 1,125.80 | | 641,936.00 | P |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-----------------------------------|------------------|------------------------------|-------------------|--------------|
| Ditch Bank | 35,092.75 | | 122.00 | U |
| Food Proccessing Plant | 5.00 | | 1.00 | U |
| Water (Industrial) | 1,347.24 | | 8.00 | U |
| Chemical Total | 37,570.78 | | | |
| SODIUM POLYACRYLATE | | | | |
| Alfalfa | 43.48 | 152 | 9,177.00 | A |
| Bermudagrass | 0.68 | 8 | 130.00 | A |
| Canola (Rape) | 0.12 | 1 | 30.00 | A |
| Oat | 0.05 | 1 | 15.00 | A |
| Onion, Dry | 1.74 | 1 | 42.00 | A |
| Sugarbeet | 11.55 | 40 | 2,557.06 | A |
| Sunflower | 0.12 | 1 | 70.00 | A |
| Uncultivated Ag | 6.39 | 5 | 295.20 | A |
| Watermelon | 0.24 | 1 | 35.00 | A |
| Wheat | 1.46 | 6 | 290.00 | A |
| Chemical Total | 65.82 | 216 | | |
| SODIUM XYLENE SULFONATE | | | | |
| Alfalfa | 17.86 | 8 | 480.00 | A |
| Bermudagrass | 2.23 | 2 | 143.00 | A |
| Corn, Human Consumption | 0.56 | 1 | 52.00 | A |
| N-Outdr Flower | 0.96 | 9 | 95.25 | A |
| Uncultivated Ag | 1.80 | 6 | 51.00 | A |
| Chemical Total | 23.41 | 26 | | |
| SORBITAN FATTY ACID ESTERS | | | | |
| Alfalfa | 13.55 | 7 | 366.00 | A |
| Bermudagrass | 2.92 | 3 | 105.00 | A |
| Rights Of Way | 0.51 | | | |
| Sudangrass | 6.15 | 2 | 147.00 | A |
| Wheat | 7.58 | 10 | 299.00 | A |
| Chemical Total | 30.71 | 22 | | |
| SORBITAN TRIOLEATE | | | | |
| Alfalfa | 527.19 | 58 | 4,980.28 | A |
| Basil, Sweet | 1.00 | 4 | 160.00 | A |
| Bermudagrass | 33.76 | 4 | 277.00 | A |
| Corn (Forage - Fodder) | 22.29 | 3 | 301.85 | A |
| Corn, Human Consumption | 13.47 | 4 | 94.67 | A |
| Onion, Dry | 62.70 | 6 | 430.00 | A |
| Rights Of Way | 100.87 | | | |
| Uncultivated Ag | 18.64 | 9 | 305.86 | A |
| Chemical Total | 779.92 | 88 | | |
| SOYBEAN OIL | | | | |
| Lettuce, Head | 20.95 | 4 | 21.90 | A |
| Lettuce, Leaf | 209.47 | 39 | 188.84 | A |
| Chemical Total | 230.42 | 43 | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-------------------------|----------------|------------------------------|-------------------|--------------|
| SPINETORAM | | | | |
| Alfalfa | 3.51 | 1 | 68.00 | A |
| Artichoke, Globe | 0.41 | 1 | 6.50 | A |
| Arugula | 40.88 | 55 | 811.91 | A |
| Beet | 1.72 | 5 | 35.47 | A |
| Bok Choy | 8.62 | 29 | 184.66 | A |
| Broccoli | 160.37 | 125 | 3,357.99 | A |
| Cabbage | 160.16 | 134 | 3,307.35 | A |
| Cantaloupe | 71.50 | 32 | 1,577.00 | A |
| Cauliflower | 78.57 | 55 | 1,685.90 | A |
| Celery | 16.82 | 21 | 443.20 | A |
| Chinese Cabbage (Nappa) | 17.51 | 31 | 363.20 | A |
| Cilantro | 1.51 | 2 | 27.00 | A |
| Corn, Human Consumption | 174.83 | 74 | 4,352.99 | A |
| Date | 3.06 | 2 | 75.00 | A |
| Endive (Escarole) | 6.42 | 20 | 137.40 | A |
| Fennel | 3.22 | 17 | 68.33 | A |
| Grapefruit | 49.69 | 15 | 534.00 | A |
| Kale | 26.35 | 66 | 549.09 | A |
| Kumquat | 0.47 | 1 | 5.00 | A |
| Lemon | 346.11 | 96 | 3,445.84 | A |
| Lettuce, Head | 638.07 | 503 | 13,117.44 | A |
| Lettuce, Leaf | 1,396.28 | 1,249 | 27,996.53 | A |
| Lime | 29.75 | 7 | 190.02 | A |
| Mango | 12.03 | 1 | 110.00 | A |
| Melon | 21.08 | 9 | 489.00 | A |
| Mizuna | 4.80 | 16 | 102.00 | A |
| Mustard | 9.98 | 14 | 205.00 | A |
| Mustard Greens | 1.23 | 2 | 25.90 | A |
| Onion, Dry | 490.21 | 243 | 9,390.45 | A |
| Orange | 13.13 | 8 | 140.00 | A |
| Rapini | 144.97 | 37 | 2,556.30 | A |
| Spinach | 492.03 | 477 | 9,941.26 | A |
| Sugarbeet | 85.83 | 30 | 2,801.46 | A |
| Swiss Chard | 17.13 | 60 | 352.07 | A |
| Tangelo | 30.00 | 12 | 320.00 | A |
| Tangerine | 45.89 | 18 | 491.50 | A |
| Watermelon | 31.93 | 23 | 752.10 | A |
| Chemical Total | 4,636.07 | 3,491 | | |

SPINOSAD

| | | | | |
|-----------------|--------|-----|----------|---|
| Alfalfa | 46.91 | 17 | 789.60 | A |
| Arugula | 114.43 | 126 | 1,125.54 | A |
| Basil, Sweet | 0.14 | 1 | 1.50 | A |
| Beet | 26.51 | 21 | 298.00 | A |
| Bok Choy | 3.94 | 14 | 33.00 | A |
| Broccoli | 167.35 | 100 | 1,754.33 | A |
| Brussels Sprout | 1.49 | 4 | 12.00 | A |
| Cabbage | 72.66 | 102 | 680.40 | A |
| Cantaloupe | 11.42 | 6 | 207.00 | A |
| Carrot | 43.81 | 16 | 475.51 | A |
| Cauliflower | 106.63 | 67 | 1,029.85 | A |
| Celery | 36.36 | 41 | 373.90 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <<ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|----------------------------|----------------|------------------------------|-------------------|--------------|
| Chinese Cabbage (Nappa) | 3.54 | 20 | 29.60 | A |
| Cilantro | 3.38 | 19 | 40.95 | A |
| Citrus | 4.38 | 6 | 62.10 | A |
| Collard | 2.11 | 11 | 20.33 | A |
| Corn, Human Consumption | 146.67 | 31 | 1,571.50 | A |
| Dill | 1.16 | 16 | 12.45 | A |
| Endive (Escarole) | 10.39 | 61 | 99.77 | A |
| Fennel | 4.56 | 37 | 44.10 | A |
| Grape | 55.49 | 15 | 490.00 | A |
| Grapefruit | 36.23 | 8 | 222.00 | A |
| Kale | 119.67 | 164 | 1,291.23 | A |
| Lemon | 113.27 | 29 | 694.00 | A |
| Lettuce, Head | 133.38 | 136 | 1,306.37 | A |
| Lettuce, Leaf | 1,228.26 | 1,254 | 13,200.52 | A |
| Melon | 4.47 | 1 | 77.00 | A |
| Mizuna | 20.61 | 79 | 221.19 | A |
| Mustard | 54.68 | 76 | 567.97 | A |
| Mustard Greens | 17.05 | 35 | 193.10 | A |
| N-Outdr Flower | 19.90 | 19 | 279.85 | A |
| Onion, Dry | 172.63 | 23 | 1,096.31 | A |
| Onion, Green | 1.49 | 1 | 15.00 | A |
| Orange | 4.90 | 3 | 30.00 | A |
| Parsley | 1.46 | 22 | 17.00 | A |
| Potato | 9.93 | 2 | 107.00 | A |
| Radish | 0.28 | 3 | 3.00 | A |
| Rapini | 30.30 | 8 | 415.00 | A |
| Spinach | 934.33 | 709 | 9,819.91 | A |
| Squash | 1.49 | 3 | 15.00 | A |
| Structural Pest Control | < 0.01 | | | |
| Sugarbeet | 14.62 | 1 | 143.00 | A |
| Swiss Chard | 161.62 | 374 | 1,723.12 | A |
| Tangelo | 29.71 | 6 | 182.00 | A |
| Tangerine | 13.87 | 5 | 85.00 | A |
| Tat Soi (Spinach Mustard) | 5.06 | 6 | 49.35 | A |
| Tropical/Subtropical Fruit | 3.36 | 1 | 27.00 | A |
| Uncultivated Ag | 0.82 | 1 | 6.63 | A |
| Vegetable | 0.39 | 1 | 57.00 | A |
| Watermelon | 19.37 | 6 | 236.50 | A |
| Chemical Total | 4,016.48 | 3,707 | | |
| SPIROMESIFEN | | | | |
| Cantaloupe | 357.18 | 69 | 3,086.00 | A |
| Corn (Forage - Fodder) | 18.54 | 1 | 73.00 | A |
| Corn, Human Consumption | 15.84 | 1 | 100.00 | A |
| Cotton | 95.52 | 12 | 376.00 | A |
| Melon | 47.11 | 12 | 406.00 | A |
| Watermelon | 92.49 | 22 | 837.00 | A |
| Chemical Total | 626.68 | 117 | | |
| SPIROTETRAMAT | | | | |
| Alfalfa | 2.02 | 1 | 31.00 | A |
| Artichoke, Globe | 19.95 | 11 | 190.50 | A |
| Arugula | 43.67 | 35 | 576.37 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--------------------------------------|----------------|------------------------------|-------------------|--------------|
| Bok Choy | 6.55 | 15 | 89.77 | A |
| Broccoli | 183.47 | 102 | 2,663.77 | A |
| Cabbage | 84.66 | 61 | 1,177.95 | A |
| Cauliflower | 67.97 | 55 | 922.50 | A |
| Celery | 55.26 | 34 | 855.20 | A |
| Chinese Cabbage (Nappa) | 18.06 | 16 | 231.88 | A |
| Endive (Escarole) | 4.29 | 7 | 55.81 | A |
| Fennel | 0.66 | 4 | 9.71 | A |
| Gai Lon | 1.67 | 3 | 22.44 | A |
| Grapefruit | 31.96 | 5 | 201.00 | A |
| Kale | 37.58 | 31 | 496.59 | A |
| Lemon | 251.80 | 43 | 1,579.74 | A |
| Lettuce, Head | 128.76 | 83 | 1,993.40 | A |
| Lettuce, Leaf | 458.85 | 309 | 6,461.61 | A |
| Lime | 33.09 | 7 | 203.62 | A |
| Mizuna | 12.94 | 19 | 165.30 | A |
| Mustard | 1.97 | 3 | 29.30 | A |
| Onion, Dry | 0.04 | 1 | 0.50 | A |
| Potato | 9.07 | 2 | 122.00 | A |
| Rapini | 196.30 | 36 | 2,631.10 | A |
| Spinach | 290.71 | 156 | 3,698.64 | A |
| Swiss Chard | 16.18 | 27 | 218.04 | A |
| Tangelo | 12.57 | 3 | 80.00 | A |
| Chemical Total | 1,970.06 | 1,069 | | |
| STREPTOMYCES LYDICUS WYEC 108 | | | | |
| Vegetable | < 0.01 | | 4,800.00 | P |
| Chemical Total | < 0.01 | | | |
| STRYCHNINE | | | | |
| Landscape Maintenance | < 0.01 | | | |
| Chemical Total | < 0.01 | | | |
| STYRENE BUTADIENE COPOLYMER | | | | |
| Broccoli | 7.70 | 2 | 103.00 | A |
| Onion, Dry | 1.97 | 3 | 27.00 | A |
| Chemical Total | 9.67 | 5 | | |
| SULFOMETURON-METHYL | | | | |
| Rights Of Way | 1,037.05 | | | |
| Chemical Total | 1,037.05 | | | |
| SULFOXAFLOL | | | | |
| Arugula | 1.48 | 2 | 43.11 | A |
| Bok Choy | 8.37 | 7 | 36.15 | A |
| Broccoli | 8.13 | 15 | 274.10 | A |
| Cabbage | 13.67 | 21 | 487.15 | A |
| Cauliflower | 3.84 | 4 | 124.00 | A |
| Celery | 10.39 | 17 | 388.00 | A |
| Chinese Cabbage (Nappa) | 2.01 | 8 | 64.72 | A |
| Cotton | 77.82 | 37 | 1,105.70 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--------------------------|----------------|------------------------------|-------------------|--------------|
| Endive (Escarole) | 0.69 | 2 | 26.37 | A |
| Kale | 2.95 | 5 | 102.72 | A |
| Lettuce, Head | 2.58 | 5 | 88.05 | A |
| Lettuce, Leaf | 15.81 | 40 | 532.10 | A |
| Mustard | 0.36 | 1 | 13.13 | A |
| Spinach | 3.88 | 13 | 127.83 | A |
| Swiss Chard | 0.62 | 1 | 22.11 | A |
| Chemical Total | 152.59 | 178 | | |
| SULFUR | | | | |
| Alfalfa | 46,927.37 | 45 | 2,708.00 | A |
| Bermudagrass | 531,642.97 | 321 | 24,210.68 | A |
| Broccoli | 62.83 | 1 | 11.00 | A |
| Cantaloupe | 18,763.39 | 105 | 3,065.20 | A |
| Carrot | 260,704.43 | 563 | 19,943.83 | A |
| Date | 319.99 | 4 | 133.00 | A |
| Endive (Escarole) | 51.32 | 12 | 44.37 | A |
| Grape | 5,440.00 | 40 | 2,200.00 | A |
| Grapefruit | 5,769.22 | 19 | 679.00 | A |
| Grass, Seed | 2,264.00 | 8 | 660.25 | A |
| Kale | 17.68 | 3 | 5.92 | A |
| Kumquat | 32.00 | 1 | 5.00 | A |
| Lemon | 27,711.29 | 84 | 3,602.28 | A |
| Lettuce, Head | 2,283.18 | 39 | 1,022.84 | A |
| Lettuce, Leaf | 1,721.58 | 82 | 1,003.80 | A |
| Lime | 216.00 | 1 | 34.00 | A |
| Melon | 2,597.70 | 23 | 619.08 | A |
| N-Outdr Flower | 24.80 | 2 | 8.50 | A |
| Onion, Dry | 12,608.17 | 51 | 2,511.90 | A |
| Orange | 996.77 | 6 | 130.00 | A |
| Potato | 840.00 | 2 | 107.00 | A |
| Sugarbeet | 657,848.30 | 440 | 32,598.20 | A |
| Sunflower | 12,207.06 | 6 | 698.00 | A |
| Tangelo | 3,819.09 | 15 | 400.00 | A |
| Tangerine | 4,842.02 | 15 | 587.00 | A |
| Watermelon | 18,697.02 | 17 | 1,061.00 | A |
| Chemical Total | 1,618,408.18 | 1,905 | | |
| SULFURYL FLUORIDE | | | | |
| Structural Pest Control | 207.58 | | | |
| Chemical Total | 207.58 | | | |
| TALL OIL | | | | |
| Alfalfa | 4,793.83 | 936 | 57,673.95 | A |
| Bermudagrass | 109.99 | 24 | 1,629.00 | A |
| Broccoli | 1.54 | 1 | 31.00 | A |
| Cantaloupe | 13.94 | 8 | 325.00 | A |
| Carrot | 106.56 | 33 | 1,527.00 | A |
| Celery | 0.49 | 1 | 15.00 | A |
| Cilantro | 9.38 | 3 | 135.00 | A |
| Corn (Forage - Fodder) | 1.54 | 1 | 32.00 | A |
| Corn, Human Consumption | 252.80 | 31 | 1,813.20 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-----------------------------|----------------|------------------------------|-------------------|--------------|
| Cotton | 83.86 | 38 | 1,230.50 | A |
| Forage Hay/Silage | 44.33 | 11 | 733.00 | A |
| Lettuce, Head | 53.73 | 39 | 976.90 | A |
| Lettuce, Leaf | 16.53 | 4 | 198.00 | A |
| Oat | 13.13 | 5 | 252.90 | A |
| Onion, Dry | 93.92 | 26 | 1,187.50 | A |
| Rights Of Way | 11.53 | | | |
| Sudangrass | 6.25 | 1 | 72.00 | A |
| Sugarbeet | 338.69 | 164 | 8,745.00 | A |
| Sunflower | 4.61 | 1 | 74.00 | A |
| Uncultivated Ag | 406.66 | 96 | 5,506.60 | A |
| Wheat | 226.50 | 35 | 2,151.00 | A |
| Chemical Total | 6,589.80 | 1,458 | | |
| TALL OIL FATTY ACIDS | | | | |
| Alfalfa | 5,309.38 | 569 | 37,226.14 | A |
| Bermudagrass | 363.22 | 57 | 2,724.00 | A |
| Broccoli | 122.79 | 15 | 564.50 | A |
| Cabbage | 0.29 | 3 | 81.00 | A |
| Cantaloupe | 18.69 | 4 | 139.50 | A |
| Carrot | 236.51 | 106 | 6,021.60 | A |
| Cauliflower | 0.57 | 3 | 96.00 | A |
| Celery | 20.05 | 2 | 90.00 | A |
| Cilantro | 72.34 | 6 | 308.00 | A |
| Corn, Human Consumption | 1,613.07 | 175 | 8,704.45 | A |
| Cotton | 0.93 | 6 | 94.30 | A |
| Forage Hay/Silage | 107.75 | 19 | 1,169.00 | A |
| Grapefruit | 2.04 | 1 | 35.00 | A |
| Grass, Seed | 2.72 | 1 | 33.00 | A |
| Herb, Spice | 2.69 | 1 | 31.00 | A |
| Landscape Maintenance | 2.17 | | | |
| Lemon | 9.46 | 7 | 174.00 | A |
| Lettuce, Head | 55.78 | 8 | 304.25 | A |
| Lettuce, Leaf | 15.35 | 6 | 132.57 | A |
| Lime | 0.87 | 1 | 16.00 | A |
| N-Outdr Flower | 7.99 | 3 | 86.00 | A |
| Onion, Dry | 630.98 | 45 | 3,358.80 | A |
| Parsley | 7.61 | 2 | 98.00 | A |
| Potato | 2.04 | 1 | 61.00 | A |
| Rights Of Way | 38.60 | | | |
| Sorghum (Forage - Fodder) | 1.68 | 1 | 15.00 | A |
| Spinach | 0.16 | 2 | 73.50 | A |
| Sudangrass | 109.27 | 8 | 614.00 | A |
| Sugarbeet | 701.91 | 121 | 8,753.81 | A |
| Sunflower | 2.11 | 2 | 150.00 | A |
| Tangelo | 0.94 | 3 | 50.00 | A |
| Tangerine | 2.17 | 1 | 40.00 | A |
| Uncultivated Ag | 59.67 | 13 | 925.00 | A |
| Watermelon | 8.41 | 2 | 108.00 | A |
| Wheat | 368.65 | 49 | 3,163.70 | A |
| Chemical Total | 9,898.86 | 1,243 | | |

TEBUCONAZOLE

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|---------------------------|----------------|-----------|
| Bermudagrass | 1,949.64 | 128 | 9,232.40 | A |
| Grass, Seed | 73.21 | 5 | 335.00 | A |
| Onion, Dry | 118.03 | 10 | 682.00 | A |
| Sunflower | 5.31 | 3 | 41.00 | A |
| Chemical Total | 2,146.19 | 146 | | |
| TETRACONAZOLE | | | | |
| Cantaloupe | 22.95 | 8 | 499.70 | A |
| Melon | 8.78 | 4 | 141.00 | A |
| Sugarbeet | 3.44 | 1 | 32.50 | A |
| Chemical Total | 35.18 | 13 | | |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXPOLY(OXYETHYLENE) | | | | |
| N-Outdr Flower | 3.64 | 9 | 95.25 | A |
| Chemical Total | 3.64 | 9 | | |
| ALPHA-[PARA-(1,1,3,3-TETRAMETHYLBUTYL)PHENYL]-OMEGA-HYDROXPOLY(OXYETHYLENE) PHOSPHATE ESTER | | | | |
| Lettuce, Leaf | 0.05 | 1 | 44.00 | A |
| Chemical Total | 0.05 | 1 | | |
| TETRAPOTASSIUM PYROPHOSPHATE | | | | |
| N-Outdr Flower | 0.48 | 9 | 95.25 | A |
| Chemical Total | 0.48 | 9 | | |
| THIABENDAZOLE | | | | |
| Citrus | 0.52 | | 99.60 | U |
| | < 0.01 | | 2,352.81 | P |
| Total Pounds On This Commodity | 0.53 | | | |
| Chemical Total | 0.53 | | | |
| THIAMETHOXAM | | | | |
| Arugula | 5.52 | 9 | 115.25 | A |
| Beet | 0.95 | 5 | 19.20 | A |
| Bok Choy | 0.54 | 4 | 10.98 | A |
| Broccoli | 25.08 | 46 | 433.90 | A |
| Cantaloupe | 46.32 | 15 | 539.00 | A |
| Cauliflower | 5.89 | 17 | 104.10 | A |
| Chinese Cabbage (Nappa) | 0.13 | 1 | 2.40 | A |
| Endive (Escarole) | 0.76 | 2 | 14.00 | A |
| Grapefruit | 5.39 | 3 | 81.00 | A |
| Kale | 5.91 | 7 | 110.45 | A |
| Lemon | 66.81 | 28 | 1,039.64 | A |
| Lettuce, Head | 4.41 | 4 | 129.20 | A |
| Lettuce, Leaf | 13.34 | 23 | 379.30 | A |
| Mizuna | 0.51 | 4 | 10.15 | A |
| Orange | 2.81 | 1 | 36.00 | A |
| Pepper, Fruiting | 8.44 | 2 | 100.85 | A |
| Spinach | 58.84 | 64 | 1,071.85 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---------------------------|----------------|------------------------------|-------------------|--------------|
| Structural Pest Control | < 0.01 | | | |
| Swiss Chard | 1.63 | 5 | 33.60 | A |
| Tangelo | 2.18 | 2 | 38.00 | A |
| Tangerine | 1.78 | 2 | 31.00 | A |
| Chemical Total | 257.23 | 244 | | |
| THIDIAZURON | | | | |
| Cotton | 394.61 | 101 | 3,699.41 | A |
| Chemical Total | 394.61 | 101 | | |
| THIOPHANATE-METHYL | | | | |
| Cantaloupe | 158.49 | 20 | 451.36 | A |
| Melon | 47.49 | 7 | 91.05 | A |
| N-Outdr Flower | 37.05 | 9 | 189.00 | A |
| Chemical Total | 243.02 | 36 | | |
| THIRAM | | | | |
| Alfalfa | 272.38 | | 614,570.00 | P |
| Artichoke, Globe | 0.01 | | 15.00 | P |
| Arugula | 0.45 | | 560.54 | P |
| Basil, Sweet | 1.43 | | 743.85 | P |
| Bean, Dried | 13.06 | | 42,000.00 | P |
| Bean, Unspecified | 41.71 | | 131,307.64 | P |
| Beet | 72.96 | | 37,338.24 | P |
| Bermudagrass | 1.95 | | 1,380.00 | P |
| Broccoli | 3.47 | | 2,402.17 | P |
| Brussels Sprout | 0.06 | | 33.05 | P |
| Cabbage | 16.25 | | 7,645.78 | P |
| Cantaloupe | 1.97 | | 1,916.00 | P |
| Carrot | 110.00 | | 90,416.58 | P |
| Cauliflower | 2.82 | | 1,362.81 | P |
| Celery | 2.39 | | 1,089.63 | P |
| Chive | 0.16 | | 73.02 | P |
| Cilantro | 4.61 | | 3,700.00 | P |
| Corn, Human Consumption | 1.24 | | 881.85 | P |
| Cucumber | 24.77 | | 20,152.07 | P |
| Dill | 0.69 | | 934.05 | P |
| Eggplant | 2.82 | | 1,306.27 | P |
| Kale | 0.24 | | 183.02 | P |
| Kohlrabi | 0.18 | | 252.00 | P |
| Leek | 97.86 | | 39,250.96 | P |
| Lettuce, Head | 8.50 | | 4,097.45 | P |
| Lettuce, Leaf | 24.30 | | 11,410.38 | P |
| Melon | 0.04 | | 34.00 | P |
| Mustard | 0.05 | | 20.00 | P |
| Okra | 99.31 | | 73,781.00 | P |
| Onion, Dry | 89.56 | | 91,113.94 | P |
| Oregano | < 0.01 | | 13.00 | P |
| Parsnip | 0.11 | | 88.00 | P |
| Peas | 57.15 | | 81,065.00 | P |
| Pepper, Fruiting | 4.58 | | 2,750.16 | P |
| Pepper, Spice | 5.06 | | 3,054.00 | P |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|---|----------------|------------------------------|-------------------|--------------|
| Peppermint | < 0.01 | | 5.00 | P |
| Pumpkin | 0.68 | | 481.94 | P |
| Radish | 102.73 | | 111,217.75 | P |
| Rosemary | < 0.01 | | 3.00 | P |
| Sage | 0.06 | | 24.05 | P |
| Spinach | 41.60 | | 26,420.61 | P |
| Squash | 54.59 | | 53,110.50 | P |
| Sudangrass | 39.93 | | 401,448.00 | P |
| Sunflower | 0.01 | | 20.00 | P |
| Swiss Chard | 17.39 | | 9,827.73 | P |
| Thyme | 0.01 | | 18.00 | P |
| Tomatillo | 0.11 | | 160.00 | P |
| Tomato | 20.76 | | 13,162.40 | P |
| Turnip | 9.23 | | 23,660.00 | P |
| Vegetable | 356.18 | | 285,739.00 | P |
| Watermelon | 20.71 | | 15,769.46 | P |
| Wheat | 51.86 | | 57,180.00 | P |
| Chemical Total | 1,678.00 | | | |
| TRIALATE | | | | |
| Bermudagrass | 3,795.85 | 43 | 2,524.90 | A |
| Chemical Total | 3,795.85 | 43 | | |
| TRIBENURON-METHYL | | | | |
| Sunflower | 9.30 | 11 | 1,009.33 | A |
| Uncultivated Ag | 2.16 | 5 | 138.20 | A |
| Wheat | 22.98 | 81 | 1,820.10 | A |
| Chemical Total | 34.44 | 97 | | |
| S,S,S-TRIBUTYL PHOSPHOROTRITHIOATE | | | | |
| Cotton | 1,146.94 | 58 | 1,895.21 | A |
| Chemical Total | 1,146.94 | 58 | | |
| TRICHLORO-S-TRIAZINETRIONE | | | | |
| Water (Industrial) | 5,910.51 | | 11.00 | U |
| Chemical Total | 5,910.51 | | | |
| TRICLOPYR, BUTOXYETHYL ESTER | | | | |
| Ditch Bank | 42.40 | | 3.00 | A |
| | 5.65 | | 1.00 | P |
| Total Pounds On This Commodity | 48.06 | | | |
| Landscape Maintenance | 18.51 | | | |
| Rights Of Way | 77.61 | | | |
| Chemical Total | 144.17 | | | |
| TRICLOPYR, TRIETHYLAMINE SALT | | | | |
| Alfalfa | 0.32 | 1 | 5.00 | A |
| Forage Hay/Silage | 38.67 | 1 | 35.00 | A |
| N-Grmhs Flower | 4.28 | | 1.00 | A |
| Rights Of Way | 26,008.85 | | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Chemical Total | 26,052.12 | 2 | | |
| ALPHA-TRIDECYL-OMEGA-HYDROXPOLY(OXYETHANOL) PHOSPHATE | | | | |
| Alfalfa | 1,762.95 | 367 | 21,001.28 | A |
| Bermudagrass | 27.13 | 33 | 949.00 | A |
| Broccoli | 2.94 | 5 | 184.00 | A |
| Canola (Rape) | 0.07 | 1 | 5.00 | A |
| Carrot | 0.63 | 1 | 45.00 | A |
| Cauliflower | 0.30 | 2 | 23.00 | A |
| Cilantro | 1.92 | 3 | 137.00 | A |
| Corn (Forage - Fodder) | 9.48 | 15 | 801.85 | A |
| Cotton | 32.92 | 115 | 5,099.60 | A |
| Date | 8.31 | 39 | 1,348.00 | A |
| Forage Hay/Silage | 2.07 | 2 | 295.00 | A |
| Grapefruit | 5.27 | 16 | 712.00 | A |
| Lemon | 89.61 | 115 | 5,578.00 | A |
| Lime | 7.72 | 8 | 272.00 | A |
| Mango | 1.43 | 2 | 260.00 | A |
| Oat | 0.70 | 1 | 65.00 | A |
| Onion, Dry | 10.11 | 18 | 848.50 | A |
| Parsley | 2.75 | 2 | 98.00 | A |
| Rights Of Way | 9.42 | | | |
| Sorghum (Forage - Fodder) | 1.68 | 2 | 80.00 | A |
| Sugarbeet | 158.72 | 100 | 7,862.66 | A |
| Sunflower | 25.47 | 8 | 905.00 | A |
| Tangelo | 1.71 | 19 | 605.00 | A |
| Tangerine | 34.23 | 18 | 830.00 | A |
| Uncultivated Ag | 80.08 | 67 | 4,100.40 | A |
| Wheat | 43.27 | 15 | 1,266.31 | A |
| Chemical Total | 2,320.90 | 974 | | |
| TRIETHANOLAMINE | | | | |
| Alfalfa | 73.89 | 471 | 27,259.30 | A |
| Bermudagrass | 1.18 | 7 | 697.00 | A |
| Carrot | 1.76 | 23 | 1,025.00 | A |
| Cilantro | 0.20 | 3 | 135.00 | A |
| Corn, Human Consumption | 5.31 | 31 | 1,813.20 | A |
| Forage Hay/Silage | 0.13 | 1 | 86.00 | A |
| Lettuce, Head | 0.26 | 3 | 126.40 | A |
| Lettuce, Leaf | 0.30 | 2 | 150.00 | A |
| N-Outdr Flower | 1.22 | 9 | 95.25 | A |
| Oat | 0.28 | 5 | 252.90 | A |
| Onion, Dry | 1.90 | 22 | 1,099.50 | A |
| Sudangrass | 0.13 | 1 | 72.00 | A |
| Sugarbeet | 1.72 | 18 | 941.00 | A |
| Uncultivated Ag | 0.59 | 12 | 505.50 | A |
| Wheat | 3.92 | 29 | 1,694.00 | A |
| Chemical Total | 92.79 | 637 | | |
| TRIFLOXYSTROBIN | | | | |
| Carrot | 2.02 | 2 | 100.00 | A |
| N-Outdr Flower | 0.32 | 1 | 5.50 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--|----------------|------------------------------|-------------------|--------------|
| Chemical Total | 2.34 | 3 | | |
| TRIFLUMIZOLE | | | | |
| Cantaloupe | 329.74 | 42 | 1,591.06 | A |
| Melon | 59.79 | 8 | 298.15 | A |
| Chemical Total | 389.53 | 50 | | |
| TRIFLURALIN | | | | |
| Alfalfa | 61,988.01 | 456 | 32,706.25 | A |
| Bermudagrass | 22,313.26 | 167 | 11,984.05 | A |
| Broccoli | 860.18 | 92 | 2,118.63 | A |
| Cabbage | 2.45 | 1 | 3.00 | A |
| Cantaloupe | 1,546.04 | 45 | 2,369.90 | A |
| Carrot | 4,526.34 | 124 | 6,449.50 | A |
| Cauliflower | 165.54 | 12 | 200.02 | A |
| Celery | 515.23 | 13 | 533.00 | A |
| Cotton | 352.64 | 16 | 419.20 | A |
| Kale | 94.63 | 5 | 143.88 | A |
| Melon | 450.36 | 12 | 688.00 | A |
| Mustard | 5.05 | 1 | 10.00 | A |
| Sugarbeet | 208.22 | 4 | 262.56 | A |
| Uncultivated Ag | 20.04 | 2 | 52.90 | A |
| Watermelon | 76.72 | 2 | 154.00 | A |
| Wheat | 19.44 | 3 | 51.30 | A |
| Chemical Total | 93,144.15 | 955 | | |
| TRIFLUSULFURON-METHYL | | | | |
| Sugarbeet | 236.83 | 174 | 12,552.44 | A |
| Chemical Total | 236.83 | 174 | | |
| ALPHA-2,6,8-TRIMETHYL-4-NONYLOXY-OMEGA-HYDROXPOLY (OXYETHYLENE) | | | | |
| Alfalfa | 609.86 | 180 | 15,136.40 | A |
| Broccoli | 34.10 | 38 | 1,525.74 | A |
| Cantaloupe | 17.52 | 9 | 608.70 | A |
| Cauliflower | 2.49 | 3 | 102.00 | A |
| Lemon | 100.38 | 22 | 1,335.00 | A |
| Lettuce, Head | 43.19 | 59 | 2,259.40 | A |
| Lettuce, Leaf | 24.31 | 41 | 1,342.95 | A |
| Melon | 4.12 | 2 | 140.00 | A |
| Onion, Dry | 37.23 | 24 | 1,221.20 | A |
| Sugarbeet | 38.15 | 14 | 1,363.00 | A |
| Watermelon | 2.06 | 2 | 75.00 | A |
| Chemical Total | 913.42 | 394 | | |
| ALPHA-UNDECYL-OMEGA-HYDROXPOLY(OXYETHYLENE) | | | | |
| Alfalfa | 4,099.99 | 756 | 50,456.89 | A |
| Arugula | 3.42 | 5 | 62.15 | A |
| Bermudagrass | 576.32 | 60 | 3,687.75 | A |
| Bok Choy | 0.26 | 2 | 4.40 | A |
| Broccoli | 175.28 | 66 | 3,380.97 | A |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|--------------------------------|----------------|------------------------------|-------------------|--------------|
| Cabbage | 55.27 | 37 | 919.50 | A |
| Cantaloupe | 28.96 | 14 | 865.70 | A |
| Carrot | 6.60 | 11 | 426.00 | A |
| Cauliflower | 46.66 | 27 | 957.50 | A |
| Celery | 14.87 | 27 | 774.00 | A |
| Corn (Forage - Fodder) | 116.03 | 7 | 895.00 | A |
| Corn, Human Consumption | 315.17 | 248 | 10,070.50 | A |
| Forage Hay/Silage | 3.95 | 2 | 131.00 | A |
| Gai Lon | 1.93 | 2 | 19.00 | A |
| Kale | 6.06 | 5 | 105.30 | A |
| Lemon | 2.12 | 1 | 4.98 | A |
| Lettuce, Head | 13.27 | 31 | 1,061.00 | A |
| Lettuce, Leaf | 73.76 | 82 | 3,065.35 | A |
| Melon | 19.02 | 10 | 473.50 | A |
| Mizuna | 0.26 | 2 | 4.40 | A |
| Oat | 2.03 | 1 | 15.00 | A |
| Onion, Dry | 172.46 | 40 | 2,748.00 | A |
| Rapini | 329.85 | 77 | 5,293.60 | A |
| Sugarbeet | 103.00 | 73 | 4,959.15 | A |
| Sunflower | 7.12 | 1 | 70.00 | A |
| Swiss Chard | 0.63 | 2 | 10.15 | A |
| Uncultivated Ag | 70.24 | 39 | 968.05 | A |
| Wheat | 72.38 | 11 | 807.10 | A |
| Chemical Total | 6,316.93 | 1,639 | | |
| UREA DIHYDROGEN SULFATE | | | | |
| Alfalfa | 228.04 | 309 | 16,623.18 | A |
| Bermudagrass | 16.28 | 33 | 949.00 | A |
| Broccoli | 1.77 | 5 | 184.00 | A |
| Canola (Rape) | 0.04 | 1 | 5.00 | A |
| Carrot | 0.38 | 1 | 45.00 | A |
| Cauliflower | 0.18 | 2 | 23.00 | A |
| Cilantro | 1.15 | 3 | 137.00 | A |
| Corn (Forage - Fodder) | 5.69 | 15 | 801.85 | A |
| Cotton | 1,825.63 | 134 | 5,758.70 | A |
| Date | 4.98 | 39 | 1,348.00 | A |
| Forage Hay/Silage | 1.24 | 2 | 295.00 | A |
| Grapefruit | 3.16 | 16 | 712.00 | A |
| Lemon | 20.82 | 107 | 5,195.00 | A |
| Lime | 1.11 | 7 | 238.00 | A |
| Mango | 0.86 | 2 | 260.00 | A |
| Oat | 0.42 | 1 | 65.00 | A |
| Onion, Dry | 6.40 | 18 | 848.50 | A |
| Parsley | 1.65 | 2 | 98.00 | A |
| Rights Of Way | 5.65 | | | |
| Sorghum (Forage - Fodder) | 1.01 | 2 | 80.00 | A |
| Sugarbeet | 95.23 | 100 | 7,862.66 | A |
| Sunflower | 15.28 | 8 | 905.00 | A |
| Tangelo | 1.02 | 19 | 605.00 | A |
| Tangerine | 2.74 | 15 | 670.00 | A |
| Uncultivated Ag | 42.76 | 66 | 4,010.40 | A |
| Wheat | 25.96 | 15 | 1,266.31 | A |
| Chemical Total | 2,309.48 | 922 | | |

Department of Pesticide Regulation
2018 Annual Pesticide Use Report Indexed by Chemical
Imperial County

Text files of data are available at <ftp://transfer.cdpr.ca.gov/pub/outgoing/pur/data/>

Units: A = Acres, S = Square Feet, C = Cubic Feet, K =Thousand Cubic Feet, P = Pounds, T =Tons, U = Miscellaneous Unit,

No value: many non-productional-agricultural pesticide use reports are not legally required to report area treated or number of applications.

| Chemical Commodity | Pounds Applied | Agricultural Applications | Amount Treated | Unit Type |
|-------------------------|----------------|------------------------------|-------------------|--------------|
| VEGETABLE OIL | | | | |
| Alfalfa | 375.67 | 47 | 2,055.90 | A |
| Cotton | 78.14 | 10 | 328.70 | A |
| Chemical Total | 453.81 | 57 | | |
| VINYL POLYMER | | | | |
| Alfalfa | 15.85 | 53 | 3,005.00 | A |
| Bermudagrass | 4.11 | 11 | 547.00 | A |
| Celery | 6.30 | 15 | 159.90 | A |
| Forage Hay/Silage | 2.94 | 13 | 590.00 | A |
| Lettuce, Head | 24.46 | 100 | 1,451.13 | A |
| Lettuce, Leaf | 17.20 | 97 | 888.89 | A |
| Onion, Dry | 1.03 | 15 | 266.50 | A |
| Sugarbeet | 0.94 | 4 | 263.00 | A |
| Uncultivated Ag | 2.71 | 13 | 575.50 | A |
| Wheat | 5.03 | 14 | 775.00 | A |
| Chemical Total | 80.57 | 335 | | |
| XYLENE | | | | |
| Lettuce, Head | 7.50 | 1 | 20.00 | A |
| Chemical Total | 7.50 | 1 | | |
| ZINC PHOSPHIDE | | | | |
| Structural Pest Control | 0.22 | | | |
| Chemical Total | 0.22 | | | |
| ZINC SULFATE | | | | |
| Alfalfa | 9.74 | 16 | 786.60 | A |
| Corn, Human Consumption | 17.45 | 11 | 761.00 | A |
| Cotton | 1.07 | 2 | 47.30 | A |
| Lettuce, Leaf | 0.51 | 1 | 44.00 | A |
| Sudangrass | 1.20 | 1 | 90.00 | A |
| Sugarbeet | 1.20 | 1 | 140.00 | A |
| Chemical Total | 31.18 | 32 | | |
| ZOXAMIDE | | | | |
| Onion, Dry | 5.34 | 1 | 35.00 | A |
| Chemical Total | 5.34 | 1 | | |
| Imperial County Total | 5,088,287.17 | 98,415 | | |